



Approved by the Board of SwissDRG AG on 27 June 2024

With costs of system use (CSU)

Flat rate per case catalogue

SwissDRG Version 14.0

Billing version (2025/2025)

As of: 27.06.2024

Abbreviations:

| | |
|---------------|---|
| CC | Complications or Comorbidities |
| MDC | Major Diagnostic Category |
| OR | Surgical (Operating Room) |
| Partition 'O' | Surgical flat rates per case |
| Partition 'A' | Other flat rates per case, e.g. colonoscopy |
| Partition 'M' | Medical flat rates per case |

Footnotes:

[1] Inpatient days on which calculation of the flat rate per case is based.

[2] First inpatient day on which a deduction from the flat rate per case needs to be made.

[3] First inpatient day on which a daily fee in addition to the flat rate per case is paid.

[4] There is no bundling of cases in the event of readmission to the same hospital.

[5] If the DRG definition does not allow any minimum length of stay and/or maximum length of stay, the catalogue will not show any values accordingly.

[6] The age details in the DRG designations refer to completed years (e.g. age = 5 years and 3 months = 5 years).

[7] The term early rehabilitation is used within the meaning of the CHOP classification, i.e. the performance of medical and rehabilitation measures during the same stay (see the minimum characteristics for coding defined in CHOP).

[8] As regards the scores for complex intensive care treatment as specified in the DRG designation, the first figure relates to the points for the complex intensive care treatment for children and the second figure relates to the points for complex intensive care treatment for adults.

[9] The DRGs P60A, 960Z and 961Z are not billable.

Flat rate per case catalogue

Part a) Acute care hospitals

| DRG ^{a)} | Parti- on | Designation ^{b) 7) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) a)} | Cost weight/day | Minimum length of stay | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|-------------------|--------------|--|--|--------------------------------------|--|-----------------|---------------------------|---------------------------|--|-----------------|---|--------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| Pre-MDC | | | | | | | | | | | | | |
| A01A | O | Transplantation of liver or Langerhans cells with complex intensive care treatment > 360 points or with transplant rejection or with specific other organ transplantation or dialysis or specific complex intensive care treatment with complex treatment in intermediate care unit points or age < 16 years | 10.44 | 20 | 5 | 1.458 | | 37 | | 0.525 | 0.457 | | x |
| A01B | O | Transplantation of liver or Langerhans cells, age > 15 years | 7.41 | 13.9 | 3 | 1.436 | | 28 | | 0.436 | 0.471 | | x |
| A02Z | O | Transplantation of pancreas or intestine | 7.528 | 17.6 | 4 | 1.218 | | 35 | | 0.373 | 0.376 | | x |
| A04A | O | Bone marrow transplantation or stem cell transfusion, allogenic, age < 16 years | 16.171 | 45.4 | 14 | 1.059 | | 60 | | 0.358 | | x | x |
| A04B | O | Bone marrow transplantation or stem cell transfusion, allogenic, age < 18 years or complex intensive care treatment > 360 points or with very severe CC or with highly complex chemotherapy with challenging situation | 12.212 | 36.9 | 11 | 1.012 | | 53 | | 0.333 | | x | x |
| A04C | O | Bone marrow transplantation or stem cell transfusion, allogenic, age > 17 years | 9.083 | 30.2 | 9 | 0.904 | | 41 | | 0.305 | | x | x |
| A05A | O | Heart or lung transplantation or separation of conjoined twins with complex intensive care treatment > 1176/1380 points or specific complex intensive care treatment with complex treatment in intermediate care unit points or kidney transplantation or age < 18 years, or specific procedure and complex intensive care treatment > 392/552 points | 19.599 | 44.7 | 13 | 1.142 | | 62 | | 0.376 | | x | x |
| A05B | O | Heart or lung transplantation or separation of conjoined twins, age > 17 years | 11.875 | 26 | 7 | 1.126 | | 41 | | 0.354 | | x | x |
| A06A | O | Complex intensive care treatment > 9200 points or early neurological rehabilitation from 70 treatment days or implantation of a heart pump, transplantation of liver, lung, heart, stem cell transfusion or separation of conjoined twins, with very severe burns or age < 16 years | 63.676 | 130.1 | 42 | 1.37 | | 148 | | 0.523 | | x | x |
| A06B | O | Complex intensive care treatment > 5880/5520 points or early neurological rehabilitation from 70 treatment days or implantation of a heart pump, transplantation of liver, lung, heart, stem cell transfusion or separation of conjoined twins | 41.236 | 79.4 | 25 | 1.462 | | 97 | | 0.513 | | x | x |
| A06C | O | Complex intensive care treatment > 2352/2484 points with very challenging situations or specific complex intensive care treatment with complex treatment in intermediate care unit points or complex intensive care treatment > 4410/4600 points or specific complex treatment in intermediate care unit > 4900/5520 points | 28.964 | 58.9 | 18 | 1.326 | | 76 | | 0.432 | | x | x |
| A07A | O | Highly complex interventions or complex intensive care treatment > 2940/3680 points or complex treatment in intermediate care unit > 3430/4600 points or early neurological rehabilitation from 7 treatment days or complex intensive care treatment > 2058/2484 points with complex vacuum treatment or specific complex intensive care treatment with complex treatment in intermediate care unit points | 27.13 | 56.6 | 17 | 1.367 | | 74 | | 0.461 | | x | x |
| A07B | O | Complex OR procedure or polytrauma or complex intensive care treatment > 2940/3680 points or complex treatment in intermediate care unit > 3430/4600 points or early neurological rehabilitation from 7 treatment days or complex situations, with very severe CC or highly complex vacuum treatment, or very severe CC with complex intensive care treatment > 1764/2484 points or age < 16 years | 19.299 | 38.5 | 11 | 1.41 | | 56 | | 0.486 | | x | x |
| A07C | O | Complex OR procedure or polytrauma or complex vacuum treatment or complex intensive care treatment > 1470/2208 points or complex treatment in intermediate care unit > 3430/3680 points or early neurological rehabilitation from 7 treatment days or complex situations or age > 15 years | 16.226 | 38.1 | 11 | 1.282 | | 56 | | 0.415 | | x | x |
| A11A | O | Complex intensive care treatment > 196/552 points with specific complex situations or highly complex situations or age < 16 years or complex intensive care treatment > 1656 points or complicating procedures with specific situations | 16.522 | 33.9 | 10 | 1.325 | | 51 | | 0.469 | | x | x |
| A11B | O | Complex intensive care treatment > 196/552 points with specific situations or severe burns or very severe CC, age > 15 years | 13.321 | 28 | 8 | 1.228 | | 45 | | 0.427 | | x | x |
| A11C | O | Complex intensive care treatment > 1470/1656 points with difficult diagnosis or specific procedures or complicating procedures with challenging situations | 12.262 | 28.6 | 8 | 1.214 | | 46 | | 0.396 | | x | x |
| A11D | O | Complex intensive care medicine > 748/828 points with specific situations | 8.873 | 21.8 | 6 | 1.252 | | 38 | | 0.281 | | x | x |
| A15A | O | Bone marrow transplantation or stem cell transfusion, autologous with multiple intervention or complex intensive care treatment > 360 points or very severe CC or highly complex chemotherapy and challenging situation, age < 18 years or specific cell therapy | 6.889 | 20.8 | 5 | 1.138 | | 31 | | 0.336 | 0.357 | | x |
| A15B | O | Bone marrow transplantation or stem cell transfusion, autologous with multiple intervention or complex intensive care treatment > 360 points or very severe CC or highly complex chemotherapy and challenging situation or age > 17 years | 4.828 | 20.8 | 5 | 0.803 | | 31 | | 0.247 | 0.252 | | x |
| A15C | O | Bone marrow transplantation or stem cell transfusion, autologous, age > 17 years | 3.801 | 21 | 5 | 0.63 | | 29 | | 0.185 | 0.188 | | x |
| A17A | O | Kidney transplantation with very severe CC or complex intensive care treatment > 196/184 points or multiple transplantation | 6.154 | 17.6 | 4 | 1.008 | | 32 | | 0.306 | 0.312 | | x |
| A17B | O | Kidney transplantation | 3.948 | 10.3 | 2 | 1.037 | | 20 | | 0.324 | 0.336 | | x |
| A20Z | O | CAR T-cell therapy for DLBCL | 29.863 | 21.9 | 6 | 0.766 | | 36 | | 0.183 | 0.266 | | x |
| A36A | O | Complex intensive care treatment > 980/1104 points for specific diseases and conditions, or complex OR procedure, or more than 8 courses of radiation or with very severe CC | 9.447 | 24.5 | 7 | 1.015 | | 42 | | 0.346 | | x | x |
| A36B | O | Complex intensive care treatment > 392/552 and < 981/1105 points for specific diseases and conditions | 6.841 | 19.6 | 5 | 1.027 | | 36 | | 0.328 | | x | x |
| A42A | A | Bone marrow or stem cell collection, autologous, age < 16 years or specific processes | 1.925 | 2.7 | 1 | 0.912 | | 5 | | 0.702 | 0.912 | | x |
| A42B | A | Bone marrow or stem cell collection, autologous, age > 15 years | 1.263 | 2.6 | 1 | 0.564 | | 5 | | 0.377 | 0.564 | | x |
| A43A | O | Early rehabilitation for vegetative state and locked-in syndrome with early rehabilitation from 70 treatment days or complex treatment in intermediate care unit > 1764/1932 points | 19.354 | 57.2 | 18 | 0.882 | | 75 | | 0.206 | | x | x |
| A43B | O | Early rehabilitation from 14 treatment days for vegetative state and locked-in syndrome or highly complex vacuum treatment | 11.934 | 55 | 17 | 0.454 | | 72 | | 0.238 | | x | x |
| A46A | O | Complex paraplegia treatment from 136 treatment days or complex intensive care treatment > 588/828 points or intervention at more than one site or complex care treatment from 226 points or complex paraplegia treatment 140 to 195 treatment days with specific diagnosis | 29.158 | 148.1 | 48 | 0.564 | | 166 | | 0.239 | | x | |
| A46B | O | Complex paraplegia treatment from 112 to 195 treatment days with complex care treatment from 51 points or specific diagnosis, or complex paraplegia treatment > 28 treatment days with especially challenging situations | 14.115 | 88.7 | 28 | 0.459 | | 106 | | 0.171 | | x | |
| A46C | O | Complex paraplegia treatment from 112 to 195 treatment days or complex care treatment from 51 points or specific OR procedure | 12.526 | 98.9 | 31 | 0.376 | | 116 | | 0.14 | | x | |
| A46D | O | Complex paraplegia treatment > 56 treatment days or complex paraplegia treatment > 28 treatment days with complex intensive care treatment > 980/1104 points or specific complex intensive care treatment with complex treatment in intermediate care unit points, or complex paraplegia treatment < 56 treatment days with specific situations | 9.643 | 66 | 20 | 0.441 | | 83 | | 0.156 | | x | |
| A46E | O | Complex paraplegia treatment 28 to 55 treatment days or complicating or complex procedures or vacuum treatment or polytrauma or complex intensive care treatment > 392/552 points or complex treatment in intermediate care unit > 784/828 points or specific situations | 5.567 | 36.8 | 11 | 0.444 | | 54 | | 0.154 | | x | |
| A46F | O | Complex paraplegia treatment | 2.829 | 18.7 | 5 | 0.464 | | 33 | | 0.155 | | x | |
| A50A | A | Selective intravascular radionuclide therapy | 2.484 | 2.7 | 1 | 0.273 | | 5 | | 0.207 | 0.273 | | x |
| A50B | A | Specific radioreceptor therapy with DOTA-conjugated somatostatin analogue | 1.588 | 2 | 1 | 0.178 | | 4 | | 0.175 | 0.178 | | x |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ | |
|---|----------|--|--|-----------------------------------|------------------------|---|------------------------|---|-----------------|---|-----------------------------|--|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| A50C | A | Radioreceptor therapy with specific PSMA ligands | 1.406 | 3 | | 1 | | | 0.225 | 4 | 0.152 | 0.225 | x |
| A50D | A | Intravascular radiotherapy with radionuclides or radiotherapy with small molecules | 0.829 | 2.1 | | 1 | | | 0.258 | 4 | 0.174 | 0.258 | x |
| A60A | M | Failure and rejection of an organ transplant, more than one inpatient day, with extremely severe CC or complex OR procedure or age < 16 years | 3.088 | 15.4 | | 4 | | | 0.577 | 31 | 0.194 | | x |
| A60B | M | Failure and rejection of an organ transplant, age > 15 years, more than one inpatient day | 1.05 | 5.8 | | 1 | | | 0.471 | 14 | 0.183 | | x |
| A60C | M | Failure and rejection of an organ transplant, one inpatient day | 0.483 | 1 | | | | | | | | | x |
| A90A | O | Complex treatment in intermediate care unit > 1176/1104 points or complex OR procedure or more than 8 courses of radiation or early rehabilitation from 14 treatment days for specific diseases or with very severe CC, with specific OR procedures over more than one session | 10.156 | 33.5 | | 10 | | | 0.687 | 51 | 0.263 | | x |
| A90B | O | Complex treatment in intermediate care unit > 1176/1104 points or complex OR procedure or more than 8 courses of radiation or early rehabilitation from 14 treatment days for specific diseases or with very severe CC | 7.932 | 29.2 | | 8 | | | 0.774 | 47 | 0.248 | | x |
| A90C | O | Complex treatment in intermediate care unit > 392/552 and < 1177/1105 points for specific diseases, or specific complex intensive care treatment with complex treatment in intermediate care unit points or early rehabilitation from 7 treatment days | 5.784 | 23 | | 6 | | | 0.744 | 40 | 0.246 | | x |
| A91Z | M | Photopheresis and apheresis without OR procedure, one inpatient day | 0.556 | 1 | | | | | | | | | x |
| A92A | M | Multimodal pain therapy for specific diseases or complex rheumatological treatment for specific diseases, from 21 treatment days without OR procedure | 2.333 | 21.3 | | | | | | | | | x |
| A92B | M | Multimodal pain therapy for specific diseases or complex rheumatological treatment for specific diseases, from 14 to 20 treatment days without OR procedure or age < 16 years | 1.662 | 15 | | | | | | | | | x |
| A92C | M | Multimodal pain therapy for specific diseases or complex rheumatological treatment for specific diseases, from 7 to 13 treatment days without OR procedure or age > 17 years | 1.028 | 8 | | | | | | | | | x |
| A93A | O | Radiotherapy, more than 8 courses of radiation with complex OR procedure or complex intensive care treatment/complex treatment in intermediate care unit > 184 points or with very severe CC | 7.137 | 39.8 | | 12 | | | 0.485 | 57 | 0.192 | | x |
| A93B | O | Radiotherapy, more than 19 courses of radiation or extremely severe CC or challenging situations with malignant neoplasm | 4.704 | 29.2 | | 8 | | | 0.51 | 47 | 0.168 | | x |
| A93C | O | Radiotherapy, more than 8 courses of radiation | 2.873 | 18.9 | | 5 | | | 0.467 | 32 | 0.155 | | x |
| A94A | M | Complex treatment for colonisation or infection with multidrug-resistant pathogens from 21 treatment days and complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points | 6.416 | 29 | | 8 | | | 0.698 | 43 | 0.223 | 0.223 | |
| A94B | M | Complex treatment for colonisation or infection with multidrug-resistant pathogens from 21 treatment days, or from 14 treatment days and specific diagnosis or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or specific intervention | 3.99 | 24.8 | | 7 | | | 0.487 | 40 | 0.161 | 0.168 | |
| A94C | M | Complex treatment for colonisation or infection with multidrug-resistant pathogens from 14 treatment days or age < 16 years or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or specific diagnoses or with very severe CC | 2.319 | 16.4 | | 4 | | | 0.448 | 28 | 0.142 | 0.148 | |
| A94D | M | Complex treatment for colonisation or infection with multidrug-resistant pathogens from 7 treatment days without OR procedure, age > 15 years | 1.225 | 10.1 | | 2 | | | 0.387 | 18 | 0.121 | 0.125 | |
| A95A | M | Geriatric acute rehabilitation from 7 treatment days with complex OR procedures over more than one session or complicating procedure or very severe CC or geriatric acute rehabilitation from 14 treatment days and complex intensive care treatment/complex treatment in intermediate care unit > 184 points | 5.848 | 27.4 | | 8 | | | 0.559 | 45 | 0.188 | 0.193 | |
| A95B | M | Geriatric acute rehabilitation from 7 treatment days with complex procedure or complex intensive care treatment/complex treatment in intermediate care unit > 360 points or complex vacuum treatment or specific interventions or intervention at more than one site | 3.55 | 18.8 | | 5 | | | 0.388 | 33 | 0.161 | 0.136 | |
| A95C | M | Geriatric acute rehabilitation from 21 treatment days or very severe CC or vacuum treatment or specific OR procedure or complex intensive care treatment > 184 points | 2.963 | 21.3 | | 6 | | | 0.35 | 32 | 0.119 | 0.122 | |
| A95D | M | Geriatric acute rehabilitation from 14 treatment days with extremely severe CC or complex neurological treatment of acute stroke or specific intervention | 2.156 | 18.2 | | 5 | | | 0.349 | 27 | 0.119 | 0.122 | |
| A95E | M | Geriatric acute rehabilitation from 14 treatment days or extremely severe CC, geriatric acute rehabilitation from 7 treatment days with specific OR procedure or vacuum treatment | 1.759 | 15.8 | | 4 | | | 0.327 | 23 | 0.105 | 0.116 | |
| A95F | M | Geriatric acute rehabilitation, from 7 to 13 treatment days with severe motor function impairments or difficult diagnosis or specific procedure | 1.187 | 9.9 | | 2 | | | 0.381 | 16 | 0.109 | 0.139 | |
| A95G | M | Geriatric acute rehabilitation from 7 treatment days | 1.035 | 9.8 | | 2 | | | 0.328 | 15 | 0.095 | 0.119 | |
| A96A | M | Complex complementary medical treatment for specific diseases, without OR procedure, from 26 therapy units | 1.497 | 12.8 | | 3 | | | 0.358 | 20 | 0.081 | 0.128 | |
| A96B | M | Complex complementary medical treatment for specific diseases, without OR procedure, from 10 therapy units | 0.904 | 6.9 | | 1 | | | 0.424 | 13 | 0.087 | 0.159 | |
| A97A | M | Complex palliative medical treatment from 7 treatment days with intervention over more than one session, or specific complex intensive care treatment with complex treatment in intermediate care unit points, or complex OR procedure with complex palliative medical treatment from 21 treatment days or with complex situations, or complex palliative medical treatment from 28 treatment days and age < 16 years or specific procedures | 6.773 | 38.6 | | 11 | | | 0.537 | 56 | 0.19 | | x |
| A97B | M | Complex palliative medical treatment from 7 treatment days with complex procedure or complicating procedure, or complex palliative medical treatment from 21 treatment days with surgical intervention or age < 16 years, or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 4.839 | 28.5 | | 8 | | | 0.496 | 46 | 0.169 | | x |
| A97C | M | Complex palliative medical treatment from 7 treatment days with complex neurological treatment from 24 hours or specific diagnosis or complex palliative medical treatment from 21 treatment days or complex palliative medical treatment from 14 treatment days and age < 16 years | 3.22 | 24.1 | | 7 | | | 0.39 | 40 | 0.138 | | x |
| A97D | M | Complex palliative medical treatment from 7 treatment days with specific disease or age < 16 years, or complex palliative medical treatment from 14 treatment days or cerebral palsies | 2.247 | 17.5 | | 4 | | | 0.44 | 26 | 0.131 | | x |
| A97E | M | Complex palliative medical treatment from 7 treatment days with specific OR procedure or severe motor function impairment or chronic paraplegia/tetraplegia or specific intervention or extremely severe CC | 1.759 | 12.1 | | 3 | | | 0.423 | 22 | 0.138 | | x |
| A97F | M | Complex palliative medical treatment from 7 treatment days | 1.311 | 10.6 | | 2 | | | 0.423 | 18 | 0.123 | | x |
| MDC 01: Diseases and disorders of the nervous system | | | | | | | | | | | | | |
| B01A | O | Complex OR procedures over more than one session or extracranial and intracranial interventions for diseases and disorders of the nervous system, with complex intensive care treatment > 196/184 points | 6.859 | 18.1 | | 5 | | | 0.869 | 32 | 0.294 | | x |
| B01B | O | Complex OR procedures over more than one session or epilepsy surgery with invasive intracranial video EEG | 3.928 | 11.8 | | 2 | | | 0.862 | 23 | 0.245 | | x |
| B02A | O | Complex craniotomy or spinal column surgery, age < 6 years or < 18 years with major intracranial intervention, with extremely severe CC, or complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points or challenging situations with malignant neoplasm | 4.806 | 13.2 | | 3 | | | 0.925 | 27 | 0.297 | | x |
| B02B | O | Complex craniotomy or spinal column surgery | 2.977 | 9.9 | | 2 | | | 0.779 | 21 | 0.248 | | x |
| B03A | O | Surgical interventions for paraplegia/tetraplegia, cerebral disease and interventions for cerebral palsy, muscular dystrophy, neuropathy or interventions on the spinal column and spinal cord, and complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points | 4.189 | 14.2 | | 3 | | | 0.755 | 30 | 0.212 | 0.229 | |
| B03B | O | Surgical interventions for paraplegia/tetraplegia, cerebral disease and interventions for cerebral palsy, muscular dystrophy, neuropathy or interventions on the spinal column and spinal cord, age < 16 years | 2.385 | 6.3 | | 1 | | | 0.611 | 13 | 0.212 | 0.229 | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) 2)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) 3)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|-------------------|----------|---|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| B03C | O | Surgical interventions for paraplegia/tetraplegia, cerebral disease and interventions for cerebral palsy, muscular dystrophy, neuropathy or interventions on the spinal column and spinal cord, and complicating procedure, age > 15 years | 1.801 | 6 | | 1 | 0.465 | 12 | | 0.165 | 0.174 | | |
| B03D | O | Surgical interventions for paraplegia/tetraplegia, cerebral disease and interventions for cerebral palsy, muscular dystrophy, neuropathy or interventions on the spinal column and spinal cord, age > 15 years | 1.366 | 6.2 | | 1 | 0.826 | 16 | | 0.173 | 0.207 | | |
| B04A | O | Interventions on the extracranial vessels or ASD closure or pacemaker with extremely severe CC | 3.816 | 12.5 | | 3 | 0.745 | 24 | | 0.255 | | x | |
| B04B | O | Interventions on the extracranial vessels, ASD closure or pacemaker with severe CC or for cerebral infarction | 2.295 | 8.3 | | 1 | 0.822 | 17 | | 0.205 | | x | |
| B04C | O | Interventions on the extracranial vessels or ASD closure or pacemaker | 1.349 | 4.2 | | 1 | 0.404 | 8 | | 0.148 | 0.252 | | |
| B05Z | O | Decompression for carpal or tarsal tunnel syndrome | 0.446 | 2.1 | | 1 | 0.084 | 4 | | 0.093 | 0.084 | | |
| B09A | O | Other interventions on the cranium with complex intensive care treatment/complex treatment in intermediate care unit > 119 points or complex care treatment > 30 points | 3.182 | 11.2 | | 2 | 0.766 | 23 | | 0.222 | | x | |
| B09B | O | Other interventions on the cranium with specific intervention | 2.065 | 5.9 | | 1 | 0.438 | 12 | | 0.166 | | x | |
| B09C | O | Other interventions on the cranium for malignant neoplasms of the nervous system or specific procedure | 1.627 | 5.6 | | 1 | 0.449 | 12 | | 0.18 | | x | |
| B09D | O | Other interventions on the cranium | 1.372 | 5.6 | | 1 | 0.742 | 12 | | 0.163 | | x | |
| B16Z | O | Radiotherapy for diseases and disorders of the nervous system, more than one inpatient day | 1.729 | 11 | | 2 | 0.557 | 24 | | 0.159 | 0.163 | | x |
| B17A | O | Interventions on peripheral nerves and cranial nerves with complex intervention or with specific diagnosis | 1.425 | 4 | | 1 | 0.289 | 10 | | 0.174 | 0.181 | | |
| B17B | O | Interventions on peripheral nerves and cranial nerves | 0.688 | 2.5 | | 1 | 0.228 | 5 | | 0.164 | 0.228 | | |
| B20A | O | Specific or complex intracranial interventions or major spinal column surgery with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex intensive care treatment > 119 points with specific situation | 4.365 | 11.4 | | 2 | 1.039 | 22 | | 0.276 | | x | |
| B20B | O | Specific or complex intracranial interventions or major spinal column surgery with complex procedure or complex diagnosis or complex intensive care treatment > 119 points, with intraoperative monitoring or specific intervention or age < 16 years | 3.242 | 7.7 | | 1 | 0.892 | 15 | | 0.242 | | x | |
| B20C | O | Specific or complex intracranial interventions or major spinal column surgery with complex procedure or complex intensive care treatment > 119 points, age > 15 years | 2.241 | 6.1 | | 1 | 0.444 | 12 | | 0.23 | | x | |
| B20D | O | Specific or complex intracranial interventions or major spinal column surgery | 1.919 | 5.9 | | 1 | 0.544 | 13 | | 0.207 | | x | |
| B21A | O | Implantation of a neurostimulator with electrodes for brain stimulation or medicine pump or complex treatment for extrapyramidal motor diseases from 14 treatment days or specific OR procedures over more than one session | 6.32 | 9.7 | | 2 | 0.538 | 17 | | 0.17 | 0.196 | | |
| B21B | O | Implantation of a neurostimulator with multi-electrode system or specific intervention | 3.315 | 2.5 | | 1 | 0.622 | 5 | | 0.198 | 0.622 | | |
| B21C | O | Implantation of another neurostimulator or intracranial electrodes | 2.435 | 2.7 | | 1 | 1.06 | 6 | | 0.193 | 1.06 | | |
| B21D | O | Implantation of electrodes of a permanent epidural neurostimulator | 1.653 | 2.5 | | 1 | 0.243 | 5 | | 0.207 | 0.243 | | |
| B21E | O | Implantation of other electrodes | 1.295 | 2.3 | | 1 | 0.226 | 4 | | 0.165 | 0.226 | | |
| B22Z | O | Implantation of a medicine pump | 2.88 | 4.4 | | 1 | 0.407 | 11 | | 0.209 | 0.254 | | |
| B36A | O | Diseases and disorders of the nervous system with complex intensive care treatment > 1176/1380 points | 12.969 | 28.7 | | 8 | 1.402 | 46 | | 0.45 | | x | x |
| B36B | O | Diseases and disorders of the nervous system with complex intensive care treatment > 392/552 points with complex OR procedure or complex intensive care treatment > 589/1104 points or complex OR procedure over four sessions or specific complex intensive care treatment with complex treatment in intermediate care unit points | 9.178 | 20.5 | | 5 | 1.343 | 38 | | 0.405 | | x | x |
| B36C | O | Diseases and disorders of the nervous system with complex intensive care treatment > 392/552 points | 5.54 | 14.3 | | 3 | 1.334 | 29 | | 0.403 | | x | x |
| B36D | O | Diseases and disorders of the nervous system with complex intensive care treatment > 196/119 points | 3.567 | 10.1 | | 2 | 1.124 | 23 | | 0.359 | | x | x |
| B39A | O | Complex neurological treatment for acute stroke lasting more than 72 hours with surgical intervention and extremely severe CC | 3.631 | 11.4 | | 2 | 1.026 | 22 | | 0.286 | | x | |
| B39B | O | Complex neurological treatment for acute stroke lasting more than 72 hours with specific OR procedure or complex intensive care treatment > 119 points | 2.951 | 9.6 | | 2 | 0.791 | 17 | | 0.224 | | x | |
| B39C | O | Complex neurological treatment for acute stroke with surgical intervention | 2.59 | 7.8 | | 1 | 0.793 | 16 | | 0.229 | | x | |
| B60A | M | Paraplegia/tetraplegia with medical procedure and more than one inpatient day | 1.653 | 9.5 | | 2 | 0.527 | 21 | | 0.165 | | x | |
| B60B | M | Paraplegia/tetraplegia | 0.747 | 4.4 | | 1 | 0.4 | 9 | | 0.166 | | x | |
| B61A | O | Paraplegia/tetraplegia or injuries of the spinal cord with complex OR procedure over more than one session or complex intensive care treatment > 392/552 points or very severe CC or specific complex intensive care treatment with complex treatment in intermediate care unit points or specific paraplegia with challenging intervention or intervention on the spine | 6.683 | 20.1 | | 5 | 0.797 | 37 | | 0.25 | | x | |
| B61B | O | Paraplegia/tetraplegia or injuries of the spinal cord with specific OR procedure over four sessions or complex situation or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or very severe CC, with spinal fusion or vertebral body replacement | 5.476 | 18 | | 5 | 0.562 | 36 | | 0.187 | | x | |
| B61C | O | Paraplegia/tetraplegia or injuries of the spinal cord with specific OR procedure over four sessions or complex situation or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or very severe CC, or complex OR procedure or vacuum treatment or specific OR procedure over more than one session or complex care treatment from 51 points, with spinal fusion or vertebral body replacement | 4.241 | 15.5 | | 4 | 0.585 | 31 | | 0.205 | | x | |
| B61D | O | Paraplegia/tetraplegia or injuries of the spinal cord with complex OR procedure or vacuum treatment or specific OR procedure over more than one session or complex care treatment from 51 points | 2.517 | 11.1 | | 2 | 0.497 | 24 | | 0.171 | | x | |
| B61E | O | Paraplegia/tetraplegia or injuries of the spinal cord with specific or complicating procedure | 1.574 | 6.9 | | 1 | 0.495 | 17 | | 0.158 | | x | |
| B61F | O | Paraplegia/tetraplegia or injuries of the spinal cord with surgical intervention | 1.258 | 5.9 | | 1 | 0.388 | 16 | | 0.166 | | x | |
| B63A | M | Dementia and other chronic disorders affecting brain function with extremely severe CC or complex neurological diagnostics | 1.275 | 8.8 | | 1 | 0.613 | 20 | | 0.155 | 0.166 | | |
| B63B | M | Dementia and other chronic disorders affecting brain function | 0.876 | 7.2 | | 1 | 0.409 | 16 | | 0.118 | 0.128 | | |
| B64A | M | Delirium with severe CC | 1.495 | 10.8 | | 2 | 0.471 | 22 | | 0.137 | 0.153 | | |
| B64B | M | Delirium | 0.846 | 6.6 | | 1 | 0.387 | 14 | | 0.113 | 0.145 | | |
| B66A | M | Neoplasms of the nervous system or stupor and coma of non-traumatic origin with extremely severe CC or specific procedure, or age < 16 years with paraplegia/tetraplegia more than one inpatient day | 1.618 | 10.5 | | 2 | 0.511 | 23 | | 0.157 | 0.166 | | x |
| B66B | M | Neoplasms of the nervous system or stupor and coma of non-traumatic origin, age < 16 years | 0.821 | 3.3 | | 1 | 0.389 | 7 | | 0.249 | 0.389 | | x |
| B66C | M | Neoplasms of the nervous system or stupor and coma of non-traumatic origin, age > 15 years | 0.781 | 5.3 | | 1 | 0.355 | 12 | | 0.12 | 0.166 | | x |
| B67A | M | Parkinson's disease with severe impairment or initial setup of levodopa infusion pump | 1.569 | 11.3 | | 2 | 0.51 | 23 | | 0.146 | 0.149 | | |
| B67B | M | Parkinson's disease with extremely severe CC or specific diagnoses or adjustment of neurological stimulation parameters or complex treatment for extrapyramidal motor diseases, from 7 treatment days | 1.183 | 9.7 | | 2 | 0.388 | 17 | | 0.124 | 0.141 | | |
| B67C | M | Parkinson's disease | 0.865 | 7.1 | | 1 | 0.41 | 16 | | 0.125 | 0.129 | | |
| B68A | M | Multiple sclerosis and cerebellar ataxia with complex diagnosis or extremely severe CC or complex neurological diagnostics or specific procedure over more than one session or paraplegia/tetraplegia | 0.984 | 6.7 | | 1 | 0.466 | 15 | | 0.156 | 0.175 | | |
| B68B | M | Multiple sclerosis and cerebellar ataxia | 0.73 | 5.1 | | 1 | 0.337 | 11 | | 0.123 | 0.157 | | |
| B69A | M | Transient ischaemic attack (TIA) and extracranial vascular occlusions with complex neurological treatment for acute stroke > 72 hours or complex neurological treatment with extremely severe CC | 0.962 | 5.4 | | 1 | 0.454 | 10 | | 0.185 | 0.212 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|---|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| B69B | M | Transient ischaemic attack (TIA) and extracranial vascular occlusions with other complex neurological treatment for acute stroke or complex neurological diagnostics or extremely severe CC | 0.776 | 3.3 | 1 | 0.299 | 7 | 0.156 | 0.299 | | | | |
| B69C | M | Transient ischaemic attack (TIA) and extracranial vascular occlusions | 0.527 | 3.2 | 1 | 0.225 | 6 | 0.114 | 0.225 | | | | |
| B70A | M | Apoplexy with complex neurological treatment for acute stroke > 72 hours, with complicating diagnosis or severe motor function disorder or extremely severe CC or paraplegia/tetraplegia, more than one inpatient day | 2.003 | 9.6 | 2 | 0.639 | 20 | 0.216 | | | | x | |
| B70B | M | Apoplexy with complex neurological treatment for acute stroke > 72 hours or complex neurological diagnostics, or with complicating diagnosis or thrombolysis or severe motor function disorder, more than one inpatient day | 1.305 | 6.3 | 1 | 0.618 | 13 | 0.181 | | | | x | |
| B70C | M | Apoplexy with complex neurological treatment for acute stroke < 73 hours, or with other complex neurological treatment > 72 hours or extremely severe CC, more than one inpatient day | 1.265 | 6.8 | 1 | 0.598 | 15 | 0.189 | 0.224 | | | | |
| B70D | M | Apoplexy with other complex neurological treatment for acute stroke < 73 hours or complex neurological diagnostics, or with complicating diagnosis or thrombolysis or severe motor function disorder, more than one inpatient day | 1.106 | 6.6 | 1 | 0.521 | 14 | 0.171 | 0.195 | | | | |
| B70E | M | Apoplexy, more than one inpatient day | 0.82 | 5.9 | 1 | 0.379 | 13 | 0.138 | 0.177 | | | | |
| B70F | M | Apoplexy, more than one inpatient day, dead < 5 days after admission, with complex neurological treatment for acute stroke or other complex neurological treatment | 1.08 | 3.2 | | | | | | | | x | |
| B70G | M | Apoplexy, more than one inpatient day, dead < 5 days after admission | 0.581 | 2.8 | | | | | | | | x | |
| B70H | M | Apoplexy with complex neurological treatment for acute stroke > 23 hours to < 48 hours or thrombolysis, one inpatient day | 0.601 | 1 | | | | | | | | x | |
| B70I | M | Apoplexy with complex neurological treatment for acute stroke < 24 hours, one inpatient day | 0.391 | 1 | | | | | | | | x | |
| B71A | M | Diseases of cranial nerves and peripheral nerves with complex diagnosis and more than one inpatient day, with severe CC or with chronic paraplegia/tetraplegia or complex neurological diagnostics, or severe CC with more than one inpatient day and chronic paraplegia/tetraplegia | 1.636 | 10.5 | 2 | 0.525 | 23 | 0.166 | | | | x | |
| B71B | M | Diseases of cranial nerves and peripheral nerves with complex diagnosis or severe CC and more than one inpatient day, or chronic paraplegia/tetraplegia, or complex treatment on the hand from 7 treatment days | 1.246 | 9 | 2 | 0.397 | 19 | 0.143 | | | | x | |
| B71C | M | Diseases of cranial nerves and peripheral nerves | 0.671 | 5.2 | 1 | 0.309 | 12 | 0.102 | | | | x | |
| B72A | M | Infection of the nervous system except for viral meningitis, age < 16 years or complex neurological diagnostics or extremely severe CC | 1.679 | 10.7 | 2 | 0.532 | 24 | 0.164 | | | | x | |
| B72B | M | Infection of the nervous system except for viral meningitis, age > 15 years | 0.962 | 7.3 | 1 | 0.45 | 16 | 0.13 | | | | x | |
| B73A | M | Viral meningitis and age < 2 years | 0.595 | 2.6 | 1 | 0.268 | 5 | 0.202 | 0.268 | | | | |
| B73B | M | Viral meningitis and age > 1 year | 0.775 | 5.7 | 1 | 0.347 | 13 | 0.137 | 0.162 | | | | |
| B75Z | M | Febrile convulsions | 0.47 | 2.3 | 1 | 0.208 | 4 | 0.131 | 0.208 | | | | |
| B76A | M | Seizures with invasive video EEG or non-invasive video EEG from 120 hours, more than one inpatient day | 2.899 | 10.4 | 2 | 0.965 | 20 | 0.296 | 0.313 | | | | |
| B76B | M | Seizures and complex treatment for epilepsy from 14 treatment days, more than one inpatient day | 2.467 | 19.3 | 5 | 0.411 | 32 | 0.133 | 0.136 | | | | |
| B76C | M | Seizures and complex treatment for epilepsy from 7 treatment days or complex intensive care treatment > 119 points or complex treatment in intermediate care unit > 196/119 points, more than one inpatient day | 1.649 | 8.8 | 1 | 0.816 | 14 | 0.189 | 0.221 | | | | |
| B76D | M | Seizures or non-invasive video EEG from 72 hours or age < 16 years, more than one inpatient day | 1.207 | 3.6 | 1 | 0.603 | 6 | 0.251 | 0.603 | | | | |
| B76E | M | Seizures or video EEG or complex treatment for epilepsy from 7 treatment days, more than one inpatient day, age > 15 years | 1.067 | 3 | 1 | 0.533 | 6 | 0.187 | 0.533 | | | | |
| B76F | M | Seizures with complex neurological diagnostics or EEG with complex diagnosis or congenital malformations or extremely severe CC and more than one inpatient day | 1.608 | 9.5 | 2 | 0.504 | 23 | 0.181 | 0.183 | | | | |
| B76G | M | Seizures with complex neurological diagnostics or EEG and more than one inpatient day, or age < 6 years or complex diagnosis or severe CC | 0.896 | 4.7 | 1 | 0.415 | 11 | 0.196 | 0.26 | | | | |
| B76H | M | Seizures, age > 5 years | 0.604 | 3.8 | 1 | 0.268 | 8 | 0.158 | 0.268 | | | | |
| B77A | M | Headaches with complex neurological diagnostics or age < 16 years or complex intensive care treatment > 59 points | 0.644 | 3.3 | 1 | 0.295 | 7 | 0.138 | 0.295 | | | | |
| B77B | M | Headaches and age > 15 years | 0.494 | 3.5 | 1 | 0.217 | 8 | 0.092 | 0.217 | | | | |
| B78A | M | Intracranial injury, age < 12 years | 0.819 | 4 | 1 | 0.377 | 9 | 0.202 | 0.236 | | | | |
| B78B | M | Intracranial injury, age > 11 years | 0.703 | 4.7 | 1 | 0.314 | 11 | 0.146 | 0.196 | | | | |
| B79Z | M | Cranial fractures | 0.501 | 2.9 | 1 | 0.215 | 6 | 0.158 | 0.215 | | | | |
| B80Z | M | Other head injuries | 0.383 | 2.5 | 1 | 0.164 | 5 | 0.146 | 0.164 | | | | |
| B81A | M | Vascular myelopathies or other diseases of the nervous system with complex diagnosis or complex neurological diagnostics and age < 16 years or specific diagnosis | 1.417 | 6.2 | 1 | 0.681 | 13 | 0.238 | 0.255 | | | | |
| B81B | M | Vascular myelopathies or other diseases of the nervous system with complex diagnosis or complex neurological diagnostics or extremely severe CC, age > 15 years | 1.039 | 6.9 | 1 | 0.49 | 16 | 0.155 | 0.184 | | | | |
| B81C | M | Other diseases of the nervous system | 0.737 | 5.9 | 1 | 0.336 | 13 | 0.124 | 0.157 | | | | |
| B82Z | M | Other diseases of peripheral nerves | 0.473 | 3.8 | 1 | 0.207 | 8 | 0.078 | 0.207 | | | | |
| B85A | M | Degenerative diseases of the nervous system with extremely severe CC or complicating diagnoses or complex neurological diagnostics, or cerebral palsies or age < 16 years or difficult diagnosis or paraplegia/tetraplegia | 1.105 | 7.5 | 1 | 0.528 | 18 | 0.155 | 0.166 | | | | |
| B85B | M | Degenerative diseases of the nervous system, age > 15 years | 0.789 | 5.8 | 1 | 0.374 | 14 | 0.142 | 0.175 | | | | |
| B86A | M | Diseases and disorders of the nervous system with main diagnosis of malignant neoplasm, epilepsy or status epilepticus or paraplegia/tetraplegia, one inpatient day | 0.34 | 1 | | | | | | | | x | |
| B86B | M | Diseases and disorders of the nervous system, one inpatient day | 0.269 | 1 | | | | | | | | x | |
| B87A | M | Diseases and disorders of the nervous system with complex intensive care treatment/complex treatment in intermediate care unit > 184 points or complex treatment in intermediate care unit children/newborns > 196 points or complex neurological treatment for at least 24 hours or very severe CC | 2.472 | 10.6 | 2 | 0.788 | 23 | 0.24 | | | | x | x |
| B87B | M | Diseases and disorders of the nervous system with complex intensive care treatment/complex treatment in intermediate care unit > 119 to 184 points | 1.517 | 7.2 | 1 | 0.702 | 16 | 0.216 | | | | x | x |
| B90A | O | Diseases and disorders of the nervous system with early neurological rehabilitation from 21 treatment days or complex treatment in intermediate care unit > 1176/1104 points or complex OR procedure | 8.041 | 23.5 | 6 | 0.977 | 39 | 0.301 | | | | x | x |
| B90B | O | Diseases and disorders of the nervous system with complex treatment in intermediate care unit > 392/552 points or early rehabilitation from 7 treatment days or specific complex intensive care treatment with complex treatment in intermediate care unit points | 4.353 | 16.8 | 4 | 0.845 | 29 | 0.258 | | | | x | x |
| MDC 02: Diseases and disorders of the eye | | | | | | | | | | | | | |
| C01Z | O | Interventions for penetrating eye injuries | 0.947 | 2.7 | 1 | 0.265 | 5 | 0.211 | 0.265 | | | | |
| C02Z | O | Interventions on the orbital cavity and eyeball | 1.015 | 3.4 | 1 | 0.257 | 7 | 0.228 | 0.257 | | | | x |
| C03A | O | Interventions over more than one session or bilateral interventions on the retina, choroid, vitreous humour and posterior chamber or cerebral palsy | 1.172 | 3.7 | 1 | 0.337 | 8 | 0.209 | 0.337 | | | | |
| C03B | O | Interventions on the retina, choroid and posterior chamber with intervention on the lens or the vitreous humour | 0.68 | 2.1 | 1 | 0.145 | 4 | 0.135 | 0.145 | | | | |
| C03C | O | Interventions on the retina, choroid, vitreous humour and posterior chamber | 0.671 | 2.2 | 1 | 0.171 | 4 | 0.132 | 0.171 | | | | |
| C04Z | O | Interventions on the cornea | 1.058 | 3.1 | 1 | 0.327 | 5 | 0.148 | 0.327 | | | | |
| C06A | O | Interventions on the iris, ciliary body, sclera and anterior chamber with implantation of a glaucoma drainage implant | 0.829 | 2.3 | 1 | 0.295 | 4 | 0.157 | 0.295 | | | | |
| C06B | O | Interventions on the iris, ciliary body, sclera and anterior chamber | 0.767 | 2.3 | 1 | 0.289 | 4 | 0.162 | 0.289 | | | | |
| C08A | O | Extracapsular extraction of the lens with intervention over more than one session or bilateral intervention or congenital malformation of the lens | 0.777 | 2.1 | 1 | 0.093 | 4 | 0.168 | 0.093 | | | | |

| DRG ^{a)} | Parti on | Designation ^{b) 7) 8)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) 3)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|--|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| C08B | O | Intervention on the lens | 0.591 | 2.1 | | 1 | 0.179 | | 4 | 0.136 | 0.179 | | |
| C10Z | O | Interventions on the eye muscles | 0.459 | 1.1 | | | | | 2 | 0.172 | 0.246 | | |
| C12Z | O | Interventions on the eyelid | 0.808 | 2.4 | | 1 | 0.192 | | 4 | 0.129 | 0.192 | | |
| C13A | O | Interventions over more than one session or bilateral interventions on the lachrymal apparatus or reconstruction of the nose | 0.726 | 2.3 | | 1 | 0.162 | | 4 | 0.148 | 0.162 | | |
| C13B | O | Interventions on the lachrymal apparatus | 0.676 | 2.1 | | 1 | 0.141 | | 4 | 0.153 | 0.141 | | |
| C14Z | O | Interventions on the conjunctiva or other procedures | 1.263 | 5.7 | | 1 | 0.46 | | 11 | 0.121 | 0.215 | | |
| C29Z | O | Specific interventions over more than one session or bilateral interventions on the cornea or prosthetic iris, or malignant neoplasm with specific procedure | 1.596 | 4.6 | | 1 | 0.442 | | 10 | 0.202 | 0.276 | | |
| C60A | M | Acute and severe eye infections with complicating diagnosis or with severe CC | 1.37 | 10.2 | | 2 | 0.441 | | 22 | 0.142 | 0.143 | | |
| C60B | M | Acute and severe eye infections | 0.7 | 5.3 | | 1 | 0.336 | | 11 | 0.095 | 0.157 | | |
| C61A | M | Neuro-ophthalmological and vascular diseases of the eye with complicating diagnosis or with severe CC or complex neurological diagnostics or complex neurological treatment for at least 24 hours | 0.776 | 4.6 | | 1 | 0.356 | | 10 | 0.165 | 0.223 | | |
| C61B | M | Neuro-ophthalmological and vascular diseases of the eye | 0.655 | 3.6 | | 1 | 0.3 | | 8 | 0.152 | 0.3 | | |
| C62Z | M | Hypaema and conservatively treated eye injuries | 0.526 | 3.1 | | 1 | 0.23 | | 6 | 0.114 | 0.23 | | |
| C63A | M | Malignant neoplasms of the retina and age < 16 years | 0.748 | 1.2 | | | | | 4 | 0.27 | 0.457 | | x |
| C63B | M | Diabetic or specific diseases of the eye | 0.56 | 3.9 | | 1 | 0.266 | | 8 | 0.147 | 0.266 | | |
| C63C | M | Malignant neoplasms or other diseases of the eye | 0.55 | 3.7 | | 1 | 0.254 | | 8 | 0.152 | 0.254 | | |
| C64Z | M | Glaucoma, cataract and diseases of the eyelid | 0.587 | 2.5 | | 1 | 0.281 | | 5 | 0.169 | 0.281 | | |
| C66Z | M | Diseases and disorders of the eye, one inpatient day | 0.296 | 1 | | | | | | | | x | |
| MDC 03: Diseases and disorders of the ear, nose, mouth and throat | | | | | | | | | | | | | |
| D01A | O | Cochlea implantation bilateral or implantation of a knee joint and/or prostheses | 4.56 | 2.8 | | | | | 8 | 0.246 | 0.319 | | |
| D01B | O | Cochlea implantation | 2.723 | 2.2 | | | | | 4 | 0.189 | 0.199 | | |
| D02A | O | Complex resections with reconstructions of the head and throat and combination intervention with extremely difficult CC or complicating procedure or complex OR procedure over more than one session, with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or specific processes | 8.666 | 21.5 | | 6 | 0.759 | | 38 | 0.251 | 0.264 | | |
| D02B | O | Complex resections with reconstructions of the head and throat and combination intervention with extremely difficult CC or complicating procedure or complex OR procedure over more than one session | 6.322 | 20.3 | | 5 | 0.616 | | 35 | 0.191 | 0.193 | | |
| D03A | O | Surgical correction of a cleft lip/jaw/palate with rhinoplasty | 1.772 | 3.5 | | 1 | 0.373 | | 6 | 0.216 | 0.373 | | |
| D03B | O | Surgical correction of a cleft lip/jaw/palate, age < 2 years | 1.32 | 3.6 | | 1 | 0.32 | | 6 | 0.177 | 0.32 | | |
| D03C | O | Surgical correction of a cleft lip/jaw/palate, age > 1 year | 1.138 | 3.1 | | 1 | 0.311 | | 5 | 0.149 | 0.311 | | |
| D04Z | O | Bimaxillary osteotomy and complex interventions on the jaw | 1.669 | 3 | | 1 | 0.511 | | 5 | 0.352 | 0.511 | | |
| D05A | O | Complex parotidectomy | 1.107 | 2.5 | | 1 | 0.241 | | 4 | 0.144 | 0.241 | | |
| D05B | O | Complex interventions on the salivary glands except for complex parotidectomies | 0.929 | 2.5 | | 1 | 0.196 | | 4 | 0.118 | 0.196 | | |
| D06A | O | Challenging interventions on the paranasal sinus, mastoid, middle ear and other interventions on the salivary gland, with complex tympanoplasty or age < 6 years | 0.853 | 2.2 | | 1 | 0.099 | | 4 | 0.148 | 0.099 | | |
| D06B | O | Challenging interventions on the paranasal sinus, mastoid, middle ear and other interventions on the salivary gland, age > 5 and < 16 years, or complex intervention on the mastoid or paranasal sinus or with complex diagnosis, age > 15 years | 0.725 | 2.3 | | 1 | 0.169 | | 5 | 0.13 | 0.169 | | |
| D06C | O | Challenging interventions on the paranasal sinus, mastoid, middle ear and other interventions on the salivary gland, age > 15 years | 0.661 | 2.3 | | 1 | 0.12 | | 4 | 0.115 | 0.12 | | |
| D08Z | O | Interventions on the oral cavity and mouth for malignant neoplasm | 0.826 | 2.6 | | 1 | 0.27 | | 5 | 0.232 | 0.27 | | |
| D09A | O | Tonsillectomy for malignant neoplasm with severe CC or various interventions on the ear, nose, mouth and throat with severe CC | 1.339 | 5.8 | | 1 | 0.431 | | 15 | 0.18 | 0.201 | | x |
| D09B | O | Tonsillectomy for malignant neoplasm | 0.753 | 2.8 | | 1 | 0.208 | | 5 | 0.109 | 0.208 | | x |
| D12A | O | Other challenging interventions or radiotherapy or specific OR procedures over more than one session for diseases and disorders of the ear, nose, mouth and throat | 1.117 | 3.3 | | 1 | 0.514 | | 7 | 0.269 | 0.514 | | |
| D12B | O | Other interventions on the ear, nose, mouth and throat | 0.718 | 2.6 | | 1 | 0.195 | | 6 | 0.182 | 0.195 | | |
| D13A | O | Tonsillectomy or adenectomy except for malignant neoplasm with interventions over more than one session | 1.026 | 4.8 | | 1 | 0.312 | | 9 | 0.198 | 0.195 | | |
| D13B | O | Haemostasis after tonsillectomy or adenectomy or tonsillectomy for abscess, except for malignant neoplasm, age < 16 years | 0.59 | 2.4 | | 1 | 0.173 | | 4 | 0.115 | 0.173 | | |
| D13C | O | Tonsillectomy or adenectomy except for malignant neoplasm, age > 15 years | 0.486 | 2.3 | | 1 | 0.126 | | 4 | 0.103 | 0.126 | | |
| D15A | O | Tracheostomy or radiation and multidrug-resistant pathogens, with extremely severe CC or complex treatment in intermediate care unit > 196/184 points and complex OR procedure | 4.936 | 18.6 | | 5 | 0.708 | | 34 | 0.223 | 0.248 | | x |
| D15B | O | Tracheostomy or radiation with multidrug-resistant pathogens or complex treatment in intermediate care unit > 196/184 points | 2.594 | 11.8 | | 2 | 0.628 | | 23 | 0.169 | 0.184 | | x |
| D16Z | O | Material removal from the jaw and face | 0.882 | 2.1 | | 1 | 0.278 | | 4 | 0.118 | 0.278 | | |
| D17Z | O | Plastic reconstruction of the pinna | 0.978 | 2.6 | | 1 | 0.228 | | 5 | 0.121 | 0.228 | | |
| D20Z | O | Radiotherapy for diseases and disorders of the ear, nose, mouth and throat | 0.932 | 4.9 | | 1 | 0.469 | | 11 | 0.206 | 0.235 | | x |
| D22Z | O | Interventions on the oral cavity and mouth except for malignant neoplasm | 0.722 | 2.4 | | 1 | 0.224 | | 4 | 0.119 | 0.224 | | |
| D23Z | O | Implantation of a hearing aid | 1.665 | 2.4 | | 1 | 0.189 | | 4 | 0.12 | 0.189 | | |
| D24A | O | Complex dermatoplasties and major interventions on the head and throat with complex or specific intervention or radical laryngectomy with combination intervention or extremely severe CC | 5.365 | 16.6 | | 4 | 0.609 | | 29 | 0.193 | 0.201 | | |
| D24B | O | Complex dermatoplasties and major interventions on the head and throat with combination intervention or extremely severe CC | 2.292 | 8.2 | | 1 | 0.588 | | 19 | 0.16 | 0.159 | | |
| D24C | O | Complex dermatoplasties and major interventions on the head and throat | 1.786 | 5.4 | | 1 | 0.417 | | 12 | 0.118 | 0.195 | | |
| D25A | O | Moderately complex interventions on the head and throat and extremely severe CC or radiotherapy with surgical intervention, or specific intervention | 1.942 | 7.8 | | 1 | 0.657 | | 19 | 0.187 | 0.207 | | x |
| D25B | O | Moderately complex interventions on the head and throat | 1.041 | 3.2 | | 1 | 0.32 | | 6 | 0.125 | 0.32 | | x |
| D28Z | O | Maxillary osteotomy and complex interventions on the head and throat or other interventions on the head and throat for malignant neoplasm | 1.185 | 3 | | 1 | 0.411 | | 6 | 0.268 | 0.411 | | x |
| D29Z | O | Surgery on the jaw and other interventions on the head and throat except for malignant neoplasm | 0.915 | 3 | | 1 | 0.242 | | 7 | 0.183 | 0.242 | | |
| D30A | O | Various interventions on the ear, nose, mouth and throat with extremely severe CC, with challenging intervention or intervention on the oral cavity and mouth except for malignant neoplasm without graft involving the floor of the mouth or vestibule with age < 3 years | 0.687 | 2.1 | | 1 | 0.11 | | 4 | 0.151 | 0.11 | | |
| D30B | O | Various interventions on the ear, nose, mouth and throat with specific procedure or age < 16 years | 0.595 | 2.1 | | 1 | 0.14 | | 4 | 0.163 | 0.14 | | |
| D30C | O | Various interventions on the ear, nose, mouth and throat, age > 15 years | 0.559 | 2.2 | | 1 | 0.174 | | 4 | 0.103 | 0.174 | | |
| D35Z | O | Interventions on the nose and paranasal sinuses for malignant neoplasm | 0.896 | 2.6 | | 1 | 0.224 | | 5 | 0.177 | 0.224 | | x |
| D37A | O | Diseases and disorders of the ear, nose, mouth and throat with complex intensive care treatment > 196/184 points and complex OR procedure | 5.864 | 16.4 | | 4 | 0.748 | | 30 | 0.238 | | x | x |
| D37B | O | Diseases and disorders of the ear, nose, mouth and throat with complex intensive care treatment > 196/184 points | 2.784 | 9 | | 1 | 1.186 | | 19 | 0.231 | | x | x |
| D38A | O | Very complex interventions on the nose | 0.81 | 2.1 | | 1 | 0.188 | | 4 | 0.263 | 0.188 | | |
| D38B | O | Complex interventions on the nose | 0.601 | 2.1 | | 1 | 0.136 | | 4 | 0.202 | 0.136 | | |
| D39Z | O | Other interventions on the nose | 0.558 | 2.7 | | 1 | 0.144 | | 5 | 0.101 | 0.144 | | |
| D40Z | A | Dental extraction and restoration | 0.709 | 2.5 | | 1 | 0.245 | | 4 | 0.13 | 0.245 | | |
| D60A | M | Malignant neoplasms of the ear, nose, mouth and throat, more than one inpatient day with severe CC or specific procedure | 1.165 | 7.9 | | 1 | 0.535 | | 18 | 0.145 | 0.168 | | x |
| D60B | M | Malignant neoplasms of the ear, nose, mouth and throat | 0.623 | 3.3 | | 1 | 0.225 | | 8 | 0.106 | 0.225 | | x |
| D61A | M | Balance problems (dizziness) with complex neurological diagnostics or extremely severe CC with more than one inpatient day | 0.776 | 4.9 | | 1 | 0.349 | | 12 | 0.118 | 0.218 | | |
| D61B | M | Balance problems (dizziness) | 0.487 | 3.6 | | 1 | 0.212 | | 8 | 0.089 | 0.212 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) a)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|--|--|-----------------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| D62A | M | Epistaxis or otitis media or infection of the upper respiratory tract and age > 2 years and age < 12 years or complicating procedure or specific diagnosis or severe CC | 0.526 | 3.9 | 1 | 0.235 | 8 | 0.093 | 0.235 | | |
| D62B | M | Epistaxis or otitis media or infection of the upper respiratory tract and age > 2 years | 0.404 | 3.1 | 1 | 0.175 | 6 | 0.085 | 0.175 | | |
| D63Z | M | Otitis media or infections of the upper respiratory tract, age < 3 years | 0.468 | 2.7 | 1 | 0.214 | 5 | 0.174 | 0.214 | | |
| D64Z | M | Laryngotracheitis and epiglottitis | 0.463 | 2.5 | 1 | 0.208 | 5 | 0.12 | 0.208 | | |
| D65Z | M | Injury and deformity of the nose | 0.488 | 3.1 | 1 | 0.188 | 7 | 0.092 | 0.188 | | |
| D66A | M | Other diseases of the ear, nose, mouth and throat with severe CC | 1.022 | 7 | 1 | 0.461 | 16 | 0.137 | 0.145 | | |
| D66B | M | Other diseases of the ear, nose, mouth and throat | 0.466 | 3 | 1 | 0.193 | 6 | 0.097 | 0.193 | | |
| D67A | M | Diseases of the teeth and oral cavity without dental extraction and restoration, following transplantation or severe CC and more than one inpatient day | 0.94 | 6.8 | 1 | 0.437 | 15 | 0.137 | 0.164 | | |
| D67B | M | Diseases of the teeth and oral cavity without dental extraction and restoration | 0.499 | 3.2 | 1 | 0.207 | 7 | 0.096 | 0.207 | | |
| D68A | M | Diseases and disorders of the ear, nose, mouth and throat with specific procedure, one inpatient day | 0.456 | 1 | | | | | | x | |
| D68B | M | Diseases and disorders of the ear, nose, mouth and throat, one inpatient day | 0.268 | 1 | | | | | | x | |
| D87Z | M | Diseases and disorders of the ear, nose, mouth and throat with complex intensive care treatment/complex treatment in intermediate care unit > 119 points | 1.248 | 5.5 | 1 | 0.56 | 13 | 0.197 | 0.261 | | x |
| MDC 04: Diseases and disorders of the respiratory system | | | | | | | | | | | |
| E01A | O | Revision interventions, bilateral lobectomy with extremely severe CC, or radiotherapy with surgical intervention | 5.181 | 19.4 | 5 | 0.616 | 35 | 0.189 | 0.204 | | x |
| E01B | O | Revision interventions or bilateral lobectomy or ASD closure or specific OR procedure over more than one session | 3.003 | 11.9 | 2 | 0.627 | 22 | 0.165 | 0.183 | | x |
| E02A | O | Other OR procedures on the respiratory system with specific procedure or challenging situations due to malignant neoplasm or age < 16 years | 1.794 | 5.4 | 1 | 0.713 | 12 | 0.299 | | x | |
| E02B | O | Other OR procedures on the respiratory system, age > 15 years with challenging intervention on the bronchus | 1.721 | 6.8 | 1 | 0.598 | 15 | 0.189 | | x | |
| E02C | O | Other OR procedures on the respiratory system, age > 15 years | 1.268 | 5.2 | 1 | 0.616 | 12 | 0.173 | | x | |
| E05A | O | Other major interventions on the thorax with extremely severe CC or cardiopulmonary bypass or complicating procedure | 3.446 | 15.3 | 4 | 0.537 | 27 | 0.181 | | x | x |
| E05B | O | Other major interventions on the thorax for malignant neoplasm | 2.175 | 6.3 | 1 | 0.647 | 12 | 0.153 | | x | x |
| E05C | O | Other major interventions on the thorax | 1.86 | 8.2 | 1 | 0.618 | 16 | 0.111 | 0.167 | | |
| E06A | O | Other pulmonary resections, biopsy involving thoracic organs and interventions on the thoracic wall with extremely severe CC or surgical lung volume reduction | 2.728 | 10.9 | 2 | 0.661 | 21 | 0.192 | | x | |
| E06B | O | Other pulmonary resections, biopsy involving thoracic organs and interventions on the thoracic wall, age < 16 years | 2.005 | 6.3 | 1 | 0.633 | 11 | 0.203 | | x | |
| E06C | O | Other pulmonary resections, biopsy involving thoracic organs and interventions on the thoracic wall, age > 15 years | 1.9 | 5.8 | 1 | 1.055 | 12 | 0.146 | | x | |
| E07Z | O | Interventions for sleep apnoea syndrome | 0.706 | 2.5 | 1 | 0.184 | 4 | 0.109 | 0.184 | | |
| E08A | O | Radiotherapy for diseases and disorders of the respiratory system, more than one inpatient day with extremely severe CC or complicating procedure or challenging situations due to malignant neoplasm | 2.871 | 15.4 | 4 | 0.549 | 31 | 0.183 | 0.194 | | x |
| E08B | O | Radiotherapy for diseases and disorders of the respiratory system, more than one inpatient day | 1.153 | 6.5 | 1 | 0.552 | 15 | 0.135 | 0.207 | | x |
| E33A | O | Complex OR procedures over more than one session or pleurotomy for malignant pleural mesothelioma with complex intensive care treatment/complex treatment in intermediate care unit > 184 points | 6.309 | 18.8 | 5 | 0.728 | 33 | 0.241 | 0.255 | | |
| E33B | O | Complex OR procedures over more than one session or pleurotomy for malignant pleural mesothelioma | 3.857 | 17.2 | 4 | 0.527 | 33 | 0.178 | 0.163 | | |
| E36A | O | Diseases and disorders of the respiratory system with complex intensive care treatment > 980/1104 points or specific OR procedure over four sessions or complex vacuum treatment or specific complex intensive care treatment with complex treatment in intermediate care unit points or complex procedure or very severe CC | 8.896 | 24.1 | 7 | 1.074 | 40 | 0.369 | | x | x |
| E36B | O | Diseases and disorders of the respiratory system with complex intensive care treatment > 392/552 points or specific OR procedure over more than one session or complex procedure or complex intensive care treatment > 196/360 points with specific OR procedure or paraplegia/tetraplegia | 5.306 | 15.2 | 4 | 0.997 | 29 | 0.34 | | x | x |
| E36C | O | Diseases and disorders of the respiratory system with complex intensive care treatment > 360 points or specific complex intensive care treatment with complex treatment in intermediate care unit points or paraplegia/tetraplegia | 3.458 | 13 | 3 | 0.84 | 24 | 0.27 | | x | x |
| E36D | O | Diseases and disorders of the respiratory system with complex intensive care treatment > 196/184 points | 2.345 | 10.1 | 2 | 0.748 | 20 | 0.234 | | x | x |
| E60A | M | Cystic fibrosis (mucoviscidosis) or other lung diseases with evaluation for transplantation or contact isolation from 7 treatment days or age < 16 years | 1.593 | 7.2 | 1 | 0.739 | 15 | 0.212 | 0.232 | | x |
| E60B | M | Cystic fibrosis (mucoviscidosis) without other lung diseases with evaluation for transplantation or ARDS, age > 15 years, more than one inpatient day | 1.154 | 7.8 | 1 | 0.555 | 17 | 0.142 | 0.175 | | x |
| E63A | M | Sleep apnoea syndrome or cardiorespiratory polysomnography up to 2 inpatient days, complex neurological treatment or specific invasive cardiological diagnostics or paraplegia/tetraplegia or age < 16 years | 0.634 | 2.4 | 1 | 0.357 | 4 | 0.189 | 0.357 | | |
| E63B | M | Sleep apnoea syndrome or cardiorespiratory polysomnography up to 2 inpatient days, age > 15 years | 0.337 | 2.3 | 1 | 0.023 | 4 | 0.109 | 0.023 | | |
| E64A | M | Respiratory insufficiency or pulmonary embolism with specific procedure or extremely severe CC or contact isolation from 7 treatment days | 1.304 | 9 | 2 | 0.416 | 18 | 0.145 | 0.151 | | |
| E64B | M | Respiratory insufficiency or pulmonary embolism, age < 16 years | 0.654 | 3.5 | 1 | 0.321 | 7 | 0.198 | 0.321 | | |
| E64C | M | Respiratory insufficiency or pulmonary embolism with severe CC, age > 15 years | 0.973 | 7.3 | 1 | 0.454 | 16 | 0.129 | 0.143 | | |
| E64D | M | Respiratory insufficiency or pulmonary embolism, age > 15 years | 0.562 | 4.5 | 1 | 0.251 | 9 | 0.108 | 0.157 | | |
| E65A | M | Chronic obstructive pulmonary disease following transplantation or specific intervention or complicating procedure or with extremely severe CC or specific procedure | 1.35 | 10.4 | 2 | 0.422 | 21 | 0.13 | 0.137 | | |
| E65B | M | Chronic obstructive pulmonary disease with rigid bronchoscopy or severe CC or contact isolation from 7 treatment days | 0.874 | 7.3 | 1 | 0.403 | 15 | 0.118 | 0.127 | | |
| E65C | M | Chronic obstructive pulmonary disease, age < 16 years | 0.465 | 2.6 | 1 | 0.211 | 5 | 0.181 | 0.211 | | |
| E65D | M | Chronic obstructive pulmonary disease, age > 15 years | 0.607 | 5.3 | 1 | 0.273 | 11 | 0.111 | 0.127 | | |
| E66A | M | Severe thorax trauma with complicating diagnosis | 0.651 | 4.9 | 1 | 0.289 | 11 | 0.127 | 0.181 | | |
| E66B | M | Severe thorax trauma | 0.51 | 4.2 | 1 | 0.225 | 9 | 0.118 | 0.141 | | |
| E70A | M | Pertussis and acute bronchitis, age < 1 year or RSV infections with specific procedure or contact isolation from 7 treatment days | 0.96 | 5.8 | 1 | 0.46 | 11 | 0.167 | | x | |
| E70B | M | Pertussis and acute bronchitis, age < 1 year or RSV infections or paraplegia/tetraplegia | 0.567 | 3.5 | 1 | 0.264 | 7 | 0.162 | 0.264 | | |
| E70C | M | Pertussis and acute bronchitis, age > 0 years | 0.478 | 3.2 | 1 | 0.215 | 7 | 0.147 | 0.215 | | |
| E71A | M | Neoplasms of the respiratory system with extremely severe CC or rigid bronchoscopy or paraplegia/tetraplegia with specific procedure or with moderately or highly complex chemotherapy, or challenging situations due to malignant neoplasm | 2.591 | 15.1 | 4 | 0.503 | 30 | 0.174 | 0.178 | | x |
| E71B | M | Neoplasms of the respiratory system with extremely severe CC or rigid bronchoscopy or specific procedure or paraplegia/tetraplegia or specific endoscopic interventions | 1.139 | 7 | 1 | 0.541 | 17 | 0.126 | 0.17 | | x |
| E71C | M | Neoplasms of the respiratory system | 0.754 | 5.7 | 1 | 0.35 | 13 | 0.115 | 0.163 | | x |
| E73A | M | Pleural effusion with severe CC | 1.012 | 8.9 | 1 | 0.47 | 19 | 0.125 | | x | |
| E73B | M | Pleural effusion | 0.666 | 5.1 | 1 | 0.304 | 12 | 0.092 | | x | |
| E74Z | M | Interstitial lung disease | 0.892 | 6.6 | 1 | 0.417 | 15 | 0.139 | 0.156 | | |
| E75A | M | Other diseases of the respiratory system, age < 18 years or with extremely severe CC or contact isolation from 7 treatment days with specific diagnosis or specific intervention | 1.147 | 8 | 1 | 0.546 | 18 | 0.15 | | x | |
| E75B | M | Other diseases of the respiratory system with severe CC, age > 17 years | 0.705 | 5.2 | 1 | 0.321 | 11 | 0.132 | 0.15 | | |
| E75C | M | Other diseases of the respiratory system | 0.541 | 3.8 | 1 | 0.241 | 8 | 0.113 | 0.241 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 7) 8)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) 3)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|-------------------|----------|---|--|-----------------------------------|------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| E76A | M | Tuberculosis, more than 14 inpatient days, with colonisation or infection with multidrug-resistant pathogens or age < 16 years or complicating procedure or extremely severe CC | 4.585 | 29.4 | 8 | 0.491 | 47 | 0.164 | | | x | |
| E76B | M | Tuberculosis, more than 14 inpatient days, age > 15 years | 2.518 | 21.2 | 6 | 0.342 | 34 | 0.117 | | | x | |
| E76C | M | Tuberculosis up to 14 inpatient days or extremely severe CC | 1.215 | 8.7 | 1 | 0.57 | 17 | 0.141 | 0.154 | | | |
| E76D | M | Traumatic pneumothorax or haemothorax | 0.636 | 4.7 | 1 | 0.273 | 10 | 0.118 | 0.171 | | | |
| E76E | M | Other pneumothorax | 0.518 | 4 | 1 | 0.216 | 8 | 0.113 | 0.135 | | | |
| E77A | M | Other infections and inflammation of the respiratory system with complicating diagnosis following organ transplantation or with extremely severe CC or complicating procedure or contact isolation from 7 treatment days or specific endoscopic procedures or very severe CC or paraplegia/tetraplegia | 1.462 | 10.6 | 2 | 0.461 | 22 | 0.137 | 0.149 | | | |
| E77B | M | Other infections and inflammation of the respiratory system with complex diagnosis or with severe CC or specific procedure | 0.91 | 7.1 | 1 | 0.422 | 15 | 0.126 | 0.133 | | | |
| E77C | M | Other infections and inflammation of the respiratory system | 0.617 | 5.1 | 1 | 0.279 | 10 | 0.119 | 0.13 | | | |
| E78Z | M | Monitoring and optimisation of an existing respiratory therapy, up to 2 inpatient days | 0.357 | 1.7 | | | | | | | x | |
| E86A | M | Diseases and disorders of the respiratory system with complex treatment or specific diagnostics, one inpatient day | 0.448 | 1 | | | | | | | x | |
| E86B | M | Diseases and disorders of the respiratory system with malignant neoplasm or transthoracic lung biopsy or paraplegia/tetraplegia, one inpatient day | 0.308 | 1 | | | | | | | x | |
| E86C | M | Diseases and disorders of the respiratory system, one inpatient day | 0.265 | 1 | | | | | | | x | |
| E87A | M | Diseases and disorders of the respiratory system with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points and more than one inpatient day or specific procedure or extremely severe CC or contact isolation from 7 treatment days | 1.597 | 9 | 1 | 0.757 | 19 | 0.19 | | | x | x |
| E87B | M | Diseases and disorders of the respiratory system with complex intensive care treatment/complex treatment in intermediate care unit > 65/59 points | 1.083 | 6 | 1 | 0.465 | 13 | 0.184 | | | x | x |
| E90A | O | Diseases and disorders of the respiratory system with complex treatment in intermediate care unit > 392/352 points | 5.27 | 19.1 | 5 | 0.824 | 35 | 0.262 | | | x | x |
| E90B | O | Diseases and disorders of the respiratory system with complex treatment in intermediate care unit > 196/184 points or specific complex intensive care treatment with complex treatment in intermediate care unit points or complex intensive care treatment > 130 points and more than one inpatient day, with complex OR procedure | 3.194 | 10.7 | 2 | 0.709 | 17 | 0.141 | | | x | x |
| E90C | O | Diseases and disorders of the respiratory system with complex treatment in intermediate care unit > 196/184 points or specific complex intensive care treatment and complex treatment in intermediate care unit points or complex intensive care treatment > 130 points and more than one inpatient day | 2.408 | 10.7 | 2 | 0.751 | 22 | 0.178 | | | x | x |

MDC 05: Diseases and disorders of the circulatory system

| | | | | | | | | | | | | |
|------|---|---|-------|------|----|-------|----|-------|-------|--|---|--|
| F01A | O | Reimplantation of cardioverter/defibrillator (AICD), dual- or triple-chamber pacing, with additional cardiac or vascular intervention or specific procedure | 5.256 | 8.3 | 1 | 0.742 | 20 | 0.185 | 0.201 | | | |
| F01B | O | Reimplantation of cardioverter/defibrillator (AICD), triple-chamber pacing | 3.684 | 3.1 | 1 | 0.413 | 7 | 0.135 | 0.413 | | | |
| F01C | O | Reimplantation of cardioverter/defibrillator (AICD), single-chamber pacing, with additional cardiac or vascular intervention or specific procedure | 4.179 | 3 | 1 | 0.303 | 6 | 0.156 | 0.303 | | | |
| F01D | O | Reimplantation of cardioverter/defibrillator (AICD), dual-chamber pacing | 3.419 | 3.9 | 1 | 1.07 | 9 | 0.127 | 1.07 | | | |
| F01E | O | Reimplantation of cardioverter/defibrillator (AICD), single-chamber pacing with extremely severe CC and more than one inpatient day | 5.738 | 11.7 | 2 | 0.814 | 23 | 0.146 | 0.238 | | | |
| F01F | O | Reimplantation of cardioverter/defibrillator (AICD), single-chamber pacing | 2.664 | 3.8 | 1 | 0.315 | 8 | 0.124 | 0.315 | | | |
| F02Z | O | Change of unit for a cardioverter/defibrillator (AICD), dual- or triple-chamber pacing | 2.862 | 2.5 | 1 | 0.584 | 6 | 0.131 | 0.584 | | | |
| F03A | O | Heart valve intervention with heart-lung machine, with complicating procedure or pacemaker with specific heart valve replacement and repeat surgery or biventricular heart failure | 7.071 | 15.7 | 4 | 0.927 | 28 | 0.313 | | | x | |
| F03B | O | Heart valve intervention with heart-lung machine, with complicating procedure or pacemaker, or reoperation with specific heart valve replacement, or multiple intervention, or complex situation with biventricular heart failure | 6.113 | 12.1 | 3 | 0.899 | 21 | 0.215 | | | x | |
| F03C | O | Heart valve intervention with heart-lung machine, with triple intervention or age < 1 year or with deep hypothermia or minimally invasive valve prosthesis or specific complex intensive care treatment with complex treatment in intermediate care unit points, or double intervention with congenital heart defect or specific intervention or age < 16 years with extremely severe CC or specific situation with biventricular heart failure | 5.188 | 10.6 | 2 | 1.005 | 17 | 0.208 | | | x | |
| F03D | O | Heart valve intervention with heart-lung machine and double intervention with congenital heart defect or specific intervention or minimally invasive valve prosthesis or age < 16 years | 4.201 | 9 | 2 | 0.746 | 14 | 0.179 | | | x | |
| F03E | O | Heart valve intervention with heart-lung machine | 3.711 | 8.4 | 1 | 1.036 | 12 | 0.176 | | | x | |
| F04Z | O | Challenging procedures over more than one session or complex vacuum treatment with specific intervention or tissue transplantation with microvascular anastomosis for diseases and disorders of the circulatory system | 6.986 | 34.5 | 10 | 0.451 | 52 | 0.174 | | | x | |
| F06A | O | Coronary bypass surgery, with complex OR procedures over more than one session or complicating procedure or implantation of a pacemaker or with challenging vascular intervention or complex diagnosis with specific intervention, and biventricular heart failure or specific complex intensive care treatment with complex treatment in intermediate care unit points | 5.225 | 14.2 | 3 | 0.763 | 25 | 0.224 | 0.231 | | | |
| F06B | O | Coronary bypass surgery, with challenging vascular intervention or complex diagnosis with specific intervention or extremely severe CC, with biventricular heart failure | 4.737 | 11.9 | 2 | 0.851 | 20 | 0.154 | 0.249 | | | |
| F06C | O | Coronary bypass surgery, with specific intervention or extremely severe CC | 4.122 | 10.5 | 2 | 0.716 | 17 | 0.147 | 0.232 | | | |
| F06D | O | Coronary bypass surgery | 3.227 | 8.5 | 1 | 1 | 12 | 0.167 | 0.271 | | | |
| F12A | O | Implantation of a pacemaker with extremely severe CC or dual- or triple-chamber pacing with complex intervention or age < 16 years or specific procedure, or triple-chamber pacing with specific OR procedure over more than one session | 2.872 | 8 | 1 | 0.625 | 20 | 0.209 | 0.169 | | | |
| F12B | O | Implantation of a pacemaker with triple-chamber pacing or implantation of a leadless pacemaker or a pressure sensor | 2.219 | 3.6 | 1 | 0.537 | 9 | 0.136 | 0.537 | | | |
| F12C | O | Implantation of a pacemaker with dual-chamber pacing | 1.616 | 3.7 | 1 | 0.537 | 9 | 0.129 | 0.537 | | | |
| F12D | O | Implantation of a pacemaker with single-chamber pacing | 1.515 | 4.6 | 1 | 0.571 | 11 | 0.11 | 0.357 | | | |
| F13A | O | Amputation due to circulatory diseases of the upper extremity and toes with extremely severe CC or complex arthrodesis of the foot or complex treatment for amputation from 7 treatment days or specific procedures and revision or reconstruction interventions over more than one session or vascular intervention | 3.597 | 22.2 | 6 | 0.42 | 40 | 0.149 | | | x | |
| F13B | O | Amputation due to circulatory diseases of the upper extremity and toes with extremely severe CC or complex arthrodesis of the foot or complex treatment for amputation from 7 treatment days or specific procedures | 1.996 | 13.6 | 3 | 0.389 | 28 | 0.134 | | | x | |
| F13C | O | Amputation due to circulatory diseases of the upper extremity and toes or various interventions for diabetes mellitus with complications | 1.425 | 9.7 | 2 | 0.372 | 20 | 0.123 | | | x | |
| F17A | O | Replacement of a pacemaker, multichamber system | 1.189 | 2.3 | 1 | 0.3 | 4 | 0.113 | 0.3 | | | |
| F17B | O | Replacement of a pacemaker, single-chamber system | 0.94 | 2.5 | 1 | 0.186 | 5 | 0.116 | 0.186 | | | |
| F18A | O | Revision of a pacemaker or cardioverter/defibrillator (AICD) without replacing unit, with extremely severe CC or specific intervention or age < 16 years | 2.609 | 5.6 | 1 | 0.667 | 16 | 0.197 | 0.311 | | | |
| F18B | O | Revision of a pacemaker or cardioverter/defibrillator (AICD) without replacing unit, age > 15 years | 1.081 | 3 | 1 | 0.401 | 7 | 0.145 | 0.401 | | | |
| F19Z | O | Other percutaneous transluminal intervention on the heart, aorta and pulmonary vessels or specific processes | 1.275 | 2.3 | 1 | 0.181 | 4 | 0.204 | 0.181 | | | |
| F21A | O | Other OR procedures for circulatory diseases with extremely severe CC and vacuum treatment or extensive split-thickness skin graft | 3.906 | 24.1 | 7 | 0.4 | 42 | 0.137 | | | x | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) 2)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) 3)} | Maximum length of stay | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|-------------------|----------|--|--|-----------------------------------|------------------------|---|------------------------|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| F21B | O | Other OR procedures for circulatory diseases with extremely severe CC or biventricular heart failure | 2.49 | 14.6 | | 3 | | 0.488 | 30 | 0.14 | | x | |
| F21C | O | Other OR procedures for circulatory diseases | 1.213 | 6.5 | | 1 | | 0.621 | 17 | 0.095 | | x | |
| F24A | O | Percutaneous transluminal coronary angioplasty (PTCA) with intervention over more than one session or complicating procedures, and extremely severe CC, or specific diagnosis or specific procedure | 2.379 | 6.3 | | 1 | | 0.558 | 13 | 0.187 | 0.209 | | |
| F24B | O | Percutaneous transluminal coronary angioplasty (PTCA) with intervention over more than one session or complicating procedures or specific diagnosis with extremely severe CC with 3 or more stents and biventricular heart failure | 2.04 | 7.1 | | 1 | | 0.6 | 16 | 0.184 | 0.189 | | |
| F24C | O | Percutaneous transluminal coronary angioplasty (PTCA) with 3 or more stents or complex procedure or combination of stents and balloons, or with 2 stents and biventricular heart failure | 1.465 | 3.4 | | 1 | | 0.484 | 7 | 0.14 | 0.484 | | |
| F24D | O | Percutaneous transluminal coronary angioplasty (PTCA) with 2 stents, or complicating diagnosis or age < 16 years with biventricular heart failure or drug-eluting balloons | 1.16 | 3.6 | | 1 | | 0.436 | 7 | 0.136 | 0.436 | | |
| F24E | O | Percutaneous transluminal coronary angioplasty (PTCA) with complicating diagnosis or age < 16 years | 1.064 | 3.6 | | 1 | | 0.401 | 7 | 0.14 | 0.401 | | |
| F24F | O | Percutaneous transluminal coronary angioplasty (PTCA), age > 15 years | 0.844 | 2.4 | | 1 | | 0.25 | 4 | 0.132 | 0.25 | | |
| F28A | O | Amputation due to circulatory diseases except for the upper extremity and toes with additional vascular intervention or with skin graft and with extremely severe CC | 5.456 | 26.3 | | 7 | | 0.523 | 44 | 0.163 | | x | |
| F28B | O | Amputation due to circulatory diseases except for the upper extremity and toes, with extremely severe CC | 3.347 | 20.5 | | 5 | | 0.466 | 36 | 0.145 | | x | |
| F28C | O | Amputation due to circulatory diseases except for the upper extremity and toes | 2.703 | 18.1 | | 5 | | 0.353 | 34 | 0.119 | | x | |
| F30Z | O | Surgery for complex congenital heart defect or hybrid therapy for children | 3.995 | 7.4 | | 1 | | 1.404 | 13 | 0.398 | 0.441 | | |
| F31A | O | Other cardiothoracic interventions, with complicating procedure or age < 1 year or major vascular intervention, and extremely severe CC with complex OR procedure over more than one session or complex vacuum treatment or specific procedure | 7.522 | 18.8 | | 5 | | 0.743 | 36 | 0.256 | | x | |
| F31B | O | Other cardiothoracic interventions with complicating procedure or age < 1 year or major vascular intervention or extremely severe CC and specific complex intensive care treatment with complex treatment in intermediate care unit points | 5.356 | 12.7 | | 3 | | 0.841 | 24 | 0.248 | | x | |
| F31C | O | Other cardiothoracic interventions with complicating procedure or age < 1 year or major vascular intervention or with extremely severe CC or age < 16 years with specific vascular interventions and excision of heart tissue or cardiopulmonary bypass or heart pump or ECMO or complex intervention | 3.728 | 10.6 | | 2 | | 0.756 | 20 | 0.227 | | x | |
| F31D | O | Other cardiothoracic interventions or specific vascular interventions with excision of heart tissue or cardiopulmonary bypass or heart pump or ECMO or complex intervention, age > 15 years | 3.275 | 8.7 | | 1 | | 0.947 | 13 | 0.159 | 0.256 | | |
| F31E | O | Other cardiothoracic interventions or specific vascular interventions | 2.049 | 7.1 | | 1 | | 1.106 | 15 | 0.16 | 0.221 | | |
| F36A | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 1176/1380 points or complex intensive care treatment > 784/828 points with specific OR procedures over more than one session or heart pump or complex vascular intervention with cardiopulmonary bypass or very severe CC with complex intensive care treatment > 393/553 points with complex OR procedure and parapneumothorax | 11.218 | 23.2 | | 6 | | 1.365 | 40 | 0.418 | | x | x |
| F36B | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 784/1380 points or heart pump or complex vascular intervention with cardiopulmonary bypass, or very severe CC with complex intensive care treatment > 980/1104 points or specific intervention or complex intensive care treatment > 393/553 points with complex OR procedure | 9.586 | 17.5 | | 4 | | 1.364 | 34 | 0.405 | | x | x |
| F36C | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 980/1104 points or specific intervention or complex intensive care treatment > 392/552 points with complex OR procedure | 8.769 | 17.5 | | 4 | | 1.317 | 32 | 0.317 | | x | x |
| F36D | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 392/552 points or complex intensive care treatment > 196/360 points with complex OR procedure | 5.758 | 13.6 | | 3 | | 1.138 | 27 | 0.357 | | x | x |
| F36E | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 196/360 points | 3.795 | 12.7 | | 3 | | 0.875 | 26 | 0.29 | | x | x |
| F37A | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 184 points or complex treatment in intermediate care unit > 196/360 points, with complex OR procedure | 4.444 | 10.6 | | 2 | | 0.937 | 18 | 0.278 | | x | x |
| F37B | O | Diseases and disorders of the circulatory system with complex intensive care treatment > 184 points or complex treatment in intermediate care unit > 196/360 points | 2.665 | 10.8 | | 2 | | 0.788 | 21 | 0.236 | | x | x |
| F39A | O | Ligation and stripping of veins with specific bilateral intervention | 0.712 | 2 | | 1 | | 0.091 | 4 | 0.123 | 0.091 | | |
| F39B | O | Ligation and stripping of veins | 0.699 | 2.2 | | 1 | | 0.108 | 4 | 0.12 | 0.108 | | |
| F41A | A | Invasive cardiological diagnostics for acute myocardial infarction with severe CC | 1.82 | 8.4 | | 1 | | 0.691 | 17 | 0.173 | 0.187 | | |
| F41B | A | Invasive cardiological diagnostics for acute myocardial infarction | 0.876 | 4 | | 1 | | 0.371 | 8 | 0.125 | 0.232 | | |
| F49A | A | Invasive cardiological diagnostics except for acute myocardial infarction with complex intervention or with complicating diagnosis, and extremely severe CC or complicating procedure | 3.292 | 17.1 | | 4 | | 0.589 | 34 | 0.182 | 0.182 | | |
| F49B | A | Invasive cardiological diagnostics except for acute myocardial infarction with extremely severe CC or age < 14 years or evaluation for heart transplantation | 1.76 | 6.5 | | 1 | | 0.669 | 16 | 0.148 | 0.251 | | |
| F49C | A | Invasive cardiological diagnostics except for acute myocardial infarction with complex intervention or with complicating diagnosis or with age > 13 years | 1.021 | 5.9 | | 1 | | 0.382 | 12 | 0.099 | 0.178 | | |
| F49D | A | Invasive cardiological diagnostics except for acute myocardial infarction, 2 inpatient days or specific processes | 0.61 | 1.6 | | | | | | | | x | |
| F49E | A | Invasive cardiological diagnostics except for acute myocardial infarction, one inpatient day without specific processes | 0.475 | 1 | | | | | | | | x | |
| F50A | O | Ablative measures for tachycardia with specific ablation, age < 16 years | 1.754 | 2.2 | | 1 | | 0.305 | 4 | 0.141 | 0.305 | | |
| F50B | O | Ablative measures for tachycardia with complex intervention, age > 15 years | 1.348 | 2.7 | | 1 | | 0.47 | 6 | 0.128 | 0.47 | | |
| F50C | O | Ablative measures for tachycardia, age > 15 years | 1.146 | 2.7 | | 1 | | 0.416 | 6 | 0.134 | 0.416 | | |
| F51A | O | Endovascular implantation of complex stent prostheses in the aorta or implantation of specific stents or specific diagnosis, and use of at least 3 stents or extremely severe CC | 5.771 | 8.7 | | 1 | | 0.848 | 19 | 0.32 | 0.23 | | |
| F51B | O | Endovascular implantation of complex stent prostheses in the aorta or implantation of specific stents or specific diagnosis | 2.802 | 4.7 | | 1 | | 0.505 | 9 | 0.23 | 0.315 | | |
| F51C | O | Endovascular implantation of stent prostheses in the aorta | 2.241 | 3.9 | | 1 | | 0.388 | 8 | 0.217 | 0.388 | | |
| F59A | O | Complex or moderately complex vascular interventions with interventions over more than one session or vacuum treatment | 4.64 | 20.7 | | 5 | | 0.473 | 36 | 0.158 | | x | |
| F59B | O | Complex or moderately complex vascular interventions and extremely severe CC or complicating procedure | 2.823 | 11 | | 2 | | 0.634 | 24 | 0.173 | | x | |
| F59C | O | Complex or moderately complex vascular interventions with endovascular intervention over more than one session or hybrid therapy | 2.223 | 6.4 | | 1 | | 0.518 | 14 | 0.122 | 0.194 | | |
| F59D | O | Complex or moderately complex vascular interventions with endarterectomy or selective thrombolysis or vascular intervention due to embolism/thrombosis | 1.596 | 5.9 | | 1 | | 0.39 | 11 | 0.192 | 0.182 | | |
| F59E | O | Complex or moderately complex vascular interventions with specific processes or age < 16 years | 1.313 | 3.2 | | 1 | | 0.44 | 8 | 0.255 | 0.44 | | |
| F59F | O | Complex or moderately complex vascular interventions with several additional stent placements or complicating diagnosis or specific procedure, age > 15 years | 0.941 | 2.8 | | 1 | | 0.33 | 7 | 0.158 | 0.33 | | |
| F59G | O | Complex or moderately complex vascular intervention, age > 15 years | 0.721 | 2.3 | | 1 | | 0.149 | 4 | 0.164 | 0.149 | | |
| F60A | M | Acute myocardial infarction without invasive cardiological diagnostics with severe CC | 1.003 | 7.2 | | 1 | | 0.462 | 15 | 0.136 | | x | |
| F60B | M | Acute myocardial infarction without invasive cardiological diagnostics | 0.596 | 4.1 | | 1 | | 0.264 | 9 | 0.095 | | x | |
| F61A | M | Endocarditis with complicating diagnosis or complicating procedure or invasive cardiological diagnostics or extremely severe CC | 3.196 | 20.6 | | 5 | | 0.501 | 38 | 0.148 | | x | |
| F61B | M | Endocarditis | 1.723 | 14.9 | | 3 | | 0.41 | 28 | 0.12 | | x | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) a)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|--|--|-----------------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| F62A | M | Heart failure and shock with extremely severe CC and dialysis or resuscitation or specific procedure or complicating diagnosis or contact isolation from 7 treatment days | 1.922 | 14.3 | 3 | 0.458 | 27 | 0.137 | 0.139 | | |
| F62B | M | Heart failure and shock with extremely severe CC or specific procedure or evaluation for heart transplantation | 1.727 | 13.4 | 3 | 0.408 | 27 | 0.118 | 0.134 | | |
| F62C | M | Heart failure and shock with severe CC | 1.212 | 10.1 | 2 | 0.378 | 21 | 0.11 | 0.123 | | |
| F62D | M | Heart failure and shock | 0.761 | 6.8 | 1 | 0.349 | 14 | 0.099 | 0.131 | | |
| F63A | M | Venous thrombosis with severe CC | 0.973 | 7.9 | 1 | 0.456 | 16 | 0.126 | 0.143 | | |
| F63B | M | Venous thrombosis | 0.547 | 4.5 | 1 | 0.248 | 9 | 0.081 | 0.155 | | |
| F64Z | M | Skin ulcer due to circulatory disorders | 0.919 | 7.9 | 1 | 0.435 | 16 | 0.113 | 0.137 | | |
| F66A | M | Coronary artery sclerosis, cardiac arrhythmias, angina with extremely severe CC or complex diagnosis or age < 16 years | 0.802 | 6.5 | 1 | 0.363 | 14 | 0.119 | 0.136 | | |
| F66B | M | Coronary artery sclerosis, cardiac arrhythmias, angina, age > 15 years | 0.502 | 3.7 | 1 | 0.217 | 8 | 0.09 | 0.217 | | |
| F67A | M | Hypertension with severe CC | 0.737 | 5.6 | 1 | 0.331 | 12 | 0.125 | 0.155 | | |
| F67B | M | Hypertension | 0.446 | 3.6 | 1 | 0.193 | 7 | 0.083 | 0.193 | | |
| F68Z | M | Congenital heart disease | 0.838 | 2.8 | 1 | 0.292 | 8 | 0.176 | 0.292 | | |
| F69A | M | Heart valve diseases with severe CC | 1.186 | 8.3 | 1 | 0.521 | 18 | 0.132 | 0.141 | | |
| F69B | M | Heart valve diseases | 0.616 | 2.9 | 1 | 0.224 | 7 | 0.107 | 0.224 | | |
| F70A | M | Severe arrhythmia and cardiac arrest with severe CC | 0.973 | 6.9 | 1 | 0.444 | 14 | 0.135 | 0.167 | | |
| F70B | M | Severe arrhythmia and cardiac arrest | 0.616 | 3.8 | 1 | 0.267 | 8 | 0.108 | 0.267 | | |
| F73A | M | Syncope and collapse with complex intensive care treatment/complex treatment in intermediate care unit > 65/59 points or paraplegia/tetraplegia | 0.837 | 4.4 | 1 | 0.384 | 10 | 0.191 | 0.24 | | |
| F73B | M | Syncope and collapse | 0.502 | 3.9 | 1 | 0.219 | 8 | 0.104 | 0.219 | | |
| F74A | M | Thoracic pain with specific procedure or dialysis or extremely severe CC or age < 18 years | 0.676 | 4 | 1 | 0.301 | 9 | 0.156 | 0.188 | | |
| F74B | M | Thoracic pain with age > 17 years | 0.453 | 3.1 | 1 | 0.191 | 6 | 0.096 | 0.191 | | |
| F75A | M | Other diseases of the circulatory system with complex treatment in intermediate care unit > 184 points or complex treatment due to amputation from 14 treatment days or age < 18 years with severe CC | 2.065 | 9.9 | 2 | 0.617 | 22 | 0.205 | 0.224 | | |
| F75B | M | Other diseases of the circulatory system with extremely severe CC, age > 17 years | 2.104 | 13.9 | 3 | 0.494 | 28 | 0.144 | 0.162 | | |
| F75C | M | Other diseases of the circulatory system or vascular intervention, age < 18 years or paraplegia/tetraplegia | 0.873 | 4.2 | 1 | 0.371 | 9 | 0.191 | 0.232 | | |
| F75D | M | Other diseases of the circulatory system or vascular intervention, age > 17 years | 0.743 | 5.1 | 1 | 0.326 | 12 | 0.098 | 0.152 | | |
| F86A | M | Diseases and disorders of the circulatory system with complex intensive care treatment/complex treatment in intermediate care unit > 119 points, one inpatient day | 0.751 | 1 | | | | | | x | |
| F86B | M | Diseases and disorders of the circulatory system, one inpatient day | 0.286 | 1 | | | | | | x | |
| F87Z | M | Diseases and disorders of the circulatory system with complex intensive care treatment/complex treatment in intermediate care unit > 119 points or specific procedure | 1.565 | 7.8 | 1 | 0.718 | 17 | 0.197 | | x | x |
| F90A | O | Diseases and disorders of the circulatory system with complex treatment in intermediate care unit > 392/552 points or specific complex intensive care treatment with complex treatment in intermediate care unit points with complex OR procedure over more than one session | 10.333 | 22.7 | 6 | 0.904 | 40 | 0.278 | 0.3 | | x |
| F90B | O | Diseases and disorders of the circulatory system with complex treatment in intermediate care unit > 392/552 points or specific complex intensive care treatment with complex treatment in intermediate care unit points with complex OR procedure | 7.825 | 19.2 | 5 | 0.875 | 33 | 0.273 | 0.289 | | x |
| F90C | O | Diseases and disorders of the circulatory system with complex treatment in intermediate care unit > 392/552 points or specific complex intensive care treatment with complex treatment in intermediate care unit points | 5.676 | 20.5 | 5 | 0.845 | 38 | 0.258 | 0.265 | | x |
| F95A | O | Interventional closure of an atrial or ventricular septal defect, age < 18 years | 1.435 | 2.6 | 1 | 0.274 | 4 | 0.214 | 0.274 | | |
| F95B | O | Interventional closure of an atrial or ventricular septal defect, age > 17 years | 1.082 | 2.1 | 1 | 0.316 | 4 | 0.189 | 0.316 | | |
| F98A | O | Endovascular heart valve intervention with aortic/aortic bypass or complex intensive care treatment > 196/360 points or multiple heart valve intervention | 7.946 | 13.4 | 3 | 0.859 | 26 | 0.187 | 0.282 | | |
| F98B | O | Endovascular heart valve intervention with implantation of a pacemaker/graft or closure of an ASD or the left atrial appendage or transapical mitral valve replacement or age < 16 years | 5.925 | 8.2 | 1 | 0.769 | 17 | 0.141 | 0.208 | | |
| F98C | O | Endovascular heart valve intervention, age > 15 years | 4.465 | 6.3 | 1 | 0.562 | 13 | 0.137 | 0.211 | | |
| MDC 06: Diseases and disorders of the digestive system | | | | | | | | | | | |
| G02A | O | Interventions or complicating diagnosis involving the small and large intestine with extremely severe CC | 4.077 | 18.9 | 5 | 0.502 | 33 | 0.165 | 0.176 | | |
| G02B | O | Complex intervention or with other intervention on the stomach, oesophagus and duodenum and congenital malformation, age < 2 years | 1.93 | 7.6 | 1 | 0.55 | 14 | 0.107 | 0.173 | | |
| G03A | O | Major interventions on the stomach, oesophagus and duodenum with highly complex intervention or complicating procedure or for specific malignant neoplasm | 4.149 | 13.7 | 3 | 0.702 | 22 | 0.211 | 0.23 | | x |
| G03B | O | Major interventions on the stomach, oesophagus and duodenum except for specific malignant neoplasm | 2.171 | 6.9 | 1 | 0.593 | 15 | 0.183 | 0.222 | | |
| G04A | O | Minor interventions on the small and large intestine with extremely severe CC | 3.16 | 16.4 | 4 | 0.476 | 31 | 0.143 | 0.157 | | |
| G04B | O | Minor interventions on the small and large intestine | 0.983 | 4.8 | 1 | 0.45 | 10 | 0.125 | 0.281 | | |
| G09A | O | Interventions for hernias with complex intensive care treatment/complex treatment in intermediate care unit > 119 points or vacuum treatment | 3.108 | 12.9 | 3 | 0.547 | 25 | 0.178 | 0.195 | | |
| G09B | O | Interventions for hernias with extremely severe CC | 2.37 | 12.2 | 3 | 0.417 | 25 | 0.148 | 0.149 | | |
| G09C | O | Bilateral interventions for inguinal and femoral hernias with incisional hernia, interventions over more than one session or specific abdominal interventions | 1.287 | 4.6 | 1 | 0.302 | 10 | 0.101 | 0.189 | | |
| G09D | O | Bilateral interventions for inguinal and femoral hernias | 0.747 | 2.2 | 1 | 0.173 | 4 | 0.115 | 0.173 | | |
| G09E | O | Interventions for incisional hernias with graft or specific intervention at the same time | 0.964 | 3.6 | 1 | 0.236 | 8 | 0.098 | 0.236 | | |
| G09F | O | Interventions for incisional hernias | 0.724 | 3 | 1 | 0.198 | 7 | 0.102 | 0.198 | | |
| G09G | O | Interventions for inguinal and femoral hernias | 0.713 | 2.5 | 1 | 0.172 | 5 | 0.103 | 0.172 | | |
| G09H | O | Interventions for hernias, one inpatient day | 0.594 | 1 | | | | | | x | |
| G10Z | O | Specific interventions on the hepatobiliary system, pancreas, spleen | 1.302 | 5.4 | 1 | 0.398 | 14 | 0.157 | 0.186 | | x |
| G11A | O | Pyloromyotomy or anorectoplasty and reconstruction of the anus and sphincter, age < 10 years | 1.659 | 5.5 | 1 | 0.486 | 10 | 0.175 | 0.227 | | |
| G11B | O | Pyloromyotomy or anorectoplasty and reconstruction of the anus and sphincter, age > 9 years | 0.669 | 3.1 | 1 | 0.175 | 7 | 0.104 | 0.175 | | |
| G12A | O | Other OR procedures on the digestive system with complex OR procedure and severe CC or extremely severe CC or specific interventions over more than one session or complex intensive care treatment > 130/119 or complex treatment in intermediate care > 130/184 points | 2.909 | 13.6 | 3 | 0.568 | 27 | 0.172 | | x | |
| G12B | O | Other OR procedures on the digestive system | 0.991 | 4.4 | 1 | 0.415 | 10 | 0.105 | | x | |
| G13A | O | Other interventions on the intestine or enterostomy with extremely severe CC or specific diagnosis | 4.152 | 18.3 | 5 | 0.495 | 32 | 0.179 | 0.173 | | |
| G13B | O | Other interventions on the intestine or enterostomy | 1.903 | 8.8 | 1 | 0.579 | 17 | 0.144 | 0.157 | | |
| G16A | O | Complex rectal resection or evisceration of the lesser pelvis or intervention for malignant neoplasm or radiotherapy with major abdominal intervention, with severe CC and complex intensive care treatment > 184 points or specific OR procedure over more than one session | 4.577 | 18.6 | 5 | 0.526 | 34 | 0.197 | | x | x |
| G16B | O | Complex rectal resection or evisceration of the lesser pelvis or intervention for malignant neoplasm or radiotherapy with major abdominal intervention | 2.609 | 9.2 | 2 | 0.492 | 18 | 0.12 | | x | x |
| G17A | O | Other rectal resection without specific intervention with severe CC | 3.073 | 11.9 | 2 | 0.653 | 23 | 0.196 | 0.191 | | x |
| G17B | O | Other rectal resection without specific intervention for malignant neoplasm on the digestive system | 2.046 | 6.3 | 1 | 0.51 | 11 | 0.119 | 0.191 | | x |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|--|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| G17C | O | Other rectal resection without specific intervention | 1.846 | 6.3 | | 1 | 0.489 | | 11 | 0.114 | 0.183 | | |
| G18A | O | Interventions on the small and large intestine or other intervention on the stomach, oesophagus and duodenum without radiotherapy, with highly complex intervention or complicating diagnosis or procedure or severe CC | 2.605 | 11.5 | | 2 | 0.568 | | 23 | 0.172 | | x | |
| G18B | O | Interventions on the small and large intestine or other intervention on the stomach, oesophagus and duodenum without radiotherapy | 1.632 | 5.9 | | 1 | 0.958 | | 11 | 0.106 | 0.319 | | |
| G19A | O | Other interventions on the stomach, oesophagus and duodenum with complicating procedure or for malignant neoplasm or with extremely severe CC | 2.498 | 10 | | 2 | 0.531 | | 22 | 0.21 | | x | x |
| G19B | O | Other interventions on the stomach, oesophagus and duodenum except for malignant neoplasm, with complex intervention or age < 16 years | 1.326 | 3.4 | | 1 | 0.334 | | 6 | 0.212 | | x | |
| G19C | O | Other interventions on the stomach, oesophagus and duodenum except for malignant neoplasm, age > 15 years | 1.075 | 3.6 | | 1 | 0.267 | | 7 | 0.114 | 0.267 | | |
| G21A | O | Intervention for adhesions with extremely severe CC | 3.738 | 17 | | 4 | 0.529 | | 32 | 0.17 | | x | |
| G21B | O | Intervention for adhesions and age < 16 years or specific intervention with complex intensive care treatment > 119 points or complex treatment in intermediate care unit > 184 points | 3.22 | 12.4 | | 3 | 0.541 | | 23 | 0.206 | | x | |
| G21C | O | Intervention for adhesions and age > 15 years | 1.492 | 6.2 | | 1 | 0.393 | | 14 | 0.137 | 0.147 | | |
| G22A | O | Appendectomy for peritonitis with extremely severe CC | 2.312 | 11.9 | | 2 | 0.555 | | 22 | 0.144 | 0.162 | | |
| G22B | O | Appendectomy for specific peritonitis and age < 16 years | 1.301 | 5.6 | | 1 | 0.433 | | 11 | 0.215 | 0.202 | | |
| G22C | O | Appendectomy for peritonitis or extremely severe CC | 0.992 | 4.4 | | 1 | 0.274 | | 9 | 0.091 | 0.171 | | |
| G22D | O | Appendectomy | 0.696 | 2.4 | | 1 | 0.169 | | 4 | 0.107 | 0.169 | | |
| G22E | O | Appendectomy, one inpatient day | 0.618 | 1 | | | | | | | | x | |
| G26A | O | Other interventions on the anus with complex intervention or age < 16 years | 0.57 | 2.4 | | 1 | 0.119 | | 4 | 0.106 | 0.119 | | |
| G26B | O | Other interventions on the anus, age > 15 years | 0.555 | 2.6 | | 1 | 0.15 | | 5 | 0.105 | 0.15 | | |
| G29A | O | Other radiotherapy for diseases and disorders of the digestive system with severe CC, more than one inpatient day | 1.899 | 12 | | 3 | 0.457 | | 25 | 0.164 | | x | x |
| G29B | O | Other radiotherapy for diseases and disorders of the digestive system, more than one inpatient day | 0.874 | 5.3 | | 1 | 0.425 | | 11 | 0.122 | | x | x |
| G33Z | O | Complex OR procedures over more than one session for diseases and disorders of the digestive system | 4.568 | 16.4 | | 4 | 0.599 | | 29 | 0.18 | 0.197 | | |
| G35A | O | Complex vacuum treatment for diseases and disorders of the digestive system or complex diagnosis with complex intervention, with very severe CC | 9.138 | 35.2 | | 10 | 0.582 | | 53 | 0.192 | | x | |
| G35B | O | Complex vacuum treatment for diseases and disorders of the digestive system or complex diagnosis with complex intervention | 6.502 | 29.3 | | 8 | 0.448 | | 47 | 0.139 | | x | |
| G37Z | O | Multivisceral intervention for diseases and disorders of the digestive system or complex intensive care treatment > 196/360 points or specific complex intensive care treatment with complex treatment in intermediate care unit points or specific intraoperative therapy | 4.338 | 13.5 | | 3 | 0.797 | | 26 | 0.249 | | x | x |
| G38A | O | Complex intensive care treatment > 196/184 points with vacuum treatment with specific surgical intervention for diseases and disorders of the digestive system | 7.051 | 25 | | 7 | 0.655 | | 42 | 0.216 | | x | x |
| G38B | O | Complex intensive care treatment > 196/184 points or vacuum treatment with specific surgical intervention for diseases and disorders of the digestive system | 5.42 | 20.2 | | 5 | 0.685 | | 35 | 0.212 | | x | x |
| G38C | O | Complicating procedures with specific surgical intervention for diseases and disorders of the digestive system | 4.752 | 20.4 | | 5 | 0.597 | | 38 | 0.211 | | x | x |
| G40Z | A | Complicating procedures with specific endoscopic intervention for diseases and disorders of the digestive system | 3.065 | 14.6 | | 3 | 0.709 | | 28 | 0.208 | | x | |
| G46A | A | Complex gastroscopy or colonoscopy with extremely severe CC or complicating procedure for severe disease, or specific diagnosis and age < 16 years, or complex gastroscopy/colonoscopy with severe CC or specific endoscopic intervention with extremely severe CC, age < 16 years or intervention over more than one session, more than one inpatient day | 1.66 | 10.2 | | 2 | 0.497 | | 22 | 0.158 | | x | |
| G46B | A | Complex gastroscopy/colonoscopy with severe CC or specific endoscopic intervention with extremely severe CC or challenging endoscopic intervention, or age < 16 years or severe CC or dialysis, more than one inpatient day | 1.079 | 7.4 | | 1 | 0.489 | | 17 | 0.145 | | x | |
| G46C | A | Gastroscopy or colonoscopy with specific intervention or inflammatory bowel disease or complicating procedure or interventions over more than one session or status post organ transplantation, more than one inpatient day | 0.876 | 6 | | 1 | 0.399 | | 14 | 0.111 | 0.149 | | |
| G46D | A | Gastroscopy or colonoscopy or endoscopic anti-reflux procedures, more than one inpatient day | 0.627 | 4.1 | | 1 | 0.27 | | 9 | 0.102 | 0.169 | | |
| G60A | M | Malignant neoplasm of the digestive system, with specific procedure or extremely severe CC and more than one inpatient day | 1.622 | 12.4 | | 3 | 0.385 | | 25 | 0.134 | | x | x |
| G60B | M | Malignant neoplasm of the digestive system | 0.669 | 5.2 | | 1 | 0.305 | | 12 | 0.109 | 0.142 | | x |
| G64A | M | Inflammatory bowel disease with severe CC and more than one inpatient day | 1.408 | 11.6 | | 2 | 0.443 | | 23 | 0.122 | 0.129 | | |
| G64B | M | Inflammatory bowel disease, age < 18 years | 0.689 | 4.9 | | 1 | 0.323 | | 10 | 0.152 | 0.202 | | |
| G64C | M | Inflammatory bowel disease, more than one inpatient day, age > 17 years | 0.529 | 4.3 | | 1 | 0.236 | | 9 | 0.08 | 0.147 | | |
| G67A | M | Ulcer disease with gastrointestinal bleeding, more than one inpatient day and extremely severe CC, or specific diagnosis with dialysis or age < 3 years or paraplegia/tetraplegia, or complex intensive care treatment > 130/119 points or complex treatment in intermediate care unit > 196/184 points | 1.232 | 7.8 | | 1 | 0.575 | | 17 | 0.159 | | x | |
| G67B | M | Various diseases of the digestive system or gastrointestinal bleeding or ulcer disease, with extremely severe CC or more than one inpatient day with dialysis or paraplegia/tetraplegia | 0.969 | 6.8 | | 1 | 0.453 | | 16 | 0.144 | | x | |
| G67C | M | Various diseases of the digestive system or gastrointestinal bleeding or ulcer disease with severe CC or coagulation disorder | 0.754 | 6.1 | | 1 | 0.478 | | 13 | 0.125 | | x | |
| G67D | M | Various diseases of the digestive system or gastrointestinal bleeding or ulcer disease, more than one inpatient day | 0.444 | 3.6 | | 1 | 0.196 | | 7 | 0.105 | 0.196 | | |
| G70A | M | Other severe diseases of the digestive system or cutaneous/peritoneal catheter with extremely severe CC and more than one inpatient day | 1.709 | 12.1 | | 3 | 0.406 | | 24 | 0.142 | 0.145 | | |
| G70B | M | Other severe diseases of the digestive system or cutaneous/peritoneal catheter, age < 16 years | 1.356 | 6.9 | | 1 | 0.609 | | 16 | 0.186 | | x | |
| G70C | M | Other severe diseases of the digestive system or cutaneous/peritoneal catheter, age > 15 years | 0.712 | 5.8 | | 1 | 0.425 | | 12 | 0.084 | 0.142 | | |
| G71A | M | Other moderately severe diseases of the digestive system with severe CC and more than one inpatient day, or age < 16 years | 0.817 | 6.4 | | 1 | 0.46 | | 14 | 0.13 | 0.115 | | |
| G71B | M | Other moderately severe diseases of the digestive system, age > 15 years, more than one inpatient day | 0.511 | 3.9 | | 1 | 0.213 | | 9 | 0.118 | 0.213 | | |
| G72A | M | Other mild to moderate diseases of the digestive system or abdominal pain or mesenteric lymphadenitis with specific intervention or severe CC | 0.814 | 6.4 | | 1 | 0.372 | | 15 | 0.124 | 0.14 | | |
| G72B | M | Other mild to moderate diseases of the digestive system or abdominal pain or mesenteric lymphadenitis, more than one inpatient day | 0.47 | 3.6 | | 1 | 0.205 | | 8 | 0.085 | 0.205 | | |
| G86A | M | Diseases and disorders of the digestive system with complicating diagnosis or paraplegia/tetraplegia or specific intervention, one inpatient day | 0.387 | 1 | | | | | | | | x | |
| G86B | M | Diseases and disorders of the digestive system, one inpatient day | 0.251 | 1 | | | | | | | | x | |
| G87A | M | Diseases and disorders of the digestive system with complex intensive care treatment/complex treatment in intermediate care unit > 184 points or complex treatment in intermediate care unit > 196 points | 2.359 | 10 | | 2 | 0.728 | | 21 | 0.231 | | x | x |
| G87B | M | Diseases and disorders of the digestive system with complex intensive care treatment/complex treatment in intermediate care unit > 119 to 184 points or very severe CC | 1.607 | 7.8 | | 1 | 0.736 | | 18 | 0.203 | | x | x |
| MDC 07: Diseases and disorders of the hepatobiliary system and pancreas | | | | | | | | | | | | | |
| H01A | O | Interventions on the pancreas and liver with complex intervention or complex intensive care treatment > 196/360 points or extremely severe CC or age < 1 year | 5.277 | 17.8 | | 4 | 0.725 | | 33 | 0.23 | 0.224 | | x |
| H01B | O | Interventions on the pancreas and liver and portosystemic shunt surgery with major intervention or radiotherapy, age > 0 years | 3.372 | 10.7 | | 2 | 0.69 | | 20 | 0.203 | 0.224 | | x |
| H05A | O | Laparotomy and moderately complex interventions on the gallbladder and bile duct with complex intervention | 2.305 | 8.2 | | 1 | 0.732 | | 17 | 0.186 | 0.198 | | |
| H05B | O | Laparotomy and moderately complex interventions on the gallbladder and bile duct | 1.229 | 5 | | 1 | 0.339 | | 11 | 0.151 | 0.158 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|---|--|-----------------------------------|------------------------|---|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| H06Z | O | Other OR procedures on the hepatobiliary system and pancreas | 1.027 | 4 | 1 | 0.44 | 11 | 0.246 | 0.275 | | | |
| H07A | O | Specific cholecystectomy with malignant neoplasm or complex diagnosis or ERCP or age < 12 years | 2.554 | 9.5 | 2 | 0.508 | 19 | 0.17 | 0.185 | | | |
| H07B | O | Specific cholecystectomy with age > 11 years, or cholecystectomy for malignant neoplasm or complex diagnosis or ERCP or age < 12 years | 1.406 | 6.5 | 1 | 0.421 | 13 | 0.139 | 0.158 | | | |
| H07C | O | Cholecystectomy for acute cholecystitis or peritoneal adhesiolysis, age > 11 years | 0.945 | 3.8 | 1 | 0.293 | 8 | 0.094 | 0.293 | | | |
| H07D | O | Cholecystectomy, age > 11 years | 0.678 | 2.4 | 1 | 0.105 | 4 | 0.107 | 0.105 | | | |
| H09A | O | Interventions on the pancreas and liver and portosystemic shunt surgery with extremely severe CC or specific diagnosis | 3.222 | 13.8 | 3 | 0.592 | 29 | 0.178 | 0.194 | | | x |
| H09B | O | Interventions on the pancreas and liver and portosystemic shunt surgery for malignant neoplasm or with specific pancreas intervention | 2.253 | 7.3 | 1 | 0.668 | 14 | 0.136 | 0.21 | | | x |
| H09C | O | Interventions on the pancreas and liver and portosystemic shunt surgery | 1.259 | 4.4 | 1 | 0.365 | 10 | 0.127 | 0.228 | | | |
| H12A | O | Various interventions on the hepatobiliary system with extremely severe CC or complex intervention | 3.103 | 17.4 | 4 | 0.477 | 35 | 0.146 | | | x | |
| H12B | O | Various interventions on the hepatobiliary system | 1.311 | 4.5 | 1 | 0.665 | 11 | 0.145 | 0.333 | | | |
| H16Z | O | Other radiotherapy for diseases and disorders of the hepatobiliary system and pancreas | 1.725 | 6.6 | 1 | 0.573 | 17 | 0.175 | 0.215 | | | x |
| H33Z | O | Complex OR procedures over more than one session or complex vacuum treatment or vacuum treatment with specific intervention or intervention on the pancreas or liver with complex intensive care treatment > 196/360 points or specific complex intensive care treatment with complex treatment in intermediate care unit points | 7.382 | 25.9 | 7 | 0.697 | 43 | 0.248 | 0.231 | | | |
| H37A | O | Diseases and disorders of the hepatobiliary system and pancreas with complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points or complex intensive care treatment/complex treatment in intermediate care unit > 184 points with OR procedure or complex treatment for liver cirrhosis from 21 treatment days | 4.276 | 17.1 | 4 | 0.687 | 33 | 0.22 | | | x | x |
| H37B | O | Diseases and disorders of the hepatobiliary system and pancreas with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex treatment for liver cirrhosis from 7 treatment days | 2.809 | 14 | 3 | 0.671 | 28 | 0.202 | | | x | x |
| H41A | A | ERCP with severe CC or photodynamic therapy or endoscopic interventions on the oesophagus or challenging situations due to malignant neoplasm | 1.788 | 10.6 | 2 | 0.515 | 23 | 0.156 | | | x | x |
| H41B | A | ERCP for malignant neoplasm or age < 16 years | 1.011 | 4.6 | 1 | 0.445 | 11 | 0.15 | 0.278 | | | x |
| H41C | A | ERCP, age > 15 years | 0.89 | 4.9 | 1 | 0.41 | 10 | 0.137 | 0.256 | | | x |
| H60A | M | Liver cirrhosis with extremely severe CC and more than one inpatient day, or age < 16 years | 1.732 | 12.3 | 3 | 0.412 | 24 | 0.14 | 0.147 | | | |
| H60B | M | Liver cirrhosis, age > 15 years | 0.884 | 7.5 | 1 | 0.412 | 16 | 0.117 | 0.129 | | | |
| H61A | M | Malignant neoplasm of the hepatobiliary system and pancreas, more than one inpatient day with extremely severe CC or specific procedure, or evaluation stay before liver transplantation or age < 16 years or complicating procedure or challenging situations due to malignant neoplasms | 1.347 | 9.2 | 2 | 0.426 | 21 | 0.15 | 0.155 | | | x |
| H61B | M | Malignant neoplasm of the hepatobiliary system and pancreas | 0.7 | 5.5 | 1 | 0.323 | 13 | 0.126 | 0.151 | | | x |
| H62A | M | Diseases of the pancreas except for malignant neoplasm with extremely severe CC and more than one inpatient day, or severe CC with specific diagnosis | 1.804 | 13.9 | 3 | 0.429 | 26 | 0.13 | | | x | |
| H62B | M | Diseases of the pancreas except for malignant neoplasm with severe CC | 0.99 | 9 | 1 | 0.457 | 19 | 0.128 | | | x | |
| H62C | M | Diseases of the pancreas except for malignant neoplasm | 0.556 | 4.8 | 1 | 0.248 | 10 | 0.079 | 0.155 | | | |
| H63A | M | Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis more than one inpatient day with complicating procedure or extremely severe CC with evaluation stay before liver transplantation or very severe CC or complex diagnoses | 2.535 | 15.9 | 4 | 0.488 | 28 | 0.157 | | | x | |
| H63B | M | Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis more than one inpatient day with complicating procedure or extremely severe CC | 1.621 | 12.9 | 3 | 0.385 | 29 | 0.131 | | | x | |
| H63C | M | Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis or evaluation stay before liver transplantation, age < 16 years or complex intensive care treatment/complex treatment in intermediate care unit 60-119 points | 0.948 | 4.2 | 1 | 0.437 | 9 | 0.22 | | | x | |
| H63D | M | Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis or evaluation stay before liver transplantation, age > 15 years | 0.771 | 6.3 | 1 | 0.355 | 14 | 0.086 | | | x | |
| H64A | M | Diseases of the gallbladder and bile duct with complicating procedure or age < 16 years, or severe CC with paraplegia/tetraplegia | 1.207 | 6.3 | 1 | 0.558 | 16 | 0.172 | 0.209 | | | |
| H64B | M | Diseases of the gallbladder and bile duct with severe CC | 1.043 | 8.5 | 1 | 0.486 | 18 | 0.126 | 0.132 | | | |
| H64C | M | Diseases of the gallbladder and bile duct | 0.548 | 4.4 | 1 | 0.243 | 10 | 0.107 | 0.152 | | | |
| H86Z | M | Diseases and disorders of the hepatobiliary system and pancreas, one inpatient day | 0.302 | 1 | | | | | | | x | |
| H87Z | M | Diseases and disorders of the hepatobiliary system and pancreas with complex intensive care treatment/complex treatment in intermediate care unit > 119 points | 1.721 | 9.4 | 2 | 0.536 | 20 | 0.192 | | | x | x |
| MDC 08: Diseases and disorders of the musculoskeletal system and connective tissue | | | | | | | | | | | | |
| I02A | O | Very challenging tissue or skin graft, except on the hand or specific OR procedure over four sessions or microvascular intervention, with complicating procedure, intervention at more than one site or with severe soft tissue damage, with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 11.283 | 42.2 | 13 | 0.524 | 60 | 0.224 | 0.179 | | | |
| I02B | O | Very challenging tissue or skin graft, except on the hand or specific OR procedure over four sessions or microvascular intervention, without complicating procedure, intervention at more than one site or severe soft tissue damage, with extremely severe CC | 4.828 | 19.9 | 5 | 0.452 | 37 | 0.205 | 0.149 | | | |
| I03A | O | Revision or replacement of the hip with complicating diagnosis and intervention over two sessions or very severe CC | 6.827 | 29.1 | 8 | 0.503 | 47 | 0.17 | 0.161 | | | |
| I03B | O | Revision or replacement of the hip with complicating diagnosis or arthrodesis or age < 16 years or bilateral interventions or more than one major intervention involving joints of the lower extremity with complex intervention | 2.698 | 12 | 3 | 0.382 | 25 | 0.161 | 0.137 | | | |
| I04A | O | Revision or replacement of the knee with complicating diagnosis and intervention over two sessions or very severe CC | 5.908 | 28.5 | 8 | 0.441 | 46 | 0.149 | 0.146 | | | |
| I04B | O | Revision or replacement of the knee with complicating diagnosis or arthrodesis and specific prosthesis replacement or extremely severe CC | 3.2 | 9.2 | 2 | 0.457 | 18 | 0.11 | 0.166 | | | |
| I04C | O | Revision or replacement of the knee with complicating diagnosis or arthrodesis | 2.841 | 14.3 | 3 | 0.472 | 27 | 0.134 | 0.143 | | | |
| I05A | O | Joint replacement or revision involving the upper extremities with extremely severe CC or specific bilateral intervention or intervention at more than one site | 3.413 | 11.7 | 2 | 0.584 | 22 | 0.151 | 0.17 | | | |
| I05B | O | Joint replacement or revision involving the upper extremities with complex intervention | 1.781 | 4.5 | 1 | 0.334 | 9 | 0.108 | 0.209 | | | |
| I05C | O | Joint replacement or revision involving the upper extremities | 1.513 | 4.3 | 1 | 0.306 | 9 | 0.108 | 0.191 | | | |
| I06A | O | Highly complex interventions on the spinal column or complex OR procedure over more than one session or complicating procedures or complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points or complex intervention with very severe CC | 7.488 | 16.5 | 4 | 0.769 | 31 | 0.248 | 0.254 | | | |
| I06B | O | Complex interventions on the spinal column with extremely severe CC and age < 16 years or very complex spinal column interventions or complex intensive care treatment/complex treatment in intermediate care unit > 184 points or congenital spine deformities | 6.145 | 14.9 | 3 | 0.745 | 27 | 0.212 | 0.226 | | | |
| I06C | O | Complex interventions on the spinal column with vertebral body replacement from 2 implants or challenging intervention from dorsal and ventral side on the spinal column | 4.854 | 15.2 | 4 | 0.462 | 27 | 0.152 | 0.163 | | | |
| I07A | O | Amputation with extremely severe CC | 4.198 | 26.5 | 7 | 0.43 | 44 | 0.13 | 0.137 | | | |
| I07B | O | Amputation | 2.397 | 16.1 | 4 | 0.359 | 32 | 0.114 | 0.118 | | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) 2)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) 3)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|-------------------|----------|---|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| I08A | O | Other interventions on the hip and femur with extremely severe CC and multiple interventions or complex procedure or complex diagnosis, or specific cerebral palsy or specific intervention with microvascular anastomosis | 3.128 | 11.8 | | 2 | 0.615 | | 24 | 0.173 | 0.18 | | |
| I08B | O | Other interventions on the hip and femur with multiple interventions or complex procedure or complex diagnosis or specific intervention or extremely severe CC | 2.268 | 9.7 | | 2 | 0.469 | | 20 | 0.155 | 0.171 | | |
| I08C | O | Other interventions on the hip and femur | 1.575 | 6.5 | | 1 | 0.82 | | 14 | 0.143 | 0.205 | | |
| I09A | O | Complex spinal fusion of a position correction from 12 segments or complex intensive care treatment in children > 130 to 136 points | 5.352 | 9.5 | | 2 | 0.581 | | 19 | 0.207 | 0.211 | | |
| I09B | O | Complex spinal fusion with extremely severe CC or complex intervention or vertebral body replacement from 4 implants with specific intervention or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or intervention at several sites | 4.206 | 11.5 | | 2 | 0.632 | | 24 | 0.178 | 0.185 | | |
| I09C | O | Challenging spinal fusion or spinal fusion on the ventral and dorsal side or specific OR procedures over more than one session or congenital spine deformities, age < 18 years | 3.148 | 6.5 | | 1 | 0.637 | | 11 | 0.203 | 0.239 | | |
| I09D | O | Challenging spinal fusion or spinal fusion on ventral and dorsal side or specific OR procedures over more than one session and age > 17 years, or age < 18 years or complicating diagnosis | 2.876 | 7.8 | | 1 | 0.594 | | 15 | 0.164 | 0.187 | | |
| I09E | O | Specific spinal fusion | 2.023 | 5.6 | | 1 | 0.427 | | 10 | 0.161 | 0.199 | | |
| I09F | O | Spinal fusion or vertebral body replacement from 2 implants | 1.395 | 3.5 | | 1 | 0.323 | | 7 | 0.136 | 0.323 | | |
| I10A | O | Other interventions on the spinal column or halo traction with extremely severe CC or intervention at more than one site | 3.066 | 14.5 | | 3 | 0.493 | | 29 | 0.163 | | x | |
| I10B | O | Other interventions on the spinal column with specific intervention or halo traction or age < 16 years or complex diagnosis or specific OR procedure over more than one session | 1.543 | 6.4 | | 1 | 0.962 | | 14 | 0.104 | | x | |
| I10C | O | Other interventions on the spinal column, age > 15 years | 0.889 | 3.8 | | 1 | 0.3 | | 8 | 0.103 | 0.3 | | |
| I11A | O | Reconstruction associated with malformation or extension of extremities, age < 18 years | 1.985 | 4.6 | | 1 | 0.388 | | 9 | 0.186 | 0.242 | | |
| I11B | O | Reconstruction associated with malformation or extension of extremities, age > 17 years | 1.385 | 3.8 | | 1 | 0.316 | | 8 | 0.182 | 0.316 | | |
| I12A | O | Bone and joint infection/inflammation with various interventions on the musculoskeletal system and connective tissue with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit 120 to 552 points | 4.419 | 20.5 | | 5 | 0.52 | | 38 | 0.182 | 0.163 | | |
| I12B | O | Bone and joint infection/inflammation with various interventions on the musculoskeletal system and connective tissue with severe CC or revision of the knee or vacuum treatment | 2.558 | 13.6 | | 3 | 0.424 | | 27 | 0.156 | 0.139 | | |
| I12C | O | Bone and joint infection/inflammation with various interventions on the musculoskeletal system and connective tissue | 1.302 | 7.5 | | 1 | 0.74 | | 17 | 0.139 | 0.148 | | |
| I13A | O | Interventions on the humerus, tibia, fibula and ankle, with multiple interventions, specific bilateral intervention, complex procedure/diagnosis, with intervention at more than one site or specific procedure | 2.642 | 12.5 | | 3 | 0.332 | | 23 | 0.17 | 0.119 | | |
| I13B | O | Interventions on the humerus, tibia, fibula and ankle, with multiple interventions, specific bilateral intervention or complex procedure/diagnosis | 1.445 | 6.4 | | 1 | 0.798 | | 14 | 0.152 | 0.199 | | |
| I13C | O | Interventions on the humerus, tibia, fibula and ankle, age < 16 years | 0.782 | 2.4 | | 1 | 0.211 | | 4 | 0.241 | 0.211 | | |
| I13D | O | Interventions on the humerus, tibia, fibula and ankle, age > 15 years | 1.115 | 4.5 | | 1 | 0.502 | | 10 | 0.13 | 0.314 | | |
| I14A | O | Revision of an amputation stump with extremely severe CC or vacuum treatment or specific diagnosis | 1.779 | 13.4 | | 3 | 0.354 | | 30 | 0.122 | 0.116 | | |
| I14B | O | Revision of an amputation stump | 1.116 | 7.3 | | 1 | 0.391 | | 18 | 0.115 | 0.123 | | |
| I15A | O | Surgery on the neurocranium/viscerocranium with specific process, age < 16 years | 2.074 | 4.7 | | 1 | 0.517 | | 8 | 0.229 | 0.323 | | |
| I15B | O | Surgery on the neurocranium/viscerocranium, age > 15 years | 1.592 | 5.6 | | 1 | 0.438 | | 14 | 0.177 | 0.205 | | |
| I17Z | O | Surgery on the viscerocranium | 1.106 | 3 | | 1 | 0.253 | | 6 | 0.188 | 0.253 | | |
| I18A | O | Arthroscopy including biopsy or other interventions on bones or joints, with specific intervention or age < 16 years, more than one inpatient day | 0.777 | 2.5 | | 1 | 0.212 | | 5 | 0.18 | 0.212 | | |
| I18B | O | Arthroscopy including biopsy or other interventions on bones or joints, age > 15 years, more than one inpatient day | 0.682 | 2.7 | | 1 | 0.202 | | 6 | 0.117 | 0.202 | | |
| I18C | O | Arthroscopy including biopsy or other interventions on bones or joints, one inpatient day | 0.534 | 1 | | | | | | | | x | |
| I20A | O | Interventions on the foot with more than one highly complex intervention or with highly complex intervention with complex diagnosis or multiple interventions over one session or extremely severe CC or specific diagnosis, more than one inpatient day | 1.734 | 5.5 | | 1 | 0.375 | | 12 | 0.165 | 0.175 | | |
| I20B | O | Interventions on the foot with more than one complex intervention or with highly complex intervention with complex diagnosis or specific processes, more than one inpatient day, age < 16 years | 1.268 | 3.5 | | 1 | 0.326 | | 7 | 0.2 | 0.326 | | |
| I20C | O | Interventions on the foot with more than one complex intervention or with highly complex intervention with complex diagnosis, age > 15 years, or with complex intervention with complex diagnosis, or osteomyelitis/arthritis, age < 16 years, more than one inpatient day | 1 | 4.1 | | 1 | 0.261 | | 10 | 0.142 | 0.163 | | |
| I20D | O | Interventions on the foot, with complex intervention or soft tissue damage or intervention at more than one site, age > 15 years, or specific intervention or complicating diagnosis, more than one inpatient day | 0.768 | 2.6 | | 1 | 0.207 | | 5 | 0.115 | 0.207 | | |
| I20E | O | Interventions on the foot, more than one inpatient day, age < 16 years | 0.731 | 2.4 | | 1 | 0.196 | | 4 | 0.178 | 0.196 | | |
| I20F | O | Interventions on the foot, more than one inpatient day, age > 15 years | 0.66 | 2.4 | | 1 | 0.187 | | 4 | 0.116 | 0.187 | | |
| I20G | O | Interventions on the foot, one inpatient day | 0.534 | 1 | | | | | | | | x | |
| I21A | O | Specific interventions on the hip and femur with complex intervention or specific processes | 1.035 | 2.2 | | 1 | 0.292 | | 4 | 0.186 | 0.292 | | |
| I21B | O | Specific interventions on the hip and femur | 0.841 | 2.5 | | 1 | 0.285 | | 5 | 0.122 | 0.285 | | |
| I22Z | O | Tissue/skin graft, except on the hand with severe CC or complicating procedure or intervention at more than one site or severe soft tissue damage | 3.826 | 16.9 | | 4 | 0.451 | | 33 | 0.142 | 0.149 | | |
| I23A | O | Specific interventions except on the hip and femur, with complicating intervention or age < 12 years or extremely severe CC | 1.236 | 4.3 | | 1 | 0.681 | | 11 | 0.162 | 0.341 | | |
| I23B | O | Specific interventions except on the hip and femur, age > 11 years and specific interventions on the spinal column or the pelvis | 0.761 | 2.9 | | 1 | 0.245 | | 6 | 0.143 | 0.245 | | |
| I23C | O | Specific interventions except on the hip and femur, age > 11 years | 0.651 | 2.3 | | 1 | 0.17 | | 4 | 0.104 | 0.17 | | |
| I27A | O | Interventions on soft tissue with extremely severe CC and more than one inpatient day or vacuum treatment or specific diagnosis with severe CC or specific procedure | 3.897 | 18.4 | | 5 | 0.45 | | 34 | 0.172 | 0.158 | | |
| I27B | O | Interventions on soft tissue with specific interventions at the same time or age < 16 years | 0.917 | 3 | | 1 | 0.366 | | 6 | 0.244 | 0.366 | | |
| I27C | O | Interventions on soft tissue for malignant neoplasm or complex intervention, age > 15 years | 0.83 | 3.2 | | 1 | 0.226 | | 6 | 0.108 | 0.226 | | |
| I27D | O | Interventions on soft tissue, age > 15 years | 0.687 | 3 | | 1 | 0.201 | | 6 | 0.102 | 0.201 | | |
| I28A | O | Complex interventions on bones or connective tissue | 3.31 | 15.3 | | 4 | 0.49 | | 29 | 0.163 | 0.173 | | |
| I28B | O | Moderately complex interventions on bones or connective tissue | 1.31 | 6.5 | | 1 | 0.778 | | 17 | 0.146 | 0.194 | | |
| I28C | O | Other intervention on bones or connective tissue | 1.139 | 6.6 | | 1 | 0.614 | | 15 | 0.136 | 0.153 | | |
| I29A | O | Complex interventions on the scapula, clavicle, ribs or shoulder with specific intervention | 1.003 | 2.6 | | 1 | 0.27 | | 4 | 0.198 | 0.27 | | |
| I29B | O | Complex interventions on the scapula, clavicle, ribs or shoulder with plastic reconstruction or specific diagnosis | 0.924 | 2.4 | | 1 | 0.18 | | 4 | 0.194 | 0.18 | | |
| I29C | O | Complex interventions on the scapula, clavicle, ribs or shoulder | 0.804 | 2.5 | | 1 | 0.168 | | 4 | 0.179 | 0.168 | | |
| I30A | O | Complex interventions on the knee with challenging intervention or intervention over more than one session | 1.809 | 4.9 | | 1 | 0.393 | | 12 | 0.125 | 0.245 | | |
| I30B | O | Complex interventions on the knee, age < 18 years | 0.999 | 2.8 | | 1 | 0.187 | | 5 | 0.128 | 0.187 | | |
| I30C | O | Complex interventions on the knee, age > 17 years | 0.985 | 3 | | 1 | 0.187 | | 6 | 0.123 | 0.187 | | |
| I31A | O | Complex interventions on the elbow and forearm with bilateral intervention or intervention over more than one session or intervention at more than one site or specific intervention or specific processes | 1.818 | 6.1 | | 1 | 0.973 | | 14 | 0.175 | 0.243 | | |
| I31B | O | Complex interventions on the elbow and forearm | 0.817 | 2.6 | | 1 | 0.191 | | 5 | 0.145 | 0.191 | | |
| I32A | O | Interventions on the wrist and hand with complex intervention over more than one session and complex treatment on the hand from 7 or more treatment days or intervention at more than one site, more than one inpatient day | 2.514 | 8.6 | | 1 | 0.569 | | 14 | 0.132 | 0.154 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 7) 8)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) 3)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|---|--|-----------------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| I32B | O | Interventions on the wrist and hand with complex intervention over more than one session or wrist replacement, more than one inpatient day | 1.668 | 7.7 | 1 | 0.426 | 18 | 0.163 | 0.134 | | |
| I32C | O | Interventions on the wrist and hand with complex intervention or complicating diagnosis or intervention at more than one site or age < 6 years, more than one inpatient day | 0.825 | 2.5 | 1 | 0.195 | 5 | 0.12 | 0.195 | | |
| I32D | O | Interventions on the wrist and hand, age > 5 years and more than one inpatient day | 0.633 | 2.3 | 1 | 0.168 | 4 | 0.111 | 0.168 | | |
| I32E | O | Interventions on the wrist and hand, one inpatient day | 0.556 | 1 | | | | | | x | |
| I36Z | O | Bilateral implantation of an endoprosthesis involving the hip or knee | 2.631 | 7.6 | 1 | 0.541 | 14 | 0.148 | 0.17 | | |
| I43A | O | Implantation of an endoprosthesis involving the knee with extremely severe CC or specific prosthesis replacement | 2.818 | 7.2 | 1 | 0.55 | 13 | 0.114 | 0.173 | | |
| I43B | O | Implantation of an endoprosthesis involving the knee or prosthesis replacement | 2.179 | 5.9 | 1 | 0.43 | 10 | 0.109 | 0.201 | | |
| I43C | O | Implantation of an endoprosthesis involving the knee | 1.681 | 5.4 | 1 | 0.388 | 9 | 0.103 | 0.181 | | |
| I44A | O | Implantation associated with replacement of a knee prosthesis component | 1.879 | 5.8 | 1 | 0.443 | 11 | 0.111 | 0.207 | | |
| I44B | O | Implantation of a knee prosthesis component or removal of an endoprosthesis involving the knee | 1.283 | 4.3 | 1 | 0.319 | 8 | 0.105 | 0.199 | | |
| I45A | O | Implantation and replacement of an intervertebral disc endoprosthesis, more than one segment | 1.923 | 3 | 1 | 0.303 | 5 | 0.146 | 0.303 | | |
| I45B | O | Implantation and replacement of an intervertebral disc endoprosthesis, fewer than 2 segments | 1.473 | 3 | 1 | 0.291 | 5 | 0.144 | 0.291 | | |
| I46A | O | Implantation, replacement or revision of a hip endoprosthesis with complex intervention and extremely severe CC or intervention at more than one site | 4.53 | 16.4 | 4 | 0.488 | 32 | 0.152 | 0.161 | | |
| I46B | O | Implantation, replacement or revision of a hip endoprosthesis with extremely severe CC or intervention at more than one site or specific diagnosis with complex intervention | 2.579 | 10.1 | 2 | 0.488 | 21 | 0.154 | 0.158 | | |
| I46C | O | Implantation, replacement or revision of a hip endoprosthesis | 1.418 | 5 | 1 | 0.372 | 9 | 0.101 | 0.174 | | |
| I50Z | O | Challenging tissue or skin graft, except on the hand | 1.542 | 6.5 | 1 | 0.419 | 15 | 0.136 | 0.157 | | |
| I54A | O | Radiotherapy for diseases and disorders of the musculoskeletal system and connective tissue, fewer than 9 radiation sessions, with extremely severe CC or complicating procedures, more than one inpatient day | 2.516 | 15.7 | 4 | 0.488 | 30 | 0.158 | 0.172 | | x |
| I54B | O | Radiotherapy for diseases and disorders of the musculoskeletal system and connective tissue, fewer than 9 radiation sessions and more than one inpatient day | 1.538 | 9.2 | 2 | 0.468 | 20 | 0.162 | 0.17 | | x |
| I59Z | O | Other interventions on the lower extremities and humerus or moderately complex interventions on the elbow and forearm | 0.703 | 2.4 | 1 | 0.188 | 4 | 0.119 | 0.188 | | |
| I60A | M | Fractures of the pelvis, femoral neck and femur with paraplegia/tetraplegia or age < 3 years or extremely severe CC | 1.422 | 10.2 | 2 | 0.439 | 23 | 0.139 | 0.142 | | |
| I60B | M | Fractures of the pelvis, femoral neck and femur, age > 2 years | 0.719 | 6.2 | 1 | 0.33 | 13 | 0.113 | 0.124 | | |
| I61A | M | Diseases and disorders of the musculoskeletal system and connective tissue with extremely severe CC or complex chemotherapy or age < 16 years or paraplegia/tetraplegia and one inpatient day | 0.335 | 1 | | | | | | x | |
| I61B | M | Diseases and disorders of the musculoskeletal system and connective tissue, age > 15 years and one inpatient day | 0.27 | 1 | | | | | | x | |
| I64A | M | Osteomyelitis, age < 16 years | 0.793 | 4.7 | 1 | 0.351 | 9 | 0.154 | 0.22 | | |
| I64B | M | Osteomyelitis, age > 15 years | 1.102 | 9.6 | 2 | 0.345 | 21 | 0.114 | 0.126 | | |
| I65A | M | Malignant neoplasm of the connective tissue including pathological fracture, age < 16 years or with extremely severe CC or with highly complex chemotherapy or paraplegia/tetraplegia | 0.963 | 4.5 | 1 | 0.469 | 11 | 0.231 | 0.293 | | x |
| I65B | M | Malignant neoplasm of the connective tissue including pathological fracture, age > 15 years | 0.767 | 5.9 | 1 | 0.36 | 14 | 0.131 | 0.168 | | x |
| I66A | M | Diseases of the connective tissue with extremely severe CC or evaluation for lung transplantation | 2.306 | 14 | 3 | 0.557 | 31 | 0.164 | 0.169 | | |
| I66B | M | Diseases of the connective tissue, age < 16 years | 0.942 | 4.6 | 1 | 0.45 | 9 | 0.203 | 0.281 | | |
| I66C | M | Diseases of the connective tissue, age > 15 years | 0.796 | 5.9 | 1 | 0.378 | 13 | 0.121 | 0.176 | | |
| I68A | M | Non-surgically treated diseases and injuries in the spinal column area with extremely severe CC, or discitis or infectious spondylitis | 2.181 | 16 | 4 | 0.414 | 31 | 0.134 | 0.136 | | |
| I68B | M | Non-surgically treated diseases and injuries in the spinal column area with severe CC or paraplegia/tetraplegia | 1.134 | 9.3 | 2 | 0.355 | 19 | 0.12 | 0.129 | | |
| I68C | M | Non-surgically treated diseases and injuries in the spinal column area, age < 16 years | 0.432 | 2.6 | 1 | 0.2 | 5 | 0.169 | 0.2 | | |
| I68D | M | Non-surgically treated diseases and injuries in the spinal column area, age > 15 years | 0.568 | 5.1 | 1 | 0.254 | 12 | 0.107 | 0.119 | | |
| I69A | M | Bone diseases and arthropathies with severe CC | 1.221 | 10.3 | 2 | 0.383 | 21 | 0.119 | 0.124 | | |
| I69B | M | Bone diseases and arthropathies, age < 16 years | 0.642 | 3.2 | 1 | 0.258 | 6 | 0.173 | 0.258 | | |
| I69C | M | Bone diseases and arthropathies, age > 15 years | 0.649 | 5.7 | 1 | 0.295 | 12 | 0.099 | 0.137 | | |
| I71A | M | Muscle and tendon diseases or sprain, strain with extremely severe CC or dislocation of the hip, pelvis and thigh or paraplegia/tetraplegia, age < 16 years | 0.583 | 3.9 | 1 | 0.245 | 9 | 0.14 | 0.245 | | |
| I71B | M | Muscle and tendon diseases or sprain, strain, age > 15 years | 0.546 | 4.4 | 1 | 0.239 | 10 | 0.121 | 0.149 | | |
| I72Z | M | Inflammation of tendons, muscles and bursae with severe CC | 1.305 | 9.9 | 2 | 0.4 | 20 | 0.125 | 0.145 | | |
| I73A | M | Follow-up treatment for diseases of the connective tissue with severe CC or prosthesis adjustment | 1.507 | 9.4 | 2 | 0.459 | 20 | 0.141 | 0.167 | | |
| I73B | M | Follow-up treatment for diseases of the connective tissue | 0.614 | 4.8 | 1 | 0.255 | 11 | 0.109 | 0.159 | | |
| I74A | M | Injuries of the forearm, wrist, hand and foot with severe CC | 1.204 | 9.9 | 2 | 0.364 | 22 | 0.11 | 0.133 | | |
| I74B | M | Injuries of the forearm, wrist, hand and foot | 0.523 | 3.9 | 1 | 0.216 | 9 | 0.086 | 0.216 | | |
| I75A | M | Severe injuries of the extremities with severe CC | 1.275 | 9.4 | 2 | 0.397 | 20 | 0.128 | 0.144 | | |
| I75B | M | Severe injuries of the extremities or inflammation of tendons, muscles and bursae, age < 16 years | 0.556 | 2.9 | 1 | 0.232 | 6 | 0.168 | 0.232 | | |
| I75C | M | Severe injuries of the extremities or inflammation of tendons, muscles and bursae, age > 15 years | 0.582 | 4.8 | 1 | 0.252 | 11 | 0.114 | 0.158 | | |
| I76A | M | Other diseases of the connective tissue with severe CC or age < 16 years | 1.255 | 9.5 | 2 | 0.383 | 21 | 0.131 | 0.139 | | |
| I76B | M | Other diseases of the connective tissue, age > 15 years | 0.685 | 5.2 | 1 | 0.296 | 11 | 0.085 | 0.138 | | |
| I77A | M | Mild to moderate injuries of the extremities with paraplegia/tetraplegia or age < 16 years | 0.441 | 2.7 | 1 | 0.179 | 5 | 0.146 | 0.179 | | |
| I77B | M | Mild to moderate injuries of the extremities, age > 15 years | 0.575 | 4.8 | 1 | 0.251 | 11 | 0.114 | 0.157 | | |
| I79Z | M | Fibromyalgia | 0.581 | 5.2 | 1 | 0.263 | 12 | 0.076 | 0.123 | | |
| I87A | M | Diseases and disorders of the musculoskeletal system and connective tissue with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit paediatric > 196 points or complex intensive care treatment > 361 points or specific complex intensive care treatment with complex treatment in intermediate care unit points | 3.404 | 15.7 | 4 | 0.661 | 30 | 0.216 | | x | x |
| I87B | M | Diseases and disorders of the musculoskeletal system and connective tissue with complex intensive care treatment/complex treatment in intermediate care unit > 184 points | 2.63 | 13.4 | 3 | 0.635 | 27 | 0.206 | | x | x |
| I95Z | O | Implantation of a tumour endoprosthesis or complex procedure over more than one session or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points with complex OR procedure or specific OR procedure over more than one session | 5.305 | 17.9 | 4 | 0.646 | 35 | 0.203 | 0.2 | | |
| I97A | A | Complex rheumatological treatment for diseases and disorders of the musculoskeletal system and connective tissue, from 14 treatment days | 1.08 | 14.5 | | | | | | x | |
| I97B | A | Complex rheumatological treatment for diseases and disorders of the musculoskeletal system and connective tissue, from 7 to 13 treatment days | 0.791 | 8.7 | | | | | | x | |
| I98Z | O | Complex vacuum treatment for diseases and disorders of the musculoskeletal system and connective tissue | 6.032 | 30 | 9 | 0.37 | 48 | 0.185 | | x | |
| MDC 09: Diseases and disorders of the skin, subcutaneous tissue and breast | | | | | | | | | | | |
| J01A | O | Tissue graft with microvascular anastomosis for malignant diseases of the skin, subcutaneous tissue and breast with bilateral procedure or complex intervention | 3.616 | 7.6 | 1 | 0.77 | 12 | 0.207 | 0.242 | | x |
| J01B | O | Tissue graft with microvascular anastomosis for malignant diseases of the skin, subcutaneous tissue and breast | 2.885 | 6.4 | 1 | 0.635 | 11 | 0.204 | 0.238 | | x |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|---|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| J02A | O | Skin graft, flap, extensive lymphadenectomy, tissue graft with microvascular anastomosis with extremely severe CC or intervention over more than one session or complex vacuum treatment or brachytherapy | 5.305 | 28.6 | | 8 | 0.417 | | 46 | 0.176 | 0.138 | | |
| J02B | O | Skin graft, flap, extensive lymphadenectomy, tissue graft with microvascular anastomosis | 1.904 | 5.8 | | 1 | 0.44 | | 12 | 0.113 | 0.205 | | |
| J03A | O | Interventions on the skin of the lower extremity due to ulcer or infection/inflammation with extremely severe CC | 3.693 | 24.3 | | 7 | 0.375 | | 42 | 0.131 | | x | |
| J03B | O | Interventions on the skin of the lower extremity due to ulcer or infection/inflammation | 1.103 | 6.7 | | 1 | 0.379 | | 15 | 0.13 | | x | |
| J04Z | O | Interventions on the skin of the lower extremity except for ulcer or infection/inflammation | 0.764 | 3.4 | | 1 | 0.245 | | 8 | 0.155 | 0.245 | | |
| J06A | O | Bilateral mastectomy with prosthesis implantation or plastic surgery for malignant neoplasm or specific intraoperative therapy | 2.096 | 5 | | 1 | 0.523 | | 9 | 0.217 | 0.244 | | x |
| J06B | O | Mastectomy with prosthesis implantation or plastic surgery for malignant neoplasm | 1.659 | 4.4 | | 1 | 0.443 | | 8 | 0.207 | 0.277 | | x |
| J08A | O | Other skin graft or debridement with complex diagnosis or with additional intervention on the head and throat, with severe CC | 2.004 | 11.9 | | 2 | 0.48 | | 26 | 0.151 | 0.14 | | |
| J08B | O | Other skin graft or debridement with complex diagnosis or with additional intervention on the head and throat | 1.056 | 3.4 | | 1 | 0.271 | | 7 | 0.122 | 0.271 | | |
| J09A | O | Interventions for pilonidal and perianal sinus, age < 16 years | 0.581 | 2.3 | | 1 | 0.144 | | 4 | 0.153 | 0.144 | | |
| J09B | O | Interventions for pilonidal and perianal sinus, age > 15 years | 0.486 | 2.3 | | 1 | 0.106 | | 4 | 0.094 | 0.106 | | |
| J10A | O | Plastic surgery on the skin, subcutaneous tissue and breast with specific intervention or at more than one site | 1.23 | 3.6 | | 1 | 0.464 | | 7 | 0.173 | 0.464 | | |
| J10B | O | Plastic surgery on the skin, subcutaneous tissue and breast | 1.096 | 4.3 | | 1 | 0.482 | | 10 | 0.154 | 0.301 | | |
| J11A | O | Other interventions on the skin, subcutaneous tissue and breast with complicating diagnosis or moderately complex procedure or associated with paraplegia/tetraplegia or complex OR procedure or vacuum treatment | 1.861 | 12.5 | | 3 | 0.36 | | 25 | 0.133 | 0.128 | | |
| J11B | O | Other interventions on the skin, subcutaneous tissue and breast | 0.73 | 3.8 | | 1 | 0.291 | | 9 | 0.096 | 0.291 | | |
| J14Z | O | Plastic reconstruction of the breast for malignant neoplasm | 1.172 | 3.7 | | 1 | 0.322 | | 7 | 0.184 | 0.322 | | x |
| J18A | O | Other radiotherapy for diseases and disorders of the skin, subcutaneous tissue and breast with specific procedure, more than one inpatient day | 2.226 | 3.5 | | 1 | 0.35 | | 7 | 0.163 | 0.35 | | x |
| J18B | O | Other radiotherapy for diseases and disorders of the skin, subcutaneous tissue and breast, more than one inpatient day | 1.12 | 4.6 | | 1 | 0.514 | | 11 | 0.184 | 0.321 | | x |
| J21Z | O | Other skin graft or debridement with lymph node excision or severe CC | 0.881 | 2.7 | | 1 | 0.215 | | 5 | 0.21 | 0.215 | | |
| J22Z | O | Other skin graft or debridement without complex intervention, without complex diagnosis | 0.823 | 3.5 | | 1 | 0.304 | | 8 | 0.163 | 0.304 | | |
| J23A | O | Major bilateral interventions on the breast for malignant neoplasm with plastic reconstruction or implant or lymphadenectomy | 1.277 | 3.4 | | 1 | 0.517 | | 7 | 0.248 | 0.517 | | x |
| J23B | O | Major interventions on the breast for malignant neoplasm with plastic reconstruction or implant or lymphadenectomy | 0.975 | 2.9 | | 1 | 0.307 | | 6 | 0.208 | 0.307 | | x |
| J24A | O | Interventions on the breast except for malignant neoplasm with extensive intervention | 0.96 | 2.4 | | 1 | 0.229 | | 4 | 0.136 | 0.229 | | |
| J24B | O | Interventions on the breast except for malignant neoplasm | 0.672 | 2.2 | | 1 | 0.174 | | 4 | 0.128 | 0.174 | | |
| J25Z | O | Minor interventions on the breast for malignant neoplasm | 0.72 | 2.3 | | 1 | 0.194 | | 4 | 0.132 | 0.194 | | x |
| J33Z | O | Complex OR procedure over more than one session or surgical procedure with complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points | 5.46 | 22.6 | | 6 | 0.554 | | 40 | 0.21 | 0.183 | | |
| J60A | M | Complex skin ulcer or complicating secondary diagnosis and extensive debridement | 1.637 | 12.3 | | 3 | 0.392 | | 25 | 0.141 | | x | |
| J60B | M | Skin ulcer | 0.78 | 6.8 | | 1 | 0.365 | | 15 | 0.117 | | x | |
| J61A | M | Severe or moderately severe diseases of the skin with extremely severe CC or complex diagnosis or chronic paraplegia/tetraplegia | 1.394 | 9.5 | | 2 | 0.447 | | 22 | 0.155 | | x | |
| J61B | M | Severe diseases of the skin | 0.959 | 7 | | 1 | 0.469 | | 14 | 0.132 | | x | |
| J61C | M | Moderately severe diseases of the skin, age < 16 years | 0.541 | 3.3 | | 1 | 0.251 | | 6 | 0.168 | 0.251 | | |
| J61D | M | Moderately severe diseases of the skin, age > 15 years | 0.71 | 5.5 | | 1 | 0.336 | | 12 | 0.124 | 0.157 | | |
| J62A | M | Malignant neoplasms of the breast with extremely severe CC or specific procedure | 1.519 | 9.7 | | 2 | 0.454 | | 22 | 0.15 | 0.165 | | x |
| J62B | M | Malignant neoplasms of the breast | 0.733 | 5.6 | | 1 | 0.334 | | 12 | 0.113 | 0.156 | | x |
| J64A | M | Infection/inflammation of the skin and subcutaneous tissue with extremely severe CC | 1.603 | 12 | | 2 | 0.504 | | 23 | 0.127 | 0.134 | | |
| J64B | M | Infection/inflammation of the skin and subcutaneous tissue, age < 16 years | 0.46 | 2.9 | | 1 | 0.201 | | 5 | 0.157 | 0.201 | | |
| J64C | M | Infection/inflammation of the skin and subcutaneous tissue, age > 15 years and severe CC | 1.023 | 8.1 | | 1 | 0.47 | | 17 | 0.122 | 0.127 | | |
| J64D | M | Infection/inflammation of the skin and subcutaneous tissue and age > 15 years | 0.529 | 4.6 | | 1 | 0.229 | | 10 | 0.074 | 0.143 | | |
| J65Z | M | Injury of the skin, subcutaneous tissue and breast | 0.373 | 2.7 | | 1 | 0.16 | | 6 | 0.107 | 0.16 | | |
| J67Z | M | Diseases of the breast except for malignant neoplasm or mild to moderate skin diseases | 0.553 | 4.1 | | 1 | 0.228 | | 9 | 0.127 | 0.143 | | |
| J86A | M | Diseases and disorders of the skin, subcutaneous tissue and breast with complex diagnosis, one inpatient day | 0.345 | 1 | | | | | | | | x | |
| J86B | M | Diseases and disorders of the skin, subcutaneous tissue and breast, one inpatient day | 0.269 | 1 | | | | | | | | x | |
| J87Z | M | Diseases and disorders of the skin, subcutaneous tissue and breast with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points | 2.627 | 12.6 | | 3 | 0.62 | | 29 | 0.213 | | x | x |
| MDC 10: Endocrine, nutritional and metabolic diseases and disorders | | | | | | | | | | | | | |
| K03Z | O | Interventions on the adrenal glands for malignant neoplasm or interventions on the pituitary gland | 1.683 | 5.2 | | 1 | 0.436 | | 11 | 0.182 | 0.204 | | x |
| K06A | O | Interventions on the thyroid gland, parathyroid gland and thyroglossal duct, with parathyroidectomy/thyroidectomy by means of sternotomy or malignant neoplasm with severe CC or extremely severe CC or neck dissection with thyroidectomy | 1.516 | 3.4 | | 1 | 0.307 | | 8 | 0.23 | 0.307 | | x |
| K06B | O | Interventions on the thyroid gland, parathyroid gland and thyroglossal duct with complete thyroidectomy | 1.101 | 2.4 | | 1 | 0.137 | | 5 | 0.2 | 0.137 | | x |
| K06C | O | Interventions on the thyroid gland, parathyroid gland and thyroglossal duct | 0.869 | 2.2 | | 1 | 0.164 | | 4 | 0.184 | 0.164 | | x |
| K09A | O | Other procedures for endocrine, nutritional and metabolic diseases with extremely severe CC or with specific secondary diagnosis or complex OR procedure or radiation with severe CC or age < 10 years | 2.268 | 14.7 | | 3 | 0.434 | | 31 | 0.121 | 0.131 | | |
| K09B | O | Other procedures for endocrine, nutritional and metabolic diseases, age > 9 years | 1.253 | 5.8 | | 1 | 0.389 | | 14 | 0.107 | 0.182 | | |
| K14A | O | Interventions on the adrenal glands except for malignant neoplasm and bilateral neck dissection | 2.012 | 4.3 | | 1 | 0.405 | | 9 | 0.206 | 0.253 | | |
| K14B | O | Interventions on the adrenal glands except for malignant neoplasm or neck dissection | 1.199 | 3.5 | | 1 | 0.275 | | 7 | 0.18 | 0.275 | | |
| K15A | O | Radiotherapy for endocrine, nutritional and metabolic diseases with specific radiotherapy or with radiiodine therapy, more than one inpatient day | 0.54 | 2.7 | | 1 | 0.269 | | 5 | 0.143 | 0.269 | | x |
| K15B | O | Radiotherapy for endocrine, nutritional and metabolic diseases, more than one inpatient day | 0.427 | 2.8 | | 1 | 0.213 | | 5 | 0.109 | 0.213 | | x |
| K33Z | O | Complex OR procedures over more than one session for endocrine, nutritional and metabolic diseases | 1.523 | 4.6 | | 1 | 0.322 | | 8 | 0.149 | 0.201 | | |
| K37A | O | Endocrine, nutritional and metabolic diseases with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points and complex OR procedures | 3.642 | 9.5 | | 2 | 0.809 | | 19 | 0.277 | | x | x |
| K37B | O | Endocrine, nutritional and metabolic diseases with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 2.369 | 11.3 | | 2 | 0.751 | | 21 | 0.212 | | x | x |
| K60A | M | Diabetes mellitus, age < 16 years, with complex multimodal treatment for diabetes mellitus from 7 treatment days | 1.705 | 9.5 | | 2 | 0.558 | | 14 | 0.184 | | x | |
| K60B | M | Diabetes mellitus or severe nutritional disorders with extremely severe CC, or diabetes mellitus with complicating diagnosis or with evaluation for transplantation or age < 6 years or age < 16 years with severe CC or specific diagnosis or paraplegia/tetraplegia | 1.282 | 7.6 | | 1 | 0.616 | | 17 | 0.175 | | x | |
| K60C | M | Diabetes mellitus, with severe CC or severe nutritional disorders | 0.871 | 7 | | 1 | 0.405 | | 15 | 0.108 | | x | |
| K60D | M | Diabetes mellitus, age > 5 and < 16 years | 0.831 | 4.6 | | 1 | 0.406 | | 10 | 0.185 | 0.254 | | |
| K60E | M | Diabetes mellitus, age > 15 years | 0.627 | 5.3 | | 1 | 0.287 | | 11 | 0.102 | 0.134 | | |
| K62A | M | Various metabolic diseases associated with paraplegia/tetraplegia or following transplantation or with severe CC or age < 16 years | 0.876 | 6.2 | | 1 | 0.406 | | 15 | 0.145 | 0.152 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) a)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|--|--|-----------------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| K62B | M | Various metabolic diseases except for paraplegia/tetraplegia, age > 15 years | 0.554 | 4.3 | 1 | 0.249 | 9 | 0.106 | 0.155 | | |
| K63A | M | Congenital metabolic disorders, age < 16 years | 1.05 | 4.5 | 1 | 0.474 | 10 | 0.229 | 0.296 | | |
| K63B | M | Congenital metabolic disorders, age > 15 years | 0.964 | 6.9 | 1 | 0.434 | 18 | 0.146 | 0.163 | | |
| K64A | M | Endocrinopathies, age < 16 years with complex diagnosis or specific procedure or paraplegia/tetraplegia | 1.452 | 5.6 | 1 | 0.704 | 12 | 0.266 | 0.328 | | x |
| K64B | M | Endocrinopathies with severe CC or complex radioiodine diagnostics or specific procedure or age < 16 years | 0.775 | 6.1 | 1 | 0.357 | 14 | 0.125 | 0.134 | | x |
| K64C | M | Endocrinopathies, age > 15 years | 0.588 | 4.6 | 1 | 0.264 | 10 | 0.105 | 0.165 | | x |
| K86A | M | Endocrine, nutritional and metabolic diseases, one inpatient day with age < 16 years | 0.321 | 1 | | | | | | x | |
| K86B | M | Endocrine, nutritional and metabolic diseases, one inpatient day with age > 15 years | 0.287 | 1 | | | | | | x | |
| K87Z | M | Endocrine, nutritional and metabolic diseases with complex intensive care treatment/complex treatment in intermediate care unit > 119 days | 1.439 | 7.6 | 1 | 0.683 | 15 | 0.191 | | x | x |
| MDC 11: Diseases and disorders of the kidney and urinary tract | | | | | | | | | | | |
| L02Z | O | Surgical insertion of a peritoneal dialysis catheter | 0.827 | 3.2 | 1 | 0.213 | 7 | 0.161 | 0.213 | | |
| L03Z | O | Kidney, ureter and major urinary bladder interventions for neoplasm, age < 18 years or with extremely severe CC, or except for neoplasm, with extremely severe CC or combination intervention or specific intervention | 2.911 | 10.1 | 2 | 0.611 | 19 | 0.19 | 0.198 | | x |
| L04A | O | Kidney, ureter and major urinary bladder interventions except for neoplasm with implantation of an artificial urethral sphincter | 1.774 | 3.1 | 1 | 0.237 | 6 | 0.153 | 0.237 | | |
| L04B | O | Kidney, ureter and major urinary bladder interventions except for neoplasm or thyroid gland interventions, age < 16 years | 1.482 | 4.6 | 1 | 0.39 | 10 | 0.176 | 0.244 | | |
| L04C | O | Kidney, ureter and major urinary bladder interventions except for neoplasm or thyroid gland interventions, age > 15 years | 1.366 | 4.5 | 1 | 0.858 | 10 | 0.169 | 0.429 | | |
| L06A | O | Minor interventions on the urinary bladder with extremely severe CC | 2.649 | 13.3 | 3 | 0.536 | 27 | 0.113 | 0.176 | | |
| L06B | O | Minor interventions on the urinary bladder | 0.674 | 2.8 | 1 | 0.163 | 6 | 0.109 | 0.163 | | |
| L08A | O | Complex interventions on the urethra with challenging procedure | 1.088 | 4.2 | 1 | 0.261 | 9 | 0.132 | 0.163 | | |
| L08B | O | Complex interventions on the urethra | 0.853 | 3.6 | 1 | 0.394 | 7 | 0.104 | 0.394 | | |
| L09A | O | Other interventions for diseases of the kidney and urinary tract, age < 16 years or with extremely severe CC or for neoplasms or specific intervention | 1.817 | 6.8 | 1 | 0.558 | 15 | 0.178 | 0.209 | | x |
| L09B | O | Other interventions for diseases of the kidney and urinary tract | 0.916 | 3.3 | 1 | 0.335 | 8 | 0.121 | 0.335 | | |
| L10A | O | Bladder reconstruction and continent ileostomy for neoplasm or multivisceral intervention or kidney, ureter and major urinary bladder intervention for neoplasm, age < 18 years or extremely severe CC or combination intervention, with major intervention on the intestine, with extremely severe CC | 5.369 | 19 | 5 | 0.644 | 32 | 0.206 | 0.213 | | x |
| L10B | O | Bladder reconstruction and continent ileostomy for neoplasm without multivisceral intervention or kidney, ureter and major urinary bladder interventions for neoplasm, age < 18 years or extremely severe CC or combination intervention, with major intervention on the intestine | 3.716 | 12.6 | 3 | 0.575 | 20 | 0.131 | 0.205 | | x |
| L12Z | O | Radiotherapy for diseases and disorders of the kidney and urinary tract, more than one inpatient day | 1.291 | 8.8 | 1 | 0.605 | 19 | 0.158 | 0.164 | | x |
| L13A | O | Kidney, ureter and major urinary bladder interventions for neoplasm or complex interventions with extracorporeal shock wave lithotripsy (ESWL) and severe CC or nephroureterectomy with excision of lymph nodes | 1.997 | 6.7 | 1 | 0.583 | 12 | 0.176 | 0.219 | | x |
| L13B | O | Kidney, ureter and major urinary bladder interventions for neoplasm or complex interventions with extracorporeal shock wave lithotripsy (ESWL) and nephroureterectomy or radical excision of lymph nodes | 1.742 | 5.5 | 1 | 0.457 | 10 | 0.12 | 0.213 | | x |
| L13C | O | Kidney, ureter and major urinary bladder interventions for neoplasm or complex interventions with extracorporeal shock wave lithotripsy (ESWL) | 1.234 | 3.6 | 1 | 0.61 | 7 | 0.134 | 0.61 | | x |
| L17A | O | Other interventions on the urethra or urinary bladder, more than one inpatient day | 0.547 | 2.6 | 1 | 0.183 | 5 | 0.105 | 0.183 | | |
| L17B | O | Other interventions on the urethra or urinary bladder, one inpatient day | 0.422 | 1 | | | | | | x | |
| L18A | O | Complex transurethral, percutaneous transrenal and other retroperitoneal interventions without extracorporeal shock wave lithotripsy (ESWL) with extremely severe CC or paraplegia/tetraplegia or age < 18 years | 2.001 | 10.6 | 2 | 0.528 | 22 | 0.157 | 0.171 | | |
| L18B | O | Complex transurethral, percutaneous transrenal and other retroperitoneal interventions without extracorporeal shock wave lithotripsy (ESWL) with specific procedure, age > 17 years | 1.104 | 4.7 | 1 | 0.47 | 11 | 0.11 | 0.294 | | |
| L18C | O | Complex transurethral, percutaneous transrenal and other retroperitoneal interventions without extracorporeal shock wave lithotripsy (ESWL), age > 17 years | 0.597 | 2.7 | 1 | 0.194 | 5 | 0.113 | 0.194 | | |
| L20A | O | Transurethral interventions except for prostate resection and complex ureterorenoscopies, with extremely severe CC, more than one inpatient day | 2.507 | 14.8 | 3 | 0.472 | 30 | 0.14 | 0.143 | | |
| L20B | O | Transurethral interventions over more than one session except for prostate resection or specific intervention, more than one inpatient day | 1.201 | 4.7 | 1 | 0.356 | 10 | 0.16 | 0.222 | | |
| L20C | O | Transurethral interventions except for prostate resection and complex ureterorenoscopies with extracorporeal shock wave lithotripsy (ESWL), specific intervention or sepsis, more than one inpatient day | 0.735 | 2.4 | 1 | 0.2 | 5 | 0.128 | 0.2 | | |
| L20D | O | Transurethral interventions except for prostate resection and complex ureterorenoscopies, more than one inpatient day | 0.604 | 2.3 | 1 | 0.183 | 4 | 0.118 | 0.183 | | |
| L20E | O | Transurethral interventions except for prostate resection and complex ureterorenoscopies, one inpatient day | 0.554 | 1 | | | | | | x | |
| L33Z | O | Complex OR procedures over more than one session for diseases and disorders of the kidney and urinary tract or complex vacuum treatment | 6.498 | 27.2 | 8 | 0.508 | 45 | 0.179 | 0.175 | | |
| L37A | O | Diseases and disorders of the kidney and urinary tract with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex diagnosis and specific procedure, with complex OR procedure | 4.23 | 14.3 | 3 | 0.776 | 23 | 0.223 | | x | x |
| L37B | O | Diseases and disorders of the kidney and urinary tract with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex diagnosis and specific procedure | 3.016 | 12 | 3 | 0.667 | 24 | 0.234 | | x | x |
| L38Z | O | Complicating procedure with specific surgical intervention or multivisceral intervention for diseases and disorders of the kidney and urinary tract | 3.994 | 13.7 | 3 | 0.672 | 25 | 0.212 | 0.22 | | x |
| L40Z | A | Diagnostic ureterorenoscopy | 0.646 | 2.9 | 1 | 0.201 | 6 | 0.11 | 0.201 | | |
| L42A | A | Extracorporeal shock wave lithotripsy (ESWL) for urinary calculi with auxiliary measures or associated with paraplegia/tetraplegia | 0.682 | 2.6 | 1 | 0.225 | 5 | 0.128 | 0.225 | | |
| L42B | A | Extracorporeal shock wave lithotripsy (ESWL) for urinary calculi | 0.756 | 2.5 | 1 | 0.296 | 5 | 0.166 | 0.296 | | |
| L60A | M | Renal insufficiency, more than one inpatient day, with dialysis, acute renal failure and severe CC or with dialysis and acute renal failure or severe CC, age < 16 years | 2.763 | 15.9 | 4 | 0.521 | 29 | 0.163 | 0.184 | | x |
| L60B | M | Renal insufficiency, more than one inpatient day, with dialysis and acute renal failure or severe CC and age > 15 years, or dialysis or severe CC with paraplegia/tetraplegia | 1.824 | 10.7 | 2 | 0.553 | 23 | 0.161 | 0.179 | | x |
| L60C | M | Renal insufficiency, more than one inpatient day, with dialysis or severe CC | 1.023 | 7.3 | 1 | 0.471 | 16 | 0.125 | 0.148 | | x |
| L60D | M | Renal insufficiency, more than one inpatient day, with acute renal failure | 0.744 | 5.9 | 1 | 0.337 | 12 | 0.109 | 0.157 | | x |
| L60E | M | Renal insufficiency, more than one inpatient day | 0.611 | 5 | 1 | 0.277 | 10 | 0.1 | 0.129 | | x |
| L62A | M | Neoplasms of the kidney and urinary tract with paraplegia/tetraplegia or age < 16 years or challenging situations due to malignant neoplasm | 0.783 | 3.7 | 1 | 0.36 | 7 | 0.216 | 0.36 | | x |
| L62B | M | Neoplasms of the kidney and urinary tract, age > 15 years | 0.644 | 4.7 | 1 | 0.28 | 12 | 0.132 | 0.175 | | x |
| L63A | M | Infections of the kidney and urinary tract with severe CC or severe motor function impairment, and pyonephrosis or age < 6 years or paraplegia/tetraplegia or difficult diagnosis or contact isolation from 14 treatment days | 0.952 | 7 | 1 | 0.423 | 15 | 0.133 | 0.133 | | |
| L63B | M | Infections of the kidney and urinary tract with severe CC or severe motor function impairment, age > 5 years | 0.772 | 6.3 | 1 | 0.351 | 13 | 0.118 | 0.132 | | |
| L63C | M | Infections of the kidney and urinary tract with specific intervention, age < 12 years | 0.638 | 3.9 | 1 | 0.248 | 8 | 0.135 | 0.248 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) 2)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) 3)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|---|--|-----------------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| L63D | M | Infections of the kidney and urinary tract and age > 11 years | 0.52 | 4.5 | 1 | 0.231 | 9 | 0.075 | 0.144 | | |
| L64A | M | Urinary calculi and urinary tract obstruction or urethral stricture or other mild to moderate diseases of the kidney and urinary tract or complaints and symptoms of the kidney and urinary tract, with parapneumonia/tetrapneumonia | 0.782 | 3.2 | 1 | 0.25 | 7 | 0.171 | 0.25 | | |
| L64B | M | Urinary calculi and urinary tract obstruction with extremely severe CC or urethral stricture or other mild to moderate diseases of the kidney and urinary tract or complaints and symptoms of the kidney and urinary tract or urethrocytostomy | 0.517 | 2.9 | 1 | 0.179 | 6 | 0.136 | 0.179 | | |
| L64C | M | Urinary calculi and urinary tract obstruction | 0.359 | 2.5 | 1 | 0.144 | 5 | 0.124 | 0.144 | | |
| L68A | M | Other moderately severe diseases of the kidney and urinary tract or cystonephritis with parapneumonia/tetrapneumonia or age < 16 years | 0.77 | 4.1 | 1 | 0.317 | 11 | 0.189 | 0.198 | | |
| L68B | M | Other moderately severe diseases of the kidney and urinary tract or cystonephritis with complex diagnosis, age > 15 years | 0.726 | 5.3 | 1 | 0.315 | 13 | 0.134 | 0.147 | | |
| L68C | M | Other moderately severe diseases of the kidney and urinary tract or cystonephritis, age > 15 years | 0.523 | 3.6 | 1 | 0.213 | 8 | 0.09 | 0.213 | | |
| L69A | M | Other severe diseases of the kidney and urinary tract, age < 12 years | 0.854 | 4.9 | 1 | 0.391 | 10 | 0.174 | 0.245 | | |
| L69B | M | Other severe diseases of the kidney and urinary tract, age > 11 years | 0.813 | 6.1 | 1 | 0.367 | 14 | 0.132 | 0.138 | | |
| L70A | M | Diseases and disorders of the kidney and urinary tract with ureter catheterisation or age < 16 years, one inpatient day | 0.415 | 1 | | | | | | x | |
| L70B | M | Diseases and disorders of the kidney and urinary tract with specific procedure and age > 15 years, one inpatient day | 0.339 | 1 | | | | | | x | |
| L70C | M | Diseases and disorders of the kidney and urinary tract and age > 15 years, one inpatient day | 0.255 | 1 | | | | | | x | |
| L71Z | M | Renal insufficiency with dialysis, one inpatient day | 0.454 | 1 | | | | | | x | x |
| L72Z | M | Thrombotic microangiopathy or haemolytic uraemic syndrome | 1.102 | 6.7 | 1 | 0.511 | 14 | 0.164 | 0.192 | | |
| L87Z | M | Diseases and disorders of the kidney and urinary tract with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points | 1.741 | 9.1 | 2 | 0.541 | 18 | 0.19 | 0.197 | | x |
| MDC 12: Diseases and disorders of the male reproductive system | | | | | | | | | | | |
| M01Z | O | Major interventions on the male pelvic organs or specific intervention on the male pelvic organs with severe CC | 1.917 | 5.2 | 1 | 0.53 | 9 | 0.149 | 0.247 | | |
| M03A | O | Interventions on the penis, age < 18 years | 1.018 | 3.4 | 1 | 0.393 | 7 | 0.242 | 0.393 | | |
| M03B | O | Interventions on the penis, age > 17 years | 0.805 | 3.8 | 1 | 0.29 | 9 | 0.136 | 0.29 | | |
| M04A | O | Interventions on the testes, age < 3 years | 0.713 | 2.1 | 1 | 0.142 | 4 | 0.18 | 0.142 | | |
| M04B | O | Interventions on the testes, age > 2 years and more than one inpatient day | 0.605 | 2.4 | 1 | 0.176 | 5 | 0.158 | 0.176 | | |
| M04C | O | Interventions on the testes, age > 2 years and one inpatient day | 0.485 | 1 | | | | | | x | |
| M05Z | O | Circumcision and other interventions on the penis or in the inguinal and genital region | 0.672 | 2.9 | 1 | 0.199 | 6 | 0.154 | 0.199 | | |
| M06Z | O | Other OR procedures on the male reproductive system | 0.555 | 2.2 | 1 | 0.073 | 4 | 0.142 | 0.073 | | |
| M07Z | O | Brachytherapy for diseases and disorders of the male reproductive system, implantation of > 10 seeds | 1.001 | 2.2 | 1 | 0.247 | 4 | 0.158 | 0.247 | | x |
| M09A | O | OR procedures on the male reproductive system for malignant neoplasm with extremely severe CC or specific intervention on the male pelvic organs or complex interventions | 1.548 | 6 | 1 | 0.474 | 11 | 0.111 | 0.178 | | x |
| M09B | O | OR procedures on the male reproductive system for malignant neoplasm | 0.757 | 3.4 | 1 | 0.25 | 7 | 0.11 | 0.25 | | x |
| M10Z | O | Radiotherapy for diseases and disorders of the male reproductive system, more than one inpatient day or interstitial brachytherapy | 1.396 | 8.8 | 1 | 0.644 | 19 | 0.111 | 0.174 | | x |
| M11A | O | Laser destruction of the prostate or transurethral prostate resection with extremely severe CC | 1.974 | 10.4 | 2 | 0.507 | 23 | 0.152 | 0.164 | | |
| M11B | O | Laser destruction of the prostate | 0.811 | 3.2 | 1 | 0.234 | 6 | 0.108 | 0.234 | | |
| M11C | O | Transurethral prostate resection | 0.726 | 3.1 | 1 | 0.223 | 6 | 0.112 | 0.223 | | |
| M37Z | O | Other interventions on the intestine or urinary bladder or complicating procedures with specific surgical intervention or interventions over more than session for diseases and disorders of the male reproductive system or vacuum treatment | 3.183 | 15.6 | 4 | 0.451 | 29 | 0.154 | | x | x |
| M38A | O | Diseases and disorders of the male reproductive system with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 3.46 | 14 | 3 | 0.688 | 30 | 0.226 | | x | x |
| M38B | O | Diseases and disorders of the male reproductive system with complex intensive care treatment/complex treatment in intermediate care unit > 119/184 points | 2.295 | 8.5 | 1 | 0.833 | 17 | 0.149 | | x | x |
| M60A | M | Malignant neoplasms of the male reproductive system, age < 12 years or with extremely severe CC or challenging situations due to malignant neoplasm | 1.567 | 11.5 | 2 | 0.491 | 22 | 0.136 | 0.144 | | x |
| M60B | M | Malignant neoplasms of the male reproductive system | 0.675 | 4.9 | 1 | 0.307 | 11 | 0.119 | 0.192 | | x |
| M61Z | M | Benign prostatic hyperplasia | 0.489 | 3.8 | 1 | 0.21 | 8 | 0.12 | 0.21 | | |
| M62A | M | Infection or inflammation of the male reproductive system with severe CC | 0.657 | 6 | 1 | 0.301 | 12 | 0.111 | 0.113 | | |
| M62B | M | Infection or inflammation of the male reproductive system | 0.439 | 4 | 1 | 0.195 | 8 | 0.072 | 0.122 | | |
| M64Z | M | Other diseases of the male reproductive system or male sterilisation | 0.532 | 4 | 1 | 0.211 | 10 | 0.083 | 0.132 | | |
| M66Z | M | Diseases and disorders of the male reproductive system, one inpatient day | 0.373 | 1 | | | | | | x | |
| MDC 13: Diseases and disorders of the female reproductive system | | | | | | | | | | | |
| N01A | O | Hysterectomy or debulking or major abdominal intervention with lymph node excision or female pelvic evisceration, for malignant neoplasm, with complex intervention | 3.903 | 11.5 | 2 | 0.771 | 20 | 0.203 | 0.225 | | x |
| N01B | O | Hysterectomy with extremely severe CC or complex intensive care treatment > 119 points or major abdominal intervention with lymph node excision, or debulking or female pelvic evisceration or major abdominal intervention or lymph node excision or specific intervention over more than one session or complicating procedure with severe CC, for malignant neoplasm | 3.173 | 10.3 | 2 | 0.629 | 18 | 0.191 | 0.204 | | x |
| N01C | O | Hysterectomy or debulking or female pelvic evisceration or major abdominal intervention or lymph node excision or specific intervention over more than one session or complicating procedure, for malignant neoplasm | 2.396 | 6.9 | 1 | 0.627 | 13 | 0.133 | 0.235 | | x |
| N01D | O | Radical hysterectomy or specific intervention or regional lymph node excision, for malignant neoplasm | 1.59 | 4.3 | 1 | 0.405 | 9 | 0.142 | 0.253 | | x |
| N01E | O | Hysterectomy for malignant neoplasm | 1.208 | 3.9 | 1 | 0.349 | 8 | 0.142 | 0.349 | | x |
| N02A | O | Interventions on the uterus and adnexa or lymph node excision due to malignant neoplasm of the female reproductive system, with extremely severe CC or complex intensive care treatment > 119 points | 3.664 | 12.9 | 3 | 0.632 | 22 | 0.2 | 0.226 | | x |
| N02B | O | Interventions on the uterus or cervix or vulva or lymph node excision for malignant neoplasm | 1.346 | 4.1 | 1 | 0.36 | 9 | 0.193 | 0.225 | | x |
| N02C | O | Interventions on the uterus or adnexa or ovary for malignant neoplasm | 0.971 | 3 | 1 | 0.215 | 6 | 0.141 | 0.215 | | x |
| N04A | O | Specific hysterectomy with challenging intervention or extremely severe CC or complex intensive care treatment > 119 points, or hysterectomy with additional intervention or lymph node excision or endometriosis with specific intervention or reconstructive intervention, with severe CC, except for malignant neoplasm | 1.342 | 3 | 1 | 0.263 | 5 | 0.183 | 0.263 | | |
| N04B | O | Hysterectomy with additional intervention or lymph node excision or endometriosis with specific intervention or reconstructive intervention, except for malignant neoplasm | 1.208 | 3 | 1 | 0.257 | 6 | 0.175 | 0.257 | | |
| N04C | O | Hysterectomy with oophorectomy or complex interventions on the Fallopian tube or with complex diagnosis and challenging intervention or challenging procedure, except for malignant neoplasm | 1.035 | 2.7 | 1 | 0.165 | 5 | 0.134 | 0.165 | | |
| N04D | O | Hysterectomy or oophorectomy or complex interventions on the Fallopian tube, except for malignant neoplasm | 0.848 | 2.6 | 1 | 0.191 | 5 | 0.131 | 0.191 | | |
| N06A | O | Complex reconstructive interventions on the female reproductive system, with severe CC or complicating procedure | 1.512 | 5.3 | 1 | 0.361 | 12 | 0.2 | 0.169 | | |
| N06B | O | Complex reconstructive interventions on the female reproductive system and specific intervention or specific procedure | 1.114 | 2.6 | 1 | 0.216 | 5 | 0.118 | 0.216 | | |
| N06C | O | Complex reconstructive interventions on the female reproductive system | 0.886 | 3.2 | 1 | 0.336 | 6 | 0.103 | 0.336 | | |
| N07A | O | Other interventions on the uterus and adnexa except for malignant neoplasm, with complex diagnosis and specific situation | 0.986 | 2.5 | 1 | 0.314 | 4 | 0.13 | 0.314 | | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|----------|---|--|-----------------------------------|------------------------|---|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| N07B | O | Other interventions on the uterus and adnexa except for malignant neoplasm, with complex diagnosis | 0.876 | 2.5 | 1 | 0.225 | 5 | 0.125 | 0.225 | | | |
| N08Z | O | Endoscopic interventions on the female reproductive system | 0.812 | 2.3 | 1 | 0.158 | 4 | 0.126 | 0.158 | | | |
| N09Z | O | Diagnostic and other interventions on the female reproductive system or sterilisation | 0.673 | 2.1 | 1 | 0.235 | 4 | 0.128 | 0.235 | | | x |
| N11A | O | Other OR procedures on the female reproductive system with challenging intervention or extremely severe CC | 1.578 | 5.6 | 1 | 0.448 | 14 | 0.198 | 0.209 | | | |
| N11B | O | Other OR procedures on the female reproductive system or specific interventions | 0.809 | 2.7 | 1 | 0.227 | 6 | 0.122 | 0.227 | | | |
| N13Z | O | Major interventions on the vagina, cervix and vulva | 0.75 | 2.6 | 1 | 0.278 | 5 | 0.214 | 0.278 | | | |
| N16Z | O | Radiotherapy for diseases and disorders of the female reproductive system, fewer than 9 radiation sessions or brachytherapy | 1.071 | 3.4 | 1 | 0.514 | 7 | 0.226 | 0.514 | | | x |
| N23A | O | Other reconstructive interventions on the female reproductive system with myoma enucleation | 1.065 | 2.7 | 1 | 0.511 | 5 | 0.131 | 0.511 | | | |
| N23B | O | Other reconstructive interventions on the female reproductive system | 0.639 | 2.5 | 1 | 0.175 | 4 | 0.109 | 0.175 | | | |
| N25Z | O | Other interventions on the uterus and adnexa except for malignant neoplasm, without complex diagnosis or diagnostic laparoscopy | 0.772 | 2.2 | 1 | 0.134 | 4 | 0.126 | 0.134 | | | |
| N33Z | O | Interventions over more than one session or complicating procedure or vacuum treatment or very severe CC with specific surgical intervention for diseases and disorders of the female reproductive system | 5.172 | 17.4 | 4 | 0.707 | 33 | 0.242 | 0.219 | | | |
| N34Z | O | Major intervention on the intestine or urinary bladder for diseases and disorders of the female reproductive system | 2.237 | 6.4 | 1 | 0.519 | 12 | 0.173 | 0.194 | | | |
| N60A | M | Malignant neoplasm of the female reproductive system, age < 16 years or extremely severe CC or specific procedure or challenging situations due to malignant neoplasm | 1.837 | 11.8 | 2 | 0.581 | 25 | 0.163 | 0.17 | | | x |
| N60B | M | Malignant neoplasm of the female reproductive system, age > 15 years | 0.757 | 5.5 | 1 | 0.343 | 14 | 0.138 | 0.16 | | | x |
| N61Z | M | Infection and inflammation of the female reproductive system | 0.489 | 3.6 | 1 | 0.208 | 7 | 0.13 | 0.208 | | | |
| N62A | M | Menstrual disorders and other diseases of the female reproductive system with complex diagnosis | 0.539 | 3 | 1 | 0.197 | 6 | 0.103 | 0.197 | | | |
| N62B | M | Menstrual disorders and other diseases of the female reproductive system | 0.358 | 2.5 | 1 | 0.16 | 5 | 0.097 | 0.16 | | | |
| N86A | M | Diseases and disorders of the female reproductive system and complicating diagnosis, one inpatient day | 0.334 | 1 | | | | | | | x | |
| N86B | M | Diseases and disorders of the female reproductive system, one inpatient day | 0.308 | 1 | | | | | | | x | |
| MDC 14: Pregnancy, childbirth and the puerperium | | | | | | | | | | | | |
| O01A | O | Caesarean section and dialysis, or complex intrauterine therapy for the foetus | 4.07 | 14.7 | 3 | 0.683 | 20 | 0.19 | 0.207 | | | x |
| O01B | O | Caesarean section with more than one complicating diagnosis, pregnancy duration up to 33 weeks (WoP) or with intrauterine therapy or complicating procedure or complicating diagnosis or extremely severe CC | 1.394 | 6.5 | 1 | 0.396 | 12 | 0.125 | 0.149 | | | x |
| O01C | O | Secondary caesarean section with more than one complicating diagnosis or complex procedure, or up to 33 WoP or complex diagnosis, or complicating diagnosis and 26 to 33 WoP | 1.174 | 5.5 | 1 | 0.296 | 9 | 0.077 | 0.138 | | | x |
| O01D | O | Secondary caesarean section with complicating diagnosis, pregnancy duration more than 33 completed weeks | 1.107 | 4.8 | 1 | 0.273 | 8 | 0.08 | 0.171 | | | x |
| O01E | O | Caesarean section with more than one complicating diagnosis or complex procedure, or up to 33 WoP or complex diagnosis, or complicating diagnosis and 26 to 33 WoP or complex diagnosis, or secondary caesarean section | 1.012 | 4.5 | 1 | 0.258 | 7 | 0.083 | 0.161 | | | x |
| O01F | O | Caesarean section with complicating diagnosis, pregnancy duration more than 33 completed weeks | 0.817 | 3.9 | 1 | 0.221 | 6 | 0.083 | 0.221 | | | x |
| O01G | O | Caesarean section, pregnancy duration more than 33 completed weeks | 0.776 | 3.6 | 1 | 0.204 | 6 | 0.085 | 0.204 | | | x |
| O02A | O | Vaginal delivery with challenging intervention or specific procedure with specific diagnosis, and extremely severe CC or protracted labour or intrauterine procedure | 1.076 | 4.3 | 1 | 0.556 | 8 | 0.201 | | x | | x |
| O02B | O | Vaginal delivery with challenging intervention or specific procedure with specific diagnosis | 0.859 | 3.6 | 1 | 0.35 | 6 | 0.124 | 0.35 | | | x |
| O03Z | O | Ectopic pregnancy | 0.785 | 2.2 | 1 | 0.139 | 4 | 0.124 | 0.139 | | | x |
| O04Z | O | Inpatient admission following delivery or abortion with OR procedure | 0.619 | 2.4 | 1 | 0.234 | 4 | 0.111 | 0.234 | | | x |
| O38A | O | Pregnancy, childbirth and the puerperium with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 3.657 | 11.2 | 2 | 0.912 | 21 | 0.26 | 0.266 | | | x |
| O38B | O | Pregnancy, childbirth and the puerperium with complicating procedure or complex OR procedure | 2.358 | 7.7 | 1 | 0.8 | 15 | 0.225 | 0.252 | | | x |
| O50A | O | Inpatient treatment before delivery from 56 treatment days with specific situation | 6.627 | 73.1 | 23 | 0.212 | 91 | 0.07 | 0.071 | | | x |
| O50B | O | Inpatient treatment before delivery from 28 treatment days with specific situation | 4.374 | 40.4 | 12 | 0.242 | 53 | 0.056 | 0.08 | | | x |
| O50C | O | Inpatient treatment before delivery from 14 treatment days | 2.893 | 23.2 | 6 | 0.293 | 33 | 0.062 | 0.093 | | | x |
| O50D | O | Inpatient treatment before delivery from 7 treatment days | 1.926 | 13.1 | 3 | 0.308 | 19 | 0.065 | 0.101 | | | x |
| O60A | M | Vaginal delivery with more than one complicating diagnosis, pregnancy duration up to 33 completed weeks or specific treatment | 0.977 | 4.8 | 1 | 0.258 | 9 | 0.165 | 0.161 | | | x |
| O60B | M | Vaginal delivery with more than one complicating diagnosis, pregnancy duration more than 33 completed weeks | 0.808 | 4.2 | 1 | 0.364 | 7 | 0.105 | 0.227 | | | x |
| O60C | M | Vaginal delivery with severe or moderately severe complicating diagnosis or specific treatment or severe CC | 0.704 | 3.6 | 1 | 0.263 | 6 | 0.107 | 0.263 | | | x |
| O60D | M | Vaginal delivery | 0.551 | 3.1 | 1 | 0.178 | 5 | 0.108 | 0.178 | | | x |
| O61Z | M | Inpatient admission following delivery or thromboembolism during the gestation period or abortion without OR procedure | 0.421 | 3.4 | 1 | 0.2 | 6 | 0.08 | 0.2 | | | x |
| O62Z | M | Imminent abortion | 0.312 | 3 | 1 | 0.116 | 6 | 0.072 | 0.116 | | | x |
| O65A | M | Other prenatal inpatient admission with severe CC or complex diagnosis, pregnancy duration 20 to 33 completed weeks, more than one inpatient day | 0.654 | 5.9 | 1 | 0.244 | 15 | 0.1 | 0.114 | | | x |
| O65B | M | Other prenatal inpatient admission with severe CC or complex diagnosis, pregnancy duration up to 19 or 26 to 33 completed weeks, more than one inpatient day | 0.472 | 3.9 | 1 | 0.181 | 9 | 0.074 | 0.181 | | | x |
| O65C | M | Other prenatal inpatient admission, more than one inpatient day | 0.396 | 3.2 | 1 | 0.157 | 7 | 0.074 | 0.157 | | | x |
| O65D | M | Other prenatal inpatient admission, one inpatient day | 0.262 | 1 | | | | | | | x | x |
| MDC 15: Newborns and other neonates | | | | | | | | | | | | |
| P02A | O | Cardiothoracic or vascular interventions or intervention over more than one session for newborns with complex intensive care treatment > 1470 points or complex treatment in intermediate care unit > 1764 points, or specific complex intensive care treatment with complex treatment in intermediate care unit points | 20.612 | 65.2 | 20 | 0.858 | 83 | 0.378 | 0.281 | | | x |
| P02B | O | Cardiothoracic or vascular interventions or intervention over more than one session for newborns with complex intensive care treatment > 784 or complex treatment in intermediate care unit > 980 points | 11.452 | 26.8 | 7 | 1.171 | 44 | 0.28 | 0.373 | | | x |
| P02C | O | Cardiothoracic or vascular interventions or intervention over more than one session for newborns | 6.852 | 18.2 | 5 | 0.897 | 35 | 0.21 | 0.314 | | | x |
| P03A | O | Newborn, weight on admission 1000 - 1499 g with significant OR procedure and complex intensive care treatment > 1764 points or complex treatment in intermediate care unit > 2352 points or specific complex intensive care treatment with complex treatment in intermediate care unit points | 14.993 | 59.9 | 18 | 0.789 | 77 | 0.256 | | x | | x |
| P03B | O | Newborn, weight on admission 1000 - 1499 g with significant OR procedure or complex intensive care treatment > 392 points or complex treatment in intermediate care unit > 980 points | 6.848 | 36.8 | 11 | 0.569 | 54 | 0.188 | | x | | x |
| P04A | O | Newborn, weight on admission 1500 - 1999 g with complex intensive care treatment > 980 points or complex treatment in intermediate care unit > 1470 points or specific complex intensive care treatment with complex treatment in intermediate care unit points | 10.598 | 46.8 | 14 | 0.704 | 64 | 0.227 | | x | | x |
| P04B | O | Newborn, weight on admission 1500 - 1999 g with significant OR procedure or complex intensive care treatment > 588 points or complex treatment in intermediate care unit > 784 points or gestational age < 33 weeks | 5.446 | 30.4 | 9 | 0.541 | 47 | 0.18 | | x | | x |
| P05A | O | Newborn, weight on admission > 1999 g with severe problem and complex intensive care treatment > 980 points or complex treatment in intermediate care unit > 1176 points | 10.434 | 37.9 | 11 | 0.85 | 55 | 0.29 | | x | | x |

| DRG ^{a)} | Parti on | Designation ^{b) 1) 2)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | First day with reduction ^{2) 3)} | Cost weight/day | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|---|--|-----------------------------------|---|-----------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| P05B | O | Newborn, weight on admission > 1999 g with significant OR procedure or complex intensive care treatment > 392 points or complex treatment in intermediate care unit > 1470 points or specific complex intensive care treatment with complex treatment in intermediate care unit points with more than one severe problem or with severe problem and complex intensive care treatment > 588 points of complex treatment in intermediate care unit > 980 points | 4.178 | 14.5 | 3 | 1.008 | 26 | 0.295 | | x | x |
| P05C | O | Newborn, weight on admission > 1999 g with significant OR procedure or complex intensive care treatment > 392 points or complex treatment in intermediate care unit > 1470 points or specific complex intensive care treatment with complex treatment in intermediate care unit points | 3.439 | 12.2 | 3 | 0.802 | 28 | 0.244 | 0.286 | | x |
| P37Z | O | Newborns with complex intensive care treatment > 4410 / complex treatment in intermediate care unit > 4900 points | 34.615 | 110.1 | 35 | 0.936 | 128 | 0.335 | | x | x |
| P60A | M | Newborn, dead, one inpatient day, without specific procedure and not transferred | | | | | | | | | |
| P60B | M | Newborn, dead or transferred < 5 days after admission without significant OR procedure with challenging situation or complex intensive care treatment > 130 points or complex treatment in intermediate care unit > 196 points | 1.159 | 1.9 | | | | | | x | x |
| P60C | M | Newborn, dead or transferred < 5 days after admission without significant OR procedure with specific situation or admission postponed | 0.532 | 1.3 | | | | | | x | x |
| P60D | M | Newborn, dead or transferred < 5 days after admission without significant OR procedure | 0.341 | 1.3 | | | | | | x | x |
| P61A | M | Newborn, weight on admission < 1000 g with significant OR procedure or complex intensive care treatment/complex treatment in intermediate care unit > 3430 points or gestational age < 27 weeks or specific complex intensive care treatment with complex treatment in intermediate care unit points | 20.41 | 82.7 | 26 | 0.752 | 100 | 0.243 | | x | x |
| P61B | M | Newborn, weight on admission < 1000 g with complex intensive care treatment > 2940 points with gestational age < 30 weeks | 15.342 | 68.1 | 21 | 0.697 | 86 | 0.225 | | x | x |
| P61C | M | Newborn, weight on admission < 1000 g, dead < 29 days after admission | 5.001 | 10.1 | | | | | | x | x |
| P63Z | M | Newborn, weight on admission 1000 - 1499 g | 4.569 | 26.8 | 7 | 0.57 | 44 | 0.176 | | x | x |
| P65A | M | Newborn, weight on admission 1500 - 1999 g with complex treatment in intermediate care unit > 588 points or with severe problem or gestational age < 32 weeks | 3.11 | 17.3 | 4 | 0.62 | 31 | 0.183 | | x | x |
| P65B | M | Newborn, weight on admission 1500 - 1999 g, with other problem or gestational age < 35 weeks | 2.303 | 14.4 | 3 | 0.573 | 28 | 0.164 | | x | x |
| P65C | M | Newborn, weight on admission 1500 - 1999 g | 0.936 | 7.1 | 1 | 0.46 | 14 | 0.138 | | x | x |
| P66A | M | Newborn, weight on admission 2000 - 2499 g with more than one severe problem or weight on admission > 2499 g with specific situations or complex treatment in intermediate care unit > 392 points or gestational age < 35 weeks or specific paediatric diagnostics | 3.036 | 15.9 | 4 | 0.604 | 30 | 0.199 | | x | x |
| P66B | M | Newborn, weight on admission 2000 - 2499 g or weight on admission > 2499 g with specific situations or with severe problem, or complex intensive care treatment/complex treatment in intermediate care unit > 130 points or gestational age < 35 weeks or specific paediatric diagnostics | 1.287 | 8.7 | 1 | 0.631 | 19 | 0.162 | | x | x |
| P66C | M | Newborn, weight on admission 2000 - 2499 g with other problem | 0.559 | 5 | 1 | 0.306 | 9 | 0.115 | | x | x |
| P66D | M | Newborn, weight on admission 2000 - 2499 g or weight on admission > 2499 g with other problem | 0.317 | 4 | 1 | 0.159 | 7 | 0.075 | 0.079 | | x |
| P67A | M | Newborn, weight on admission > 2499 g with more than one severe problem or gestational age < 35 weeks or complex intensive care treatment/complex treatment in intermediate care unit > 196 points or contact isolation from 7 treatment days, or with other problem more than one inpatient day or with non-significant OR procedure, with complicating diagnosis or specific situation, gestational age < 35 weeks | 1.339 | 6.4 | 1 | 0.968 | 13 | 0.228 | | x | x |
| P67B | M | Newborn, weight on admission > 2499 g with severe problem or complex intensive care treatment/complex treatment in intermediate care unit > 130 points, or with other problem, more than one inpatient day or with non-significant OR procedure, with complicating diagnosis or specific situation | 0.646 | 3.9 | 1 | 0.39 | 7 | 0.162 | 0.39 | | x |
| P67C | M | Newborn, weight on admission > 2499 g with other problem, more than one inpatient day or with non-significant OR procedure, with specific situation | 0.472 | 3.8 | 1 | 0.193 | 7 | 0.125 | 0.193 | | x |
| P67D | M | Newborn, weight on admission > 2499 g | 0.215 | 3.1 | 1 | 0.087 | 5 | 0.046 | 0.087 | | x |
| MDC 16: Diseases of the blood, blood-forming organs and immune system | | | | | | | | | | | |
| Q01Z | O | Interventions on the spleen | 1.642 | 4.7 | 1 | 0.412 | 9 | 0.132 | 0.257 | | |
| Q02A | O | Various OR procedures for diseases of the blood, blood-forming organs and immune system, with extremely severe CC | 3.308 | 13.6 | 3 | 0.656 | 27 | 0.199 | | x | |
| Q02B | O | Various OR procedures for diseases of the blood, blood-forming organs and immune system | 1.277 | 5.1 | 1 | 0.412 | 11 | 0.123 | 0.192 | | |
| Q03Z | O | Minor interventions for diseases of the blood, blood-forming organs and immune system | 0.924 | 3.6 | 1 | 0.393 | 8 | 0.168 | 0.393 | | |
| Q37A | O | Diseases of the blood, blood-forming organs and immune system with complex intensive care treatment > 196/184 points | 2.794 | 9.1 | 2 | 0.883 | 17 | 0.309 | | x | x |
| Q37B | O | Diseases of the blood, blood-forming organs and immune system with complex intensive care treatment > 119 to 184 points or complex treatment in intermediate care unit > 196/189 points | 1.927 | 9.1 | 2 | 0.583 | 18 | 0.204 | | x | x |
| Q60A | M | Diseases of the reticuloendothelial system and immune system and coagulation disorders with specific complex diagnosis or complicating procedure and complex diagnosis or extremely severe CC, more than one inpatient day or specific diagnosis | 1.009 | 5.2 | 1 | 0.472 | 11 | 0.189 | 0.22 | | |
| Q60B | M | Diseases of the reticuloendothelial system and immune system and coagulation disorders, age < 16 years or paraplegia/tetraplegia | 0.634 | 3.4 | 1 | 0.287 | 7 | 0.179 | 0.287 | | |
| Q60C | M | Diseases of the reticuloendothelial system and immune system and coagulation disorders, age > 15 years | 0.772 | 5.6 | 1 | 0.354 | 13 | 0.139 | 0.165 | | |
| Q61A | M | Red blood cell disorders more than one inpatient day with extremely severe CC or specific complex diagnosis | 1.668 | 10.9 | 2 | 0.528 | 23 | 0.151 | | x | |
| Q61B | M | Red blood cell disorders with specific complex diagnosis | 1.227 | 7.8 | 1 | 0.589 | 17 | 0.167 | | x | |
| Q61C | M | Red blood cell disorders | 0.768 | 5.3 | 1 | 0.355 | 12 | 0.118 | | x | |
| Q86A | M | Diseases of the blood, blood-forming organs and immune system with specific intervention or age < 16 years, one inpatient day | 0.364 | 1 | | | | | | x | |
| Q86B | M | Diseases of the blood, blood-forming organs and immune system, age > 15 years, one inpatient day | 0.322 | 1 | | | | | | x | |
| MDC 17: Neoplastic disorders (haematological and solid neoplasms) | | | | | | | | | | | |
| R01A | O | Surgical interventions for haematological and solid neoplasms and more than one inpatient day with complex or complicating procedure or challenging situations due to malignant neoplasm and extremely severe CC, or specific intervention or complex intensive care treatment/complex treatment in intermediate care unit > 119 points or specific OR procedure over more than one session | 4.294 | 18.6 | 5 | 0.565 | 36 | 0.212 | | x | x |
| R01B | O | Surgical interventions for haematological and solid neoplasms and more than one inpatient day with complex or complicating procedure or extremely severe CC or lymph node excision or complex chemotherapy or age < 18 years | 1.582 | 5.3 | 1 | 0.402 | 13 | 0.175 | | x | x |
| R01C | O | Surgical interventions for haematological and solid neoplasms and more than one inpatient day or complex treatment for multidrug-resistant pathogens from 14 treatment days, age > 17 years | 1.106 | 4.6 | 1 | 0.333 | 12 | 0.168 | 0.208 | | x |
| R50A | O | Highly complex chemotherapy 2 blocks of therapy with protective isolation from 14 treatment days or complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points and specific situation or age < 18 years | 9.232 | 35.6 | 10 | 0.802 | 53 | 0.251 | | x | x |
| R50B | O | Highly complex chemotherapy 2 blocks of therapy or highly complex chemotherapy with protective isolation from 14 treatment days or complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points | 6.914 | 28.7 | 8 | 0.74 | 46 | 0.239 | | x | x |
| R60A | M | Acute myeloid leukaemia, more than one inpatient day or autologous stem cell collection or graft versus host disease, with challenging situations due to malignant neoplasm or complex diagnosis or complicating procedure | 6.562 | 27.5 | 8 | 0.718 | 45 | 0.235 | | x | x |

| DRG ^{a)} | Partiti on | Designation ^{b) 1) 2)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) 3)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|---|------------|---|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| R60B | M | Acute myeloid leukaemia, more than one inpatient day or autologous stem cell collection or graft versus host disease, with challenging situations due to malignant neoplasm, or age < 18 years and extremely severe CC or complicating procedure or complex diagnosis or complex intensive care treatment > 196/360 points | 3.264 | 16.5 | 4 | 0.641 | 31 | 0.211 | | | | x | x |
| R60C | M | Acute myeloid leukaemia, more than one inpatient day or autologous stem cell collection or graft versus host disease with dialysis or extremely severe CC | 1.911 | 9.5 | 2 | 0.621 | 19 | 0.142 | | | | x | x |
| R60D | M | Acute myeloid leukaemia, more than one inpatient day or autologous stem cell collection or graft versus host disease | 1.156 | 6.2 | 1 | 0.555 | 13 | 0.152 | | | | x | x |
| R61A | M | Lymphoma and non-acute leukaemia with dialysis or protective isolation from 7 treatment days or complex diagnostics or age < 8 years, and complicating procedure or complicating diagnosis, and complex intensive care treatment > 184 points or extremely severe CC, more than one inpatient day | 4.358 | 19.5 | 5 | 0.706 | 37 | 0.219 | | | | x | x |
| R61B | M | Lymphoma and non-acute leukaemia with dialysis or protective isolation from 7 treatment days or complex diagnostics or age < 8 years, and complicating procedure or complicating diagnosis or challenging situations due to malignant neoplasm or complex treatment in intermediate care unit > 184 points, more than one inpatient day | 2.679 | 14 | 3 | 0.619 | 27 | 0.184 | | | | x | x |
| R61C | M | Lymphoma and non-acute leukaemia with dialysis or protective isolation from 7 treatment days or complex diagnostics or age < 8 years or severe CC with specific diagnosis or extremely severe CC, more than one inpatient day | 1.964 | 11.9 | 2 | 0.622 | 25 | 0.176 | | | | x | x |
| R61D | M | Lymphoma and non-acute leukaemia, more than one inpatient day with severe CC or age < 18 years or sepsis | 1.158 | 7.3 | 1 | 0.547 | 17 | 0.165 | | | | x | x |
| R61E | M | Lymphoma and non-acute leukaemia, more than one inpatient day | 0.76 | 4.6 | 1 | 0.356 | 10 | 0.121 | 0.222 | | | | x |
| R62A | M | Other haematological and solid neoplasms with complicating diagnosis or complicating procedure or challenging situations due to malignant neoplasm or age < 18 years and osteolysis or extremely severe CC or paraplegia/tetraplegia, more than one inpatient day | 2.352 | 11.8 | 2 | 0.643 | 26 | 0.164 | | | | x | x |
| R62B | M | Other haematological and solid neoplasms, more than one inpatient day | 0.856 | 5.3 | 1 | 0.351 | 13 | 0.121 | 0.164 | | | | x |
| R63A | M | Other acute leukaemia, more than one inpatient day with complicating procedure or complicating diagnosis or challenging situations due to malignant neoplasm | 3.811 | 14.6 | 3 | 0.871 | 28 | 0.272 | | | | x | x |
| R63B | M | Other acute leukaemia, more than one inpatient day and age < 18 years with extremely severe CC or specific diagnosis | 2.339 | 10.3 | 2 | 0.76 | 21 | 0.229 | 0.246 | | | | x |
| R63C | M | Other acute leukaemia, more than one inpatient day with extremely severe CC or dialysis or complex diagnostics or complex diagnosis or age < 1 year or age < 18 years with complex chemotherapy | 1.177 | 5.4 | 1 | 0.571 | 12 | 0.245 | 0.267 | | | | x |
| R63D | M | Other acute leukaemia, more than one inpatient day | 0.827 | 3.7 | 1 | 0.402 | 8 | 0.171 | 0.402 | | | | x |
| R65A | M | Haematological and solid neoplasms, with complex diagnostics for malignant disease or age < 18 years, one inpatient day | 0.807 | 1 | | | | | | | | x | x |
| R65B | M | Haematological and solid neoplasms with specific procedure, age > 17 years, one inpatient day | 0.682 | 1 | | | | | | | | x | x |
| R65C | M | Haematological and solid neoplasms, one inpatient day | 0.41 | 1 | | | | | | | | x | x |
| MDC 18B: Infectious and parasitic diseases | | | | | | | | | | | | | |
| T01A | O | OR procedure or extensive debridement for infectious and parasitic diseases with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex procedure over more than one session | 3.879 | 15 | 3 | 0.867 | 29 | 0.251 | | | | x | |
| T01B | O | OR procedure or extensive debridement for infectious and parasitic diseases with complex OR procedure or complicating diagnoses or complicating procedure | 3.238 | 15.7 | 4 | 0.488 | 32 | 0.185 | | | | x | |
| T01C | O | OR procedure or extensive debridement for infectious and parasitic diseases associated with sepsis or contact isolation from 7 treatment days | 2.187 | 11.7 | 2 | 0.54 | 24 | 0.154 | | | | x | |
| T01D | O | OR procedure or extensive debridement for infectious and parasitic diseases | 1.283 | 7.5 | 1 | 0.78 | 17 | 0.148 | | | | x | |
| T36A | O | Infectious and parasitic diseases with complex intensive care treatment > 980/1104 points or very severe CC or complex intensive care treatment > 784/828 points with specific OR procedure over more than one session | 9.204 | 24.7 | 7 | 1.093 | 41 | 0.365 | | | | x | x |
| T36B | O | Infectious and parasitic diseases with complex intensive care treatment > 784/828 points or complex OR procedure or specific complex intensive care treatment with complex treatment in intermediate care unit points | 7.152 | 20.7 | 5 | 1.124 | 38 | 0.333 | | | | x | x |
| T36C | O | Infectious and parasitic diseases with complex intensive care treatment > 392/552 points or complex vacuum treatment or complex intensive care treatment > 196/360 points with dialysis | 5.291 | 16.7 | 4 | 0.988 | 31 | 0.312 | | | | x | x |
| T60A | A | Sepsis with complicating procedure or following organ transplantation, with extremely severe CC, or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex treatment for multidrug-resistant pathogens from 14 treatment days or contact isolation from 14 treatment days | 2.6 | 12.9 | 3 | 0.622 | 26 | 0.204 | | | | x | |
| T60B | A | Sepsis with complicating procedure or following organ transplantation with extremely severe CC, or complex treatment for multidrug-resistant pathogens from 7 treatment days or extremely severe CC and paraplegia/tetraplegia or age < 18 years | 2.02 | 12.3 | 3 | 0.479 | 23 | 0.168 | | | | x | |
| T60C | A | Sepsis with complicating procedure or following organ transplantation or complex treatment for multidrug-resistant pathogens from 7 treatment days or contact isolation from 7 treatment days, and age > 15 years, or extremely severe CC and age > 15 years | 1.41 | 9.7 | 2 | 0.44 | 19 | 0.144 | | | | x | |
| T60D | A | Sepsis, age < 10 years | 1.137 | 6.5 | 1 | 0.795 | 14 | 0.168 | | | | x | |
| T60E | A | Sepsis, age > 9 years | 0.911 | 6.9 | 1 | 0.417 | 14 | 0.127 | | | | x | |
| T60F | A | Sepsis, dead < 5 days after admission and complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or OR procedure | 1.423 | 2.1 | | | | | | | | x | |
| T60G | A | Sepsis, dead < 5 days after admission | 0.507 | 1.8 | | | | | | | | x | |
| T61A | M | Post-operative and post-traumatic infections with complicating procedure or complicating diagnosis or severe CC | 1.01 | 7.6 | 1 | 0.443 | 17 | 0.137 | 0.139 | | | | |
| T61B | M | Post-operative and post-traumatic infections | 0.621 | 4.5 | 1 | 0.251 | 10 | 0.083 | 0.157 | | | | |
| T62A | M | Fever of unknown origin with severe CC | 0.759 | 5.2 | 1 | 0.349 | 11 | 0.151 | 0.163 | | | | |
| T62B | M | Fever of unknown origin, age < 18 years | 0.462 | 2.4 | 1 | 0.208 | 4 | 0.179 | 0.208 | | | | |
| T62C | M | Fever of unknown origin, age > 17 years | 0.519 | 3.8 | 1 | 0.229 | 8 | 0.088 | 0.229 | | | | |
| T63A | M | Viral disease following organ transplantation or difficult diagnosis or infections with cytomegaloviruses or contact isolation from 7 treatment days | 1.067 | 8.1 | 1 | 0.503 | 19 | 0.141 | | | | x | |
| T63B | M | Other viral diseases | 0.504 | 3.6 | 1 | 0.227 | 8 | 0.094 | 0.227 | | | | |
| T64A | M | Other infectious and parasitic diseases with extremely severe CC or complicating procedure | 1.574 | 11.7 | 2 | 0.497 | 25 | 0.145 | 0.145 | | | | |
| T64B | M | Other infectious and parasitic diseases and age < 18 years | 0.665 | 3.7 | 1 | 0.307 | 7 | 0.182 | 0.307 | | | | |
| T64C | M | Other infectious and parasitic diseases, age > 17 years | 0.828 | 6.6 | 1 | 0.38 | 14 | 0.115 | 0.142 | | | | |
| T66A | M | Infectious and parasitic diseases with sepsis and transferred, one inpatient day | 0.404 | 1 | | | | | | | | x | |
| T86B | M | Infectious and parasitic diseases, one inpatient day | 0.266 | 1 | | | | | | | | x | |
| MDC 19: Mental diseases and disorders | | | | | | | | | | | | | |
| U01A | O | Sex reassignment surgery with complex or challenging intervention or specific OR procedure over more than one session | 2.625 | 8.4 | 1 | 0.577 | 16 | 0.137 | 0.156 | | | | |
| U01B | O | Sex reassignment surgery | 0.947 | 2.7 | 1 | 0.219 | 5 | 0.132 | 0.219 | | | | |
| U41A | A | Social and neuropaediatric and paediatric-psychosomatic therapy for mental diseases and disorders and for diseases and disorders of the nervous system with specific therapy and age < 18 years, or age < 12 years | 2.537 | 20.8 | 5 | 0.422 | 37 | 0.127 | 0.132 | | | | |
| U41B | A | Social and neuropaediatric and paediatric-psychosomatic therapy for mental diseases and disorders and for diseases and disorders of the nervous system and age < 18 years, or age > 11 years | 1.608 | 14.7 | 3 | 0.398 | 30 | 0.113 | 0.12 | | | | |
| U60A | M | Mental diseases and disorders, age < 18 years or complex neurological diagnostics, one inpatient day | 0.238 | 1 | | | | | | | | x | |

| DRG ^{a)} | Parti on | Designation ^{b) 1) a)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) a)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|--|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| U60B | M | Mental diseases and disorders, age > 17 years, one inpatient day | 0.201 | 1 | | | | | | | | x | |
| U61A | M | Schizophrenia or acute psychotic disorders with specific procedure or complex intensive care treatment > 196/119 points or extremely severe CC | 2.119 | 6.8 | 1 | 1.009 | 15 | 0.277 | 0.378 | | | | |
| U61B | M | Schizophrenia or acute psychotic disorders | 0.768 | 4.6 | 1 | 0.346 | 11 | 0.168 | 0.216 | | | | |
| U63Z | M | Severe affective or delusional disorders | 0.681 | 5.3 | 1 | 0.311 | 12 | 0.131 | | | | x | |
| U64A | M | Anxiety disorders or other affective and somatic disorders, age < 16 years or extremely severe CC or complex neurological diagnostics or complicated tetraplegia | 0.719 | 4.7 | 1 | 0.339 | 12 | 0.162 | | | | x | |
| U64B | M | Anxiety disorders or other affective and somatic disorders, age > 15 years | 0.625 | 4.9 | 1 | 0.29 | 12 | 0.131 | 0.181 | | | | |
| U66A | M | Eating, obsessive-compulsive and personality disorders or mental disorders in childhood and complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex treatment for anorexia from 28 treatment days | 5.273 | 45.6 | 14 | 0.35 | 63 | 0.126 | | | | x | |
| U66B | M | Eating, obsessive-compulsive and personality disorders or mental disorders in childhood with complicating diagnoses and more than one inpatient day or specific complex treatment | 2.048 | 19.6 | 5 | 0.336 | 37 | 0.124 | | | | x | |
| U66C | M | Eating, obsessive-compulsive and personality disorders or mental disorders in childhood, age < 18 years | 0.677 | 4.8 | 1 | 0.324 | 13 | 0.164 | | | | x | |
| U66D | M | Eating, obsessive-compulsive and personality disorders or mental disorders in childhood, age > 17 years | 0.529 | 4.3 | 1 | 0.233 | 10 | 0.086 | 0.146 | | | | |
| MDC 20: Alcohol/drug use and alcohol/drug induced organic mental disorders | | | | | | | | | | | | | |
| V01Z | M | Alcohol/drug use and alcohol/drug induced organic mental disorders with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 2.41 | 10.5 | 2 | 0.766 | 23 | 0.159 | 0.248 | | | | |
| V02A | M | Dependency, intoxication, multiple behavioural disorders with dementia or delirium and mental disorder due to functional brain disorders or extremely severe CC, more than one inpatient day | 1.293 | 9.4 | 2 | 0.395 | 18 | 0.129 | 0.144 | | | | |
| V02B | M | Dependency, intoxication, multiple behavioural disorders associated with multiple dependency or complicating diagnosis, more than one inpatient day | 0.619 | 5 | 1 | 0.277 | 11 | 0.119 | 0.129 | | | | |
| V02C | M | Dependency, intoxication, multiple behavioural disorders, more than one inpatient day | 0.587 | 5.7 | 1 | 0.271 | 12 | 0.102 | 0.127 | | | | |
| V02D | M | Dependency, intoxication, multiple behavioural disorders, one inpatient day | 0.244 | 1 | | | | | | | | x | |
| MDC 21A: Polytrauma | | | | | | | | | | | | | |
| W01A | O | Polytrauma with complex vacuum treatment or microvascular intervention or complex intensive care treatment > 392/552 points with intervention on the spine or craniotomy or OR procedures over more than one session | 8.597 | 21.1 | 6 | 0.868 | 39 | 0.277 | | | | x | |
| W01B | O | Polytrauma with complex intensive care treatment > 392/552 points or craniotomy or complex intensive care treatment > 196/360 points with OR procedure | 5.852 | 14.6 | 3 | 1.081 | 27 | 0.309 | | | | x | |
| W02A | O | Polytrauma with complicating procedure or intervention at more than one site or complex treatment in intermediate care unit > 392/552 points and complex OR procedure over more than one session or specific OR procedure over four sessions | 8.355 | 20.6 | 5 | 0.737 | 33 | 0.225 | | | | x | |
| W02B | O | Polytrauma with complicating procedure or intervention at more than one site or complex treatment in intermediate care unit > 392/552 points or paraplegia/tetraplegia | 5.121 | 15 | 4 | 0.603 | 25 | 0.199 | 0.213 | | | | |
| W02C | O | Polytrauma with OR procedure | 2.942 | 10.4 | 2 | 0.581 | 20 | 0.241 | 0.188 | | | | |
| W36Z | O | Polytrauma with complex intensive care treatment > 980/1104 points or early rehabilitation from 14 treatment days or specific situation with extremely severe CC or intervention at more than one site | 11.366 | 25.6 | 7 | 0.971 | 43 | 0.308 | 0.322 | | | | x |
| W60A | A | Polytrauma, dead or transferred < 5 days after admission and complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points with complex OR procedure | 3.081 | 1.7 | | | | | | | | x | |
| W60B | A | Polytrauma, dead or transferred < 5 days after admission and complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or surgical procedure | 1.886 | 2.3 | | | | | | | | x | |
| W60C | A | Polytrauma, dead or transferred < 5 days after admission | 0.571 | 1.4 | | | | | | | | x | |
| W61A | M | Polytrauma with complex intensive care treatment > 196/184 points or complex treatment in intermediate care unit > 392/552 points | 3.257 | 12.3 | 3 | 0.769 | 23 | 0.261 | | | | x | |
| W61B | M | Polytrauma with complicating diagnosis or geriatric acute rehabilitation from 14 treatment days | 1.53 | 9.3 | 2 | 0.463 | 19 | 0.16 | 0.169 | | | | |
| W61C | M | Polytrauma | 0.97 | 6.1 | 1 | 0.429 | 13 | 0.128 | 0.161 | | | | |
| MDC 21B: Injuries, poisoning and toxic effect of drugs and medicinal products | | | | | | | | | | | | | |
| X01A | O | Reconstructive surgery for injuries with complicating procedure, intervention at more than one site, free flap graft with microvascular anastomosis or complex diagnosis or complex procedure, with extremely severe CC | 3.724 | 13.5 | 3 | 0.453 | 28 | 0.143 | | | | x | |
| X01B | O | Reconstructive surgery for injuries | 0.978 | 5 | 1 | 0.42 | 11 | 0.121 | | | | x | |
| X04Z | O | Other interventions for injuries of the lower extremity | 0.882 | 4.5 | 1 | 0.265 | 11 | 0.132 | 0.166 | | | | |
| X05Z | O | Other interventions for injuries of the hand | 0.706 | 3.4 | 1 | 0.238 | 7 | 0.155 | 0.238 | | | | |
| X06A | O | Other interventions for other injuries with extremely severe CC | 3.17 | 16 | 4 | 0.493 | 32 | 0.168 | | | | x | |
| X06B | O | Other interventions for other injuries with severe CC or with complex intervention | 1.16 | 4.6 | 1 | 0.538 | 11 | 0.145 | | | | x | |
| X06C | O | Other interventions for other injuries | 0.781 | 3.8 | 1 | 0.307 | 9 | 0.129 | 0.307 | | | | |
| X07A | O | Replantation for traumatic amputation, with replantation of more than one toe or more than one finger or complex OR procedures over more than one session or complex vacuum treatment or vacuum treatment with specific intervention | 5.507 | 27.7 | 8 | 0.376 | 45 | 0.122 | 0.129 | | | | |
| X07B | O | Replantation for traumatic amputation, with replantation of one finger or one toe | 2.239 | 7 | 1 | 0.448 | 12 | 0.087 | 0.141 | | | | |
| X37A | O | Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points | 2.02 | 5.8 | 1 | 0.906 | 13 | 0.358 | | | | x | x |
| X37B | O | Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit > 119 to 184 points | 1.327 | 4.5 | 1 | 0.557 | 10 | 0.287 | | | | x | x |
| X60A | M | Injuries and allergic reactions with severe CC | 0.966 | 7.1 | 1 | 0.436 | 15 | 0.13 | 0.137 | | | | |
| X60B | M | Injuries and allergic reactions, age < 16 years | 0.426 | 2.3 | 1 | 0.175 | 4 | 0.161 | 0.175 | | | | |
| X60C | M | Injuries and allergic reactions, age > 15 years | 0.5 | 3.8 | 1 | 0.207 | 8 | 0.102 | 0.207 | | | | |
| X62A | M | Poisonings/toxic effects of drugs, medicinal products and other substances or consequences of a medical treatment with extremely severe CC or specific procedure/diagnosis | 1.874 | 9.3 | 2 | 0.578 | 19 | 0.187 | 0.21 | | | | |
| X62B | M | Poisonings/toxic effects of drugs, medicinal products and other substances or consequences of a medical treatment with complex intensive care treatment/complex treatment in intermediate care unit 66 to 130/ 60 to 119 points | 0.713 | 2.5 | 1 | 0.32 | 5 | 0.179 | 0.32 | | | | |
| X62C | M | Poisonings/toxic effects of drugs, medicinal products and other substances or consequences of a medical treatment | 0.558 | 3.7 | 1 | 0.223 | 9 | 0.134 | 0.223 | | | | |
| X64Z | M | Other disease caused by injury, poisoning or toxic effect | 0.471 | 3.1 | 1 | 0.194 | 8 | 0.1 | 0.194 | | | | |
| X86A | M | Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit 66 to 130/60 to 119 points, one inpatient day | 0.511 | 1 | | | | | | | | x | |
| X86B | M | Injuries, poisonings and toxic effects of drugs and medicinal products, one inpatient day | 0.25 | 1 | | | | | | | | x | |
| MDC 22: Burns | | | | | | | | | | | | | |
| Y02A | O | Other burns with skin graft and complicating procedure or very severe burns, with extremely severe CC or dialysis or complex intensive care treatment > 196/119 points or intervention over more than one session or dead < 5 days after admission | 4.707 | 14.3 | 3 | 0.863 | 26 | 0.226 | 0.261 | | | | |
| Y02B | O | Other burns with skin graft or very severe burns, with challenging procedure or diagnoses | 1.802 | 9.5 | 2 | 0.396 | 20 | 0.184 | 0.144 | | | | |
| Y02C | O | Other burns with skin graft with specific intervention or very severe burns | 0.966 | 4.9 | 1 | 0.302 | 12 | 0.13 | 0.189 | | | | |
| Y62A | M | Other burns with extensive debridement or severe burn, age < 6 years | 0.646 | 3.3 | 1 | 0.223 | 7 | 0.153 | 0.223 | | | | |
| Y62B | M | Other burns, age > 5 years | 0.623 | 4.3 | 1 | 0.253 | 11 | 0.13 | 0.158 | | | | |
| Y63Z | M | Burns, one inpatient day | 0.303 | 1 | | | | | | | | x | |

| DRG ^{a)} | Parti on | Designation ^{b) c) d)} | Cost weight with costs of system use (CSU) | Mean length of stay ¹⁾ | Minimum length of stay | First day with reduction ^{2) d)} | Cost weight/day | Maximum length of stay | First day with additional fee ³⁾ | Cost weight/day | External transfer reduction/day (cost weight) | Transfer flat rate per case | Not counted as readmission ⁴⁾ |
|--|----------|--|--|-----------------------------------|------------------------|---|-----------------|------------------------|---|-----------------|---|-----------------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| MDC 23: Factors influencing health status and other contacts with health services | | | | | | | | | | | | | |
| Z01Z | O | OR procedures for other situations leading to contact with health services | 0.758 | 3 | | 1 | 0.268 | 7 | | 0.167 | 0.268 | | |
| Z02Z | O | Liver or kidney donation (living donation) or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points | 1.73 | 4.9 | | 1 | 0.399 | 9 | | 0.175 | 0.249 | | |
| Z43Z | A | Bone marrow or stem cell collection, allogenic | 0.884 | 2 | | 1 | 0.374 | 4 | | 0.208 | 0.374 | | |
| Z64A | M | Other factors that influence state of health and follow-up treatment once treatment has been completed, for specific situation or preparation for living donation or following organ transplantation, age < 18 years | 1.03 | 2.2 | | 1 | 0.33 | 4 | | 0.216 | 0.33 | | |
| Z64B | M | Other factors that influence state of health and follow-up treatment once treatment has been completed or following organ transplantation, age > 17 years | 0.676 | 2.8 | | 1 | 0.326 | 5 | | 0.179 | 0.326 | | |
| Z64C | M | Other factors that influence state of health and follow-up treatment once treatment has been completed or following organ transplantation | 0.538 | 4.1 | | 1 | 0.242 | 11 | | 0.095 | 0.151 | | |
| Z65A | M | Complaints, symptoms, other anomalies and follow-up treatment with specific diagnosis and procedure or dialysis | 0.861 | 7.1 | | 1 | 0.401 | 16 | | 0.116 | 0.126 | | |
| Z65B | M | Complaints, symptoms, other anomalies and follow-up treatment | 0.603 | 4.6 | | 1 | 0.262 | 10 | | 0.088 | 0.164 | | |
| Z86A | M | Factors influencing health status and other contacts with health services and status post organ transplantation or paraplegia/tetraplegia, one inpatient day | 0.474 | 1 | | | | | | | | x | |
| Z86B | M | Factors influencing health status and other contacts with health services, one inpatient day | 0.239 | 1 | | | | | | | | x | |
| Error DRGs and other DRGs | | | | | | | | | | | | | |
| 901A | O | Extensive OR procedure not related to the main diagnosis with complication procedures or radiotherapy | 4.746 | 23 | | 6 | 0.558 | 41 | | 0.124 | 0.176 | | |
| 901B | O | Extensive OR procedure not related to the main diagnosis with complex OR procedure | 3.022 | 14.7 | | 3 | 0.541 | 29 | | 0.11 | 0.164 | | |
| 901C | O | Extensive OR procedure not related to the main diagnosis with other intervention on the head and spinal column or age < 1 year | 2.111 | 12.1 | | 3 | 0.381 | 25 | | 0.092 | 0.136 | | |
| 901D | O | Extensive OR procedure not related to the main diagnosis | 1.898 | 10.1 | | 2 | 0.468 | 23 | | 0.107 | 0.151 | | |
| 902Z | O | Non-extensive OR procedure not related to the main diagnosis | 1.329 | 8.3 | | 1 | 0.509 | 21 | | 0.097 | 0.138 | | |
| 960Z | M | Not amenable to grouping | | | | | | | | | | | |
| 961Z | M | Impermissible main diagnosis | | | | | | | | | | | |
| 962Z | M | Impermissible coding of a caesarean section | | | | | | | | | | | |
| 963Z | M | Neonatal diagnosis not compatible with age or weight | 2.335 | 13.8 | | 3 | 0.524 | 28 | | 0.117 | 0.172 | | |